## Gilles Landman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1168666/publications.pdf

Version: 2024-02-01

304743 330143 1,546 68 22 37 h-index citations g-index papers 71 71 71 2172 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Tumour-associated tissue eosinophilia as a prognostic factor in oral squamous cell carcinomas. Histopathology, 2002, 41, 152-157.	2.9	132
2	Clinicopathologic Features and Human Papillomavirus DNA Prevalence of Warty and Squamous Cell Carcinoma of the Penis. American Journal of Surgical Pathology, 2001, 25, 673-678.	3.7	103
3	Fractal dimension of chromatin is an independent prognostic factor for survival in melanoma. BMC Cancer, 2010, 10, 260.	2.6	68
4	Primary Oral Mucosal Melanoma: A Series of 35 New Cases From South America. American Journal of Dermatopathology, 2009, 31, 323-330.	0.6	65
5	Opportunistic actinomycosis in osteoradionecrosis of the jaws in patients affected by head and neck cancer: incidence and clinical significance. Oral Oncology, 2000, 36, 294-299.	1.5	60
6	Histologic subtypes of oral squamous cell carcinoma: prognostic relevance. Journal of the Canadian Dental Association, 2007, 73, 339-44.	0.6	60
7	Oral verrucous carcinoma: a retrospective study in SÃ $\pm$ o Paulo Region, Brazil. Clinical Oral Investigations, 2006, 10, 205-209.	3.0	59
8	Eotaxin expression in oral squamous cell carcinomas with and without tumour associated tissue eosinophilia. Oral Diseases, 2003, 9, 279-283.	3.0	52
9	Prognoses of Oral Basaloid Squamous Cell Carcinoma and Squamous Cell Carcinoma. JAMA Otolaryngology, 2004, 130, 83.	1.2	46
10	Primary cutaneous mucoepidermoid carcinoma: report of a case. Journal of Cutaneous Pathology, 1991, 18, 56-59.	1.3	38
11	A review of the epidemiology and treatment of Merkel cell carcinoma. Clinics, 2011, 66, 1817-1823.	1.5	38
12	Tissue Eosinophilia and its Association with Tumoral Invasion of Oral Cancer. International Journal of Surgical Pathology, 2009, 17, 244-249.	0.8	37
13	Cell adhesion and communication proteins are differentially expressed in melanoma progression modelâ^†â^†â^1a^1 Human Pathology, 2011, 42, 409-418.	2.0	37
14	Atypical mole syndrome and dysplastic nevi: identification of populations at risk for developing melanoma - review article. Clinics, 2011, 66, 493-499.	1.5	36
15	Eâ€cadherin abnormalities resulting from CPG methylation promoter in metastatic and nonmetastatic oral cancer. Head and Neck, 2008, 30, 85-92.	2.0	35
16	Expression of PCNA, p53, Bax, and Bcl-X in oral poorly differentiated and basaloid squamous cell carcinoma: Relationships with prognosis. Head and Neck, 2005, 27, 982-989.	2.0	34
17	Eosinophils may predict occult lymph node metastasis in early oral cancer. Clinical Oral Investigations, 2012, 16, 1523-1528.	3.0	32
18	Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. Genetics in Medicine, 2016, 18, 727-736.	2.4	31

#	Article	IF	Citations
19	Cutaneous melanoma in childhood and adolescence: retrospective study of 32 patients. Melanoma Research, 2004, 14, 487-492.	1.2	30
20	Evaluation of the Melanocytic Pathology Assessment Tool and Hierarchy for Diagnosis (MPATH-Dx) classification scheme for diagnosis of cutaneous melanocytic neoplasms: Results from the International Melanoma Pathology Study Group. Journal of the American Academy of Dermatology, 2016, 75, 356-363.	1,2	30
21	Th17/Treg imbalance in COPD progression: A temporal analysis using a CS-induced model. PLoS ONE, 2019, 14, e0209351.	2.5	30
22	Morphometric analysis of the tumor associated tissue eosinophilia in the oral squamous cell carcinoma using different staining techniques. Histology and Histopathology, 2003, 18, 709-13.	0.7	24
23	Cutaneous papillary squamous cell carcinoma. A report of two cases. Journal of Cutaneous Pathology, 1990, 17, 105-110.	1.3	22
24	Expression of vascular endothelial growth factor-C does not predict occult lymph-node metastasis in early oral squamous cell carcinoma. International Journal of Oral and Maxillofacial Surgery, 2008, 37, 372-378.	1.5	22
25	Gene network analyses point to the importance of human tissue kallikreins in melanoma progression. BMC Medical Genomics, 2011, 4, 76.	1.5	22
26	Sentinel Lymph Node Biopsy in Cutaneous Melanoma: Analysis of 240 Consecutive Cases. Plastic and Reconstructive Surgery, 2005, 115, 1944-1951.	1.4	20
27	Structural Correlations Between Dermoscopic Features of Cutaneous Melanomas and Histopathology Using Transverse Sections. American Journal of Dermatopathology, 2006, 28, 13-20.	0.6	20
28	Proteins involved in pRb and p53 pathways are differentially expressed in thin and thick superficial spreading melanomas. Melanoma Research, 2009, 19, 135-141.	1.2	19
29	Targeting the polarization of tumor-associated macrophages and modulating mir-155 expression might be a new approach to treat diffuse large B-cell lymphoma of the elderly. Cancer Immunology, Immunotherapy, 2019, 68, 269-282.	4.2	19
30	Estrogen and progesterone receptors in human papilloma virus-related cervical neoplasia. Brazilian Journal of Medical and Biological Research, 2004, 37, 83-88.	1.5	18
31	Germline CDKN2A mutations in Brazilian patients of hereditary cutaneous melanoma. Familial Cancer, 2014, 13, 645-649.	1.9	18
32	Germline Variation at CDKN2A and Associations with Nevus Phenotypes amongÂMembers of Melanoma Families. Journal of Investigative Dermatology, 2017, 137, 2606-2612.	0.7	18
33	Vitiligo: analysis of grafting versus curettage alone, using melanocyte morphology and reverse transcriptase polymerase chain reaction for tyrosinase mRNA. Sao Paulo Medical Journal, 2005, 123, 187-191.	0.9	18
34	Tungiasis under dermoscopy: in vivo and ex vivo examination of the cutaneous infestation due to Tunga penetrans. Anais Brasileiros De Dermatologia, 2013, 88, 649-651.	1.1	17
35	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. Journal of the American Academy of Dermatology, 2019, 81, 386-394.	1.2	17
36	Vulvar melanoma: report on eleven cases and review of the literature. Sao Paulo Medical Journal, 2010, 128, 38-41.	0.9	16

#	Article	IF	CITATIONS
37	Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. American Journal of Surgical Pathology, 2021, 45, 1597-1605.	3.7	16
38	Absence of Tumor-Infiltrating Lymphocyte Is a Reproducible Predictive Factor for Sentinel Lymph Node Metastasis: A Multicenter Database Study by the Brazilian Melanoma Group. PLoS ONE, 2016, 11, e0148160.	2.5	15
39	Endothelial cells transformed by SV40 T antigen cause Kaposi's sarcomalike tumors in nude mice. American Journal of Pathology, 1991, 139, 743-9.	3.8	15
40	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of AMelanoma Families. Journal of Investigative Dermatology, 2016, 136, 1066-1069.	0.7	13
41	Alpha-v-beta3 integrin expression in melanocytic nevi and cutaneous melanoma. Journal of Cutaneous Pathology, 2007, 34, 851-856.	1.3	12
42	Primary Cutaneous Melanoma: An 18-Year Study. Clinics, 2010, 65, 257-263.	1.5	12
43	Expression of E-cadherin and $\hat{l}^2$ -catenin in basaloid and conventional squamous cell carcinoma of the oral cavity: are potential prognostic markers?. BMC Cancer, 2014, 14, 395.	2.6	10
44	Primary Cutaneous Melanoma Arising in Agminated Melanocytic Nevi: CDKN2A and CDK4 Mutation Screening. Acta Dermato-Venereologica, 2012, 92, 98-99.	1.3	8
45	TNF-alpha and melphalan modulate a specific group of early expressed genes in a murine melanoma model. Cytokine, 2013, 62, 217-225.	3.2	8
46	IMP dehydrogenase rod/ring structures in acral melanomas. Pigment Cell and Melanoma Research, 2020, 33, 490-497.	3.3	8
47	IMPDH-Based Cytoophidium Structures as Potential Theranostics in Cancer. Molecular Therapy, 2020, 28, 1557-1558.	8.2	7
48	Crossed-antigenicity between the etiologic agents of lobomycosis and paraccocidioidomycosis evidenced by an immunoenzymatic method (PAP). Allergologia Et Immunopathologia, 1988, 16, 215-8.	1.7	7
49	The 434(G>C) polymorphism in the eosinophil cationic protein gene and its association with tissue eosinophilia in oral squamous cell carcinomas. Journal of Oral Pathology and Medicine, 2010, 39, 56-62.	2.7	6
50	Case Report. Bilateral sporotrichosis. Mycoses, 2002, 45, 415-417.	4.0	5
51	Marker Protein Expression Combined With Expression Heterogeneity is a Powerful Indicator of Malignancy in Acral Lentiginous Melanomas. American Journal of Dermatopathology, 2017, 39, 114-120.	0.6	5
52	Demographic, Clinical, and Pathologic Features of Patients With Cutaneous Melanoma: Final Analysis of the Brazilian Melanoma Group Database. JCO Global Oncology, 2020, 6, 575-582.	1.8	5
53	Dermatitis herpetiformis: relevance of the physical examination to diagnosis suspicion. Canadian Family Physician, 2012, 58, 843-7.	0.4	5
54	Grape juice concentrate (G8000â,,¢) modulates apoptosis but not oxidative stress following rat colon carcinogenesis induced by azoxymethane. Toxicology Mechanisms and Methods, 2015, 25, 91-97.	2.7	4

#	Article	IF	CITATIONS
55	Acral Lentiginous Melanomas Harbour Intratumor Heterogeneity in BRAF Exon 15, With Mutations Distinct From V600E/V600K. American Journal of Dermatopathology, 2019, 41, 733-740.	0.6	4
56	Intratumor Heterogeneity of KIT Gene Mutations in Acral Lentiginous Melanoma. American Journal of Dermatopathology, 2020, 42, 265-271.	0.6	4
57	Birth cohort-specific trends of sun-related behaviors among individuals from an international consortium of melanoma-prone families. BMC Public Health, 2021, 21, 692.	2.9	4
58	Hypomelanotic melanoma mimicking pigmented Bowen disease. Journal of the American Academy of Dermatology, 2016, 74, e11-e13.	1.2	3
59	Radiotherapyâ€induced Pemphigus Foliaceous: a rare adverse effect of breast cancer therapy. International Journal of Dermatology, 2018, 57, e165-e167.	1.0	3
60	BRAFV600E and KIT immunoexpression in early-stage melanoma. Anais Brasileiros De Dermatologia, 2019, 94, 458-460.	1.1	3
61	Rat allotransplantation of epigastric microsurgical flaps: a study of rejection and the immunosuppressive effect of cyclosporin A. Revista Do Hospital Das Clinicas, 2000, 55, 21-28.	0.5	2
62	Pigmented epithelioid melanocytoma: A case report. Journal of Cutaneous Pathology, 2020, 47, 109-112.	1.3	2
63	Immunoexpression of BAP1, ROS1, and ALK in Spitzoid Melanocytic Tumors. International Journal of Surgical Pathology, 2018, 26, 514-520.	0.8	1
64	Association between frontal fibrosing alopecia and linear scleroderma "coup de sabre― Australasian Journal of Dermatology, 2019, 60, e256-e258.	0.7	1
65	Tricoadenoma palpebral: tratamento cirúrgico associado à blefaroplastia estética. Revista Brasileira De Cirurgia Plastica, 2012, 27, 160-164.	0.0	1
66	$\hat{l}\pm\hat{E}\hat{l}^2$ 7 Expression Increases With the Extent of Cutaneous Involvement in Mycosis Fungoides. American Journal of Dermatopathology, 2019, 41, 630-636.	0.6	0
67	Dupla drenagem para cadeias linfonodais distintas, detectada por técnica de biópsia de linfonodo sentinela em pacientes com melanoma cutâneo: relato de dois casos. Anais Brasileiros De Dermatologia, 2005, 80, 499-502.	1.1	0
68	Identification of Trypanosoma cruzi in human tissues using an immunoperoxidase method: study of acute Chagas disease, congenital form. Allergologia Et Immunopathologia, 1986, 14, 509-13.	1.7	0