

Han Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11688093/han-zhou-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

560

citations

10

h-index

23

g-index

40

ext. papers

696

ext. citations

5.7

avg, IF

3.26

L-index

#	Paper	IF	Citations
38	Crystal Structure of the Human Cannabinoid Receptor CB. <i>Cell</i> , 2016 , 167, 750-762.e14	56.2	323
37	Saikosaponin D from Radix Bupleuri suppresses triple-negative breast cancer cell growth by targeting Eatenin signaling. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 108, 724-733	7.5	26
36	C3-heteroaroyl cannabinoids as photolabeling ligands for the CB2 cannabinoid receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 5322-5	2.9	24
35	3afunctionalized adamantyl cannabinoid receptor probes. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 3104816	4.16	21
34	On-line comprehensive two-dimensional liquid chromatography tandem mass spectrometry for the analysis of Curcuma kwangsiensis. <i>Talanta</i> , 2018 , 186, 73-79	6.2	18
33	A Highly Diastereo- and Enantioselective Reaction for Constructing Functionalized Cyclohexanes: Six Contiguous Stereocenters in One Step. <i>Angewandte Chemie</i> , 2012 , 124, 1274-1277	3.6	15
32	Discovery of new muscarinic acetylcholine receptor antagonists from Scopolia tangutica. <i>Scientific Reports</i> , 2017 , 7, 46067	4.9	13
31	A Ruthenium Catalyst with Simple Triphenylphosphane for the Enantioselective Hydrogenation of Aromatic Ketones. <i>ChemCatChem</i> , 2013 , 5, 2253-2257	5.2	13
30	Offline preparative 2-D polar-copolymerized reversed-phase chromatography Iwitterionic hydrophilic interaction chromatography for effective purification of polar compounds from Caulis Polygoni Multiflori. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 4418-4419, 70-77	3.2	11
29	An offline two-dimensional supercritical fluid chromatography I reversed phase liquid chromatography tandem quadrupole time-of-flight mass spectrometry system for comprehensive gangliosides profiling in swine brain extract. <i>Talanta</i> , 2020 , 208, 120366	6.2	11
28	(R)- N-(1-Methyl-2-hydroxyethyl)-13-(S)-methyl-arachidonamide (AMG315): A Novel Chiral Potent Endocannabinoid Ligand with Stability to Metabolizing Enzymes. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 8639-8657	8.3	9
27	Identification of novel phytocannabinoids from Ganoderma by label-free dynamic mass redistribution assay. <i>Journal of Ethnopharmacology</i> , 2020 , 246, 112218	5	8
26	Profiling of Human Milk Oligosaccharides for Lewis Epitopes and Secretor Status by Electrostatic Repulsion Hydrophilic Interaction Chromatography Coupled with Negative-Ion Electrospray Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2019 , 91, 8199-8206	7.8	6
25	Structure-Activity Relationship Studies of Coumarin-like Diacid Derivatives as Human G Protein-Coupled Receptor-35 (hGPR35) Agonists and a Consequent New Design Principle. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 2634-2647	8.3	6
24	Discovery of Iadrenoceptor agonists in Curcuma zedoaria Rosc using label-free cell phenotypic assay combined with two-dimensional liquid chromatography. <i>Journal of Chromatography A</i> , 2018 , 1577, 59-65	4.5	6
23	Human Cannabinoid Receptor 2 Ligand-Interaction Motif: Transmembrane Helix 2 Cysteine, C2.59(89), as Determinant of Classical Cannabinoid Agonist Activity and Binding Pose. <i>ACS Chemical Neuroscience</i> , 2017 , 8, 1338-1347	5.7	5
22	Characterization of tropane and cinnamamide alkaloids from Scopolia tangutica by high-performance liquid chromatography with quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Separation Science</i> , 2019 , 42, 1163-1173	3.4	5

21	Label-free cell phenotypic study of FFA4 and FFA1 and discovery of novel agonists of FFA4 from natural products.. <i>RSC Advances</i> , 2019 , 9, 15073-15083	3-7	5
20	Oximes short-acting CB1 receptor agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 4963-4970	3-4	5
19	Discovery of novel antagonists on β adrenoceptor from natural products using a label-free cell phenotypic assay. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018 , 391, 1411-1420	3-4	5
18	Offline preparative three-dimensional HPLC for systematic and efficient purification of alkaloids from <i>Gelsemium elegans</i> Benth. <i>Journal of Chromatography A</i> , 2021 , 1640, 461935	4-5	4
17	Integration of micro-fractionation, high-performance liquid chromatography-ultraviolet detector-charged aerosol detector-mass spectrometry analysis and cellular dynamic mass redistribution assay to accelerate alkaloid drug discovery. <i>Journal of Chromatography A</i> , 2020 , 1616, 460779	4-5	3
16	Synthesis and evaluation of 3-(4-(phenoxyethyl)phenyl)propanoic acid and N-phenylbenzenesulfonamide derivatives as FFA4 agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127650	2-9	3
15	Fabrication of iron-nickel alloy microcomponents by centrifuge-assisted micromolding. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 82, 839-846	3-2	2
14	Systematic characterization of AT1 receptor antagonists with label-free dynamic mass redistribution assays. <i>Journal of Pharmacological and Toxicological Methods</i> , 2020 , 102, 106682	1-7	2
13	Oxa-adamantyl cannabinoids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 38, 127882	2-9	2
12	Label-free cell phenotypic study of opioid receptors and discovery of novel mu opioid ligands from natural products. <i>Journal of Ethnopharmacology</i> , 2021 , 270, 113872	5	2
11	Strong electrostatic repulsive interaction used for fast and effective alkaloid enrichment from plants. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1105, 148-155	3-2	2
10	Isoquinoline alkaloid dimers with dopamine D1 receptor activities from <i>Menispermum dauricum</i> DC. <i>Phytochemistry</i> , 2021 , 194, 113015	4	1
9	Combination of multi-model statistical analysis and quantitative fingerprinting in quality evaluation of Shuang-huang-lian oral liquid. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 7073-7083	4-4	1
8	Discovery of eight alkaloids with D1 and D2 antagonist activity in leaves of <i>Nelumbo nucifera</i> Gaertn. Using FLIPR assays. <i>Journal of Ethnopharmacology</i> , 2021 , 278, 114335	5	1
7	Ursodesoxycholic acid is an FFA4 agonist and reduces hepatic steatosis via FFA4 signaling.. <i>European Journal of Pharmacology</i> , 2022 , 174760	5-3	0
6	Phenotypic assessment and ligand screening of ETA/ETB receptors with label-free dynamic mass redistribution assay. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020 , 393, 937-950	3-4	0
5	A strategy for efficient enrichment of steroidal alkaloids from <i>Fritillaria</i> based on fluorinated reversed-phase stationary phase. <i>Journal of Separation Science</i> , 2021 , 44, 3441-3449	3-4	0
4	TiO Simultaneous Enrichment, On-Line Deglycosylation, and Sequential Analysis of Glyco- and Phosphopeptides. <i>Frontiers in Chemistry</i> , 2021 , 9, 703176	5	0

3	Structurally diverse isoquinoline and amide alkaloids with dopamine D2 receptor antagonism from <i>Corydalis bungeana</i> .. <i>Phytochemistry</i> , 2022 , 159, 105175	3.2	○
2	Corybungines A-K: Isoquinoline alkaloids from <i>Corydalis bungeana</i> with dopamine D2 receptor activity.. <i>Phytochemistry</i> , 2022 , 199, 113209	4	○
1	Synthesis and Chromatographic Evaluation of Perfluorooctyl Stationary Phase for Separation of Basic Compounds. <i>Chromatographia</i> , 1	2.1	