

Mohamed Marwan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11689211/mohamed-marwan-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

4,802
citations

32
h-index

69
g-index

80
ext. papers

6,153
ext. citations

4.8
avg, IF

5.13
L-index

#	Paper	IF	Citations
78	Radiomics-Based Precision Phenotyping Identifies Unstable Coronary Plaques From Computed Tomography Angiography.. <i>JACC: Cardiovascular Imaging</i> , 2022 , 15, 859-871	8.4	2
77	Risk Assessment of Coronary Obstruction During Transcatheter Aortic Valve Replacement: Insights From Post-BASILICA Computed Tomography.. <i>JACC: Cardiovascular Interventions</i> , 2022 , 15, 496-507	5	0
76	Deep learning-enabled coronary CT angiography for plaque and stenosis quantification and cardiac risk prediction: an international multicentre study.. <i>The Lancet Digital Health</i> , 2022 , 4, e256-e265	14.4	3
75	Differences of inflammatory cytokine profile in patients with vulnerable plaque: A coronary CTA study.. <i>Atherosclerosis</i> , 2022 , 350, 25-32	3.1	0
74	Determination of optimal fluoroscopic angulations for aorto-coronary ostial interventions from coronary computed tomography angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 , 15, 366-371	2.8	1
73	Influence of reconstruction kernels on the accuracy of CT-derived fractional flow reserve. <i>European Radiology</i> , 2021 , 1	8	1
72	Imaging of the Pericoronary Adipose Tissue (PCAT) Using Cardiac Computed Tomography: Modern Clinical Implications. <i>Journal of Thoracic Imaging</i> , 2021 , 36, 149-161	5.6	3
71	High levels of eicosapentaenoic acid are associated with lower pericoronary adipose tissue attenuation as measured by coronary CTA. <i>Atherosclerosis</i> , 2021 , 316, 73-78	3.1	6
70	Meta-Analysis of Bioprosthetic Valve Thrombosis After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2021 , 138, 92-99	3	10
69	Pericoronary adipose tissue CT attenuation and its association with serum levels of atherosclerosis-relevant inflammatory mediators, coronary calcification and major adverse cardiac events. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 , 15, 449-454	2.8	1
68	Pericoronary adipose tissue and quantitative global non-calcified plaque characteristics from CT angiography do not differ in matched South Asian, East Asian and European-origin Caucasian patients with stable chest pain. <i>European Journal of Radiology</i> , 2020 , 125, 108874	4.7	12
67	Epicardial fat, cardiovascular risk factors and calcifications in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 571-579	4.5	5
66	Perivascular Fat Attenuation Index Stratifies Cardiac Risk Associated With High-Risk Plaques in the CRISP-CT Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 755-757	15.1	21
65	A novel machine learning-derived radiotranscriptomic signature of perivascular fat improves cardiac risk prediction using coronary CT angiography. <i>European Heart Journal</i> , 2019 , 40, 3529-3543	9.5	127
64	Computational fluid dynamics: can computed tomography imaging compete with cath-lab physiology?. <i>Cardiovascular Research</i> , 2019 , 115, e41-e43	9.9	2
63	The Many Uses of Epicardial Fat Measurements. <i>Contemporary Medical Imaging</i> , 2019 , 285-294	0.1	
62	Relationship between changes in pericoronary adipose tissue attenuation and coronary plaque burden quantified from coronary computed tomography angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 636-643	4.1	57

61	Quantification of epicardial adipose tissue by cardiac CT: Influence of acquisition parameters and contrast enhancement. <i>European Journal of Radiology</i> , 2019 , 121, 108732	4.7	11
60	Fully Automated CT Quantification of Epicardial Adipose Tissue by Deep Learning: A Multicenter Study. <i>Radiology: Artificial Intelligence</i> , 2019 , 1, e190045	8.7	41
59	Effect of non-compliant balloon postdilatation on magnesium-based bioresorbable vascular scaffolds. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 202-207	2.7	3
58	Coronary computed tomography angiography (CCTA) in patients with suspected stable coronary artery disease (CAD): diagnostic impact and clinical consequences in the German Cardiac CT Registry depending on stress test results. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 741-748	2.5	3
57	Computed tomography imaging in the context of transcatheter aortic valve implantation (TAVI) / transcatheter aortic valve replacement (TAVR): An expert consensus document of the Society of Cardiovascular Computed Tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2019 , 13, 1-20	2.8	110
56	Computed Tomography Imaging in the Context of Transcatheter Aortic Valve Implantation (TAVI)/Transcatheter Aortic Valve Replacement (TAVR): An Expert Consensus Document of the Society of Cardiovascular Computed Tomography. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 1-24	8.4	137
55	Percutaneous coronary intervention of unprotected left main stenoses - Procedural data and outcome depending on SYNTAX I Score. <i>Cardiovascular Revascularization Medicine</i> , 2018 , 19, 740-743	1.6	1
54	Comparison of invasively measured FFR with FFR derived from coronary CT angiography for detection of lesion-specific ischemia: Results from a PC-based prototype algorithm. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 101-107	2.8	21
53	Pericoronary Adipose Tissue Computed Tomography Attenuation and High-Risk Plaque Characteristics in Acute Coronary Syndrome Compared With Stable Coronary Artery Disease. <i>JAMA Cardiology</i> , 2018 , 3, 858-863	16.2	98
52	Reduction in radiation exposure in cardiovascular computed tomography imaging: results from the PROspective multicenter registry on radiaTion dose Estimates of cardiac CT angIOgraphy IN daily practice in 2017 (PROTECTION VI). <i>European Heart Journal</i> , 2018 , 39, 3715-3723	9.5	77
51	Non-invasive detection of coronary inflammation using computed tomography and prediction of residual cardiovascular risk (the CRISP CT study): a post-hoc analysis of prospective outcome data. <i>Lancet, The</i> , 2018 , 392, 929-939	40	255
50	German cardiac CT registry: indications, procedural data and clinical consequences in 7061 patients undergoing cardiac computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 807-819	2.5	4
49	Epicardial adipose tissue density and volume are related to subclinical atherosclerosis, inflammation and major adverse cardiac events in asymptomatic subjects. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 67-73	2.8	84
48	Role of CT Imaging for Coronary and Non-coronary Interventions. <i>Current Cardiovascular Imaging Reports</i> , 2017 , 10, 1	0.7	
47	Fractional flow reserve derived from coronary computed tomography angiography: diagnostic performance in hypertensive and diabetic patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 1351-1360	4.1	10
46	CT Attenuation of Pericoronary Adipose Tissue in Normal Versus Atherosclerotic Coronary Segments as Defined by Intravascular Ultrasound. <i>Journal of Computer Assisted Tomography</i> , 2017 , 41, 762-767	2.2	33
45	Optical coherence tomography: influence of contrast concentration on image quality and diagnostic confidence. <i>Heart and Vessels</i> , 2017 , 32, 653-659	2.1	2
44	Computer-aided evaluation of low-dose and low-contrast agent third-generation dual-source CT angiography prior to transcatheter aortic valve implantation (TAVI). <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2017 , 12, 795-802	3.9	10

43	Applicability and procedural success rate of bioresorbable -vascular scaffolds for percutaneous coronary intervention in an all-comer cohort of 383 consecutive patients. <i>Acta Cardiologica</i> , 2017 , 72, 425-432	0.9	
42	Prediction of fluoroscopic angulations for transcatheter aortic valve implantation by CT angiography: influence on procedural parameters. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 906-914	4.1	20
41	Diagnostic Performance of Transluminal Attenuation Gradient and Noninvasive Fractional Flow Reserve Derived from 320-Detector Row CT Angiography to Diagnose Hemodynamically Significant Coronary Stenosis: An NXT Substudy. <i>Radiology</i> , 2016 , 279, 75-83	20.5	43
40	CT-based analysis of pericoronary adipose tissue density: Relation to cardiovascular risk factors and epicardial adipose tissue volume. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 52-60	2.8	29
39	SCCT guidelines for the performance and acquisition of coronary computed tomographic angiography: A report of the society of Cardiovascular Computed Tomography Guidelines Committee: Endorsed by the North American Society for Cardiovascular Imaging (NASCI). <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 435-449	2.8	386
38	Contrast volume reduction using third generation dual source computed tomography for the evaluation of patients prior to transcatheter aortic valve implantation. <i>European Radiology</i> , 2016 , 26, 4497-4504	8	35
37	Comparison of standard- and high-dose intracoronary adenosine for the measurement of coronary fractional flow reserve (FFR). <i>Clinical Research in Cardiology</i> , 2016 , 105, 1003-1010	6.1	12
36	White Matter Lesions, Carotid and Coronary Atherosclerosis in Late-Onset Depression and Healthy Controls. <i>Psychosomatics</i> , 2016 , 57, 369-77	2.6	10
35	Epicardial adipose tissue volume but not density is an independent predictor for myocardial ischemia. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 141-9	2.8	35
34	Reproducibility of semi-automatic coronary plaque quantification in coronary CT angiography with sub-mSv radiation dose. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 114-20	2.8	24
33	Influence of the coronary calcium score on the ability to rule out coronary artery stenoses by coronary CT angiography in patients with suspected coronary artery disease. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 343-50	2.8	13
32	Association of systemic inflammation with epicardial fat and coronary artery calcification. <i>Inflammation Research</i> , 2015 , 64, 313-9	7.2	24
31	Aortic annulus eccentricity before and after transcatheter aortic valve implantation: Comparison of balloon-expandable and self-expanding prostheses. <i>European Journal of Radiology</i> , 2015 , 84, 1242-8	4.7	13
30	Non-invasive prediction of hemodynamically significant coronary artery stenoses by contrast density difference in coronary CT angiography. <i>European Journal of Radiology</i> , 2015 , 84, 1502-1508	4.7	28
29	Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in suspected coronary artery disease: the NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1145-1155	15.1	871
28	Comparison of quantitative atherosclerotic plaque burden from coronary CT angiography in patients with first acute coronary syndrome and stable coronary artery disease. <i>Journal of Cardiovascular Computed Tomography</i> , 2014 , 8, 368-74	2.8	52
27	Prospectively ECG-triggered high-pitch coronary angiography with third-generation dual-source CT at 70 kVp tube voltage: feasibility, image quality, radiation dose, and effect of iterative reconstruction. <i>Journal of Cardiovascular Computed Tomography</i> , 2014 , 8, 418-25	2.8	69
26	Ultra-low dose comprehensive cardiac CT imaging in a patient with acute myocarditis. <i>Journal of Cardiovascular Computed Tomography</i> , 2014 , 8, 475-6	2.8	6

25	Multicenter Evaluation Of Coronary Dual-Source CT angiography in patients with intermediate Risk of Coronary Artery Stenoses (MEDIC): study design and rationale. <i>Journal of Cardiovascular Computed Tomography</i> , 2014 , 8, 183-8	2.8	11
24	Coronary plaque volume and composition assessed by computed tomography angiography in patients with late-onset major depression. <i>Psychosomatics</i> , 2014 , 55, 243-51	2.6	4
23	CT predictors of post-procedural aortic regurgitation in patients referred for transcatheter aortic valve implantation: an analysis of 105 patients. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1191-8	2.5	40
22	Automated attenuation-based selection of tube voltage and tube current for coronary CT angiography: reduction of radiation exposure versus a BMI-based strategy with an expert investigator. <i>Journal of Cardiovascular Computed Tomography</i> , 2013 , 7, 303-10	2.8	30
21	Very low-dose coronary artery calcium scanning with high-pitch spiral acquisition mode: comparison between 120-kV and 100-kV tube voltage protocols. <i>Journal of Cardiovascular Computed Tomography</i> , 2013 , 7, 32-8	2.8	59
20	Patient-specific predictors of image noise in coronary CT angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2013 , 7, 39-45	2.8	12
19	Quantification of epicardial fat by computed tomography: why, when and how?. <i>Journal of Cardiovascular Computed Tomography</i> , 2013 , 7, 3-10	2.8	46
18	Reproducibility of coronary plaque detection and characterization using low radiation dose coronary computed tomographic angiography in patients with intermediate likelihood of coronary artery disease (ReSCAN study). <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 889-99	2.5	17
17	Accuracy of dual-source CT to identify significant coronary artery disease in patients with uncontrolled hypertension presenting with chest pain: comparison with coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 1173-80	2.5	16
16	Interobserver agreement for the detection of atherosclerotic plaque in coronary CT angiography: comparison of two low-dose image acquisition protocols with standard retrospectively ECG-gated reconstruction. <i>European Radiology</i> , 2012 , 22, 1529-36	8	9
15	Detection of coronary artery stenoses by low-dose, prospectively ECG-triggered, high-pitch spiral coronary CT angiography. <i>JACC: Cardiovascular Imaging</i> , 2011 , 4, 328-37	8.4	127
14	Assessment of coronary artery remodelling by dual-source CT: a head-to-head comparison with intravascular ultrasound. <i>Heart</i> , 2011 , 97, 991-7	5.1	65
13	In vivo CT detection of lipid-rich coronary artery atherosclerotic plaques using quantitative histogram analysis: a head to head comparison with IVUS. <i>Atherosclerosis</i> , 2011 , 215, 110-5	3.1	98
12	Coronary vessel and luminal area measurement using dual-source computed tomography in comparison with intravascular ultrasound: effect of window settings on measurement accuracy. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 113-8	2.2	16
11	Quantification of non-calcified coronary atherosclerotic plaques with dual-source computed tomography: comparison with intravascular ultrasound. <i>Heart</i> , 2010 , 96, 610-5	5.1	48
10	Coronary computed tomography angiography with a consistent dose below 1 mSv using prospectively electrocardiogram-triggered high-pitch spiral acquisition. <i>European Heart Journal</i> , 2010 , 31, 340-6	9.5	470
9	Accuracy of dual-source computed tomography to identify significant coronary artery disease in patients with atrial fibrillation: comparison with coronary angiography. <i>European Heart Journal</i> , 2010 , 31, 2230-7	9.5	43
8	Automated three-dimensional quantification of noncalcified coronary plaque from coronary CT angiography: comparison with intravascular US. <i>Radiology</i> , 2010 , 257, 516-22	20.5	138

7	Influence of slice thickness and reconstruction kernel on the computed tomographic attenuation of coronary atherosclerotic plaque. <i>Journal of Cardiovascular Computed Tomography</i> , 2010 , 4, 110-5	2.8	69
6	Characterization of culprit lesions in acute coronary syndromes using coronary dual-source CT angiography. <i>Atherosclerosis</i> , 2010 , 211, 437-44	3.1	140
5	Radiation exposure and image quality in staged low-dose protocols for coronary dual-source CT angiography: a randomized comparison. <i>European Radiology</i> , 2010 , 20, 1197-206	8	32
4	Image quality in a low radiation exposure protocol for retrospectively ECG-gated coronary CT angiography. <i>American Journal of Roentgenology</i> , 2009 , 192, 1045-50	5.4	103
3	Prospectively ECG-triggered high-pitch spiral acquisition for coronary CT angiography using dual source CT: technique and initial experience. <i>European Radiology</i> , 2009 , 19, 2576-83	8	171
2	High-pitch spiral acquisition: a new scan mode for coronary CT angiography. <i>Journal of Cardiovascular Computed Tomography</i> , 2009 , 3, 117-21	2.8	208
1	Cardiac amyloidosis imaged by dual-source computed tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2008 , 2, 403-5	2.8	9