

# Han Mo Jeong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11691964/publications.pdf>

Version: 2024-02-01

97  
papers

4,867  
citations

94433

37  
h-index

95266

68  
g-index

97  
all docs

97  
docs citations

97  
times ranked

4803  
citing authors

#	ARTICLE	IF	CITATIONS
1	Controlled oxygen functional groups on reduced graphene using rate of temperature for advanced sorption process. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 103749.	6.7	21
2	Properties of polythiourethanes prepared by thiol-isocyanate click reaction. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46070.	2.6	29
3	Waterborne polyurethane modified with poly(ethylene glycol) macromer for waterproof breathable coating. <i>Progress in Organic Coatings</i> , 2017, 103, 69-75.	3.9	46
4	Graphene functionalized with poly(vinyl alcohol) as a Pickering stabilizer for suspension polymerization of poly(methyl methacrylate). <i>Journal of Colloid and Interface Science</i> , 2016, 476, 47-54.	9.4	9
5	Compatibility of Thermally Reduced Graphene with Polyesters. <i>Journal of Macromolecular Science - Physics</i> , 2016, 55, 1099-1110.	1.0	175
6	Poly(methyl methacrylate)/Graphene Microparticles Having a Core/Shell Structure Prepared with Carboxylated Graphene as a Pickering Stabilizer. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 570-580.	2.2	4
7	Waterborne polyurethane modified with silicone macromer and the nylon airbag coated with it. <i>Textile Research Journal</i> , 2016, 86, 2015-2021.	2.2	6
8	A Pickering emulsion route to a stearic acid/graphene core-shell composite phase change material. <i>Carbon</i> , 2016, 99, 49-57.	10.3	97
9	Aluminum hydroxide-CNT hybrid material for synergizing the thermal conductivity of alumina sphere/thermoplastic polyurethane composite with minimal increase of electrical conductivity. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 33, 150-155.	5.8	21
10	Graphene prepared by thermal reduction-exfoliation of graphite oxide: Effect of raw graphite particle size on the properties of graphite oxide and graphene. <i>Materials Research Bulletin</i> , 2015, 70, 651-657.	5.2	72
11	Novel stearic acid/graphene core-shell composite microcapsule as a phase change material exhibiting high shape stability and performance. <i>Solar Energy Materials and Solar Cells</i> , 2015, 137, 227-234.	6.2	80
12	Electrically Conductive Graphene/Poly(methyl methacrylate) Composites with Ultra-Low Percolation Threshold by Electrostatic Self-Assembly in Aqueous Medium. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 770-782.	2.2	23
13	Graphene coated with alumina and its utilization as a thermal conductivity enhancer for alumina sphere/thermoplastic polyurethane composite. <i>Materials Chemistry and Physics</i> , 2015, 153, 291-300.	4.0	78
14	Properties of Graphene/Shape Memory Thermoplastic Polyurethane Composites Actuating by Various Methods. <i>Materials</i> , 2014, 7, 1520-1538.	2.9	63
15	Super-tough functionalized graphene paper as a high-capacity anode for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2014, 250, 257-266.	12.7	35
16	Alumina-coated graphene nanosheet and its composite of acrylic rubber. <i>Journal of Colloid and Interface Science</i> , 2014, 416, 38-43.	9.4	36
17	The effects of graphene on the properties of acrylic pressure-sensitive adhesive. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 4108-4111.	5.8	26
18	Graphene Modified Lipophilically by Stearic Acid and its Composite With Low Density Polyethylene. <i>Journal of Macromolecular Science - Physics</i> , 2014, 53, 1193-1204.	1.0	182

#	ARTICLE	IF	CITATIONS
19	Thermoresponsive ureido-derivatized polymers: the effect of quaternization on UCST properties. <i>Polymer Chemistry</i> , 2014, 5, 2411.	3.9	49
20	Water-dispersible graphene designed as a Pickering stabilizer for the suspension polymerization of poly(methyl methacrylate)/graphene core-shell microspheres exhibiting ultra-low percolation threshold of electrical conductivity. <i>Polymer</i> , 2014, 55, 4709-4719.	3.8	55
21	Solid-state functionalization of graphene with amino acids toward water-dispersibility: implications on a composite with polyaniline and its characteristics as a supercapacitor electrode material. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12526.	10.3	32
22	Novel graphene papers with sporadic alkyl brushes on the basal plane as a high-capacity flexible anode for lithium ion batteries. <i>Electrochimica Acta</i> , 2014, 135, 478-486.	5.2	13
23	Synthesis and properties of near IR induced self-healable polyurethane/graphene nanocomposites. <i>European Polymer Journal</i> , 2013, 49, 3889-3896.	5.4	76
24	Characterization of air-blown asphalt/trans-polyoctenamer rubber blends. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 645-649.	5.8	19
25	Direct covalent modification of thermally exfoliated graphene forming functionalized graphene stably dispersible in water and poly(vinyl alcohol). <i>Colloid and Polymer Science</i> , 2013, 291, 2365-2374.	2.1	18
26	The modification of graphene with alcohols and its use in shape memory polyurethane composites. <i>Polymer International</i> , 2013, 62, 54-63.	3.1	36
27	Compatibility of Functionalized Graphene with Polyethylene and Its Copolymers. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-8.	2.7	19
28	Shape memory polyurethane nanocomposites with a functionalized graphene. , 2013, , .		2
29	The Effect of Oxidation on Properties of Graphene and Its Polycaprolactone Nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 8420-8430.	0.9	14
30	Molecular brushes with extreme grafted side chain densities. <i>Polymer</i> , 2012, 53, 3462-3468.	3.8	1
31	Shape memory polyurethane nanocomposites with functionalized graphene. <i>Smart Materials and Structures</i> , 2012, 21, 075017.	3.5	61
32	Properties of Graphene/Waterborne Polyurethane Nanocomposites Cast from Colloidal Dispersion Mixtures. <i>Journal of Macromolecular Science - Physics</i> , 2012, 51, 197-207.	1.0	263
33	Functionalized graphene sheets/polycarbonate nanocomposites compatibilized by poly(phenylenevinylene). <i>Macromolecular Research</i> , 2012, 20, 768-771.	2.4	3
34	Thermoresponsive graphene nanosheets by functionalization with polymer brushes. <i>Polymer</i> , 2012, 53, 316-323.	3.8	53
35	Novel Thermoresponsive Polymers Tunable by pH. <i>Macromolecules</i> , 2011, 44, 1628-1634.	4.8	58
36	Graphite oxides as effective fire retardants of epoxy resin. <i>Macromolecular Research</i> , 2011, 19, 66-71.	2.4	242

#	ARTICLE	IF	CITATIONS
37	The properties of functionalized graphene sheet/poly(ethyl methacrylate) nanocomposites: The effects of preparation method. <i>Macromolecular Research</i> , 2011, 19, 379-384.	2.4	15
38	Functionalized graphene sheet/polyurethane nanocomposites: Effect of particle size on physical properties. <i>Macromolecular Research</i> , 2011, 19, 809-814.	2.4	102
39	Functionalized graphene sheet/polyurethane nanocomposites: Effect of particle size on the physical properties. , 2010, , .		1
40	Preparation and Characterization of Poly(ethylene oxide)/Graphene Nanocomposites from an Aqueous Medium. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 802-809.	1.0	65
41	Thermoplastic polyurethane elastomer/thermoplastic polyolefin elastomer blends compatibilized with a polyolefinic segment in TPU. <i>Macromolecular Research</i> , 2010, 18, 177-184.	2.4	18
42	Effect of pyrene treatment on the properties of graphene/epoxy nanocomposites. <i>Macromolecular Research</i> , 2010, 18, 1125-1128.	2.4	22
43	Properties of Thermoplastic Polyurethane/Functionalised Graphene Sheet Nanocomposites Prepared by the <i>in Situ</i> Polymerisation Method. <i>Polymers and Polymer Composites</i> , 2010, 18, 351-358.	1.9	57
44	Properties of Waterborne Polyurethane/Functionalized Graphene Sheet Nanocomposites Prepared by an in situ Method. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 1247-1254.	2.2	267
45	Synthesis and characterization of novel Schiff base polyurethanes. <i>Journal of Applied Polymer Science</i> , 2009, 113, 2747-2754.	2.6	47
46	Reactive hot melt polyurethane adhesives modified by acrylic copolymer nanocomposites. <i>Macromolecular Research</i> , 2009, 17, 879-885.	2.4	11
47	Compatibilizing effect of graphite oxide in graphene/PMMA nanocomposites. <i>Macromolecular Research</i> , 2009, 17, 626-629.	2.4	25
48	Morphological and physical properties of a thermoplastic polyurethane reinforced with functionalized graphene sheet. <i>Polymer International</i> , 2009, 58, 412-417.	3.1	230
49	The Properties of Reactive Hot Melt Polyurethane Adhesives: Effects of Molecular Weight and Reactive Organoclay. <i>Polymer-Plastics Technology and Engineering</i> , 2009, 48, 932-938.	1.9	6
50	Synthesis and characterization of novel polyurethanes based on 4-((4-hydroxyphenyl)iminomethyl)phenol. <i>Macromolecular Research</i> , 2008, 16, 194-199.	2.4	51
51	Preparation and Physical Properties of Waterborne Polyurethane/Functionalized Graphene Sheet Nanocomposites. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 2487-2493.	2.2	223
52	Synthesis and characterization of novel polyurethanes based on $N^1$ , $N^4$ -bis((4-hydroxyphenyl)methylene)succinohydrazide hard segment. <i>Journal of Applied Polymer Science</i> , 2008, 110, 2315-2320.	2.6	59
53	Synthesis, characterization of novel dihydrazide containing polyurethanes based on $N^1$ , $N^2$ -bis((4-hydroxyphenyl)methylene)ethanedihydrazide and various diisocyanates. <i>Journal of Applied Polymer Science</i> , 2008, 107, 3401-3407.	2.6	55
54	Shape memory and physical properties of poly(ethyl methacrylate)/Na-MMT nanocomposites prepared by macroazoinitiator intercalated in Na-MMT. <i>Composites Science and Technology</i> , 2008, 68, 1919-1926.	7.8	47

#	ARTICLE	IF	CITATIONS
55	Sound damping of a PU foam nanocomposite. , 2008, , .		1
56	Graphite oxide/poly (methyl methacrylate) nanocomposites prepared by a novel method utilizing macroazoinitiator. , 2008, , .		0
57	Acrylic copolymer intercalated in sodium montmorillonite: a modifier of reactive hot melt polyurethane adhesive. <i>Composite Interfaces</i> , 2008, 15, 577-587.	2.3	6
58	Characteristics of Rubber/Sodium Montmorillonite Nanocomposites Prepared by a Novel Method. <i>Journal of Macromolecular Science - Physics</i> , 2007, 46, 1151-1163.	1.0	9
59	The effect of organoclay on the properties of a reactive hot melt polyurethane adhesive. <i>Composite Interfaces</i> , 2007, 14, 467-476.	2.3	9
60	High performance UV curable polyurethane dispersions by incorporating multifunctional extender. <i>Progress in Organic Coatings</i> , 2007, 60, 17-23.	3.9	32
61	Sound damping of a polyurethane foam nanocomposite. <i>Macromolecular Research</i> , 2007, 15, 443-448.	2.4	81
62	Styrenic polymer/organoclay nanocomposite prepared via in-situ polymerization with an azoinitiator linked to an epoxy oligomer. <i>Macromolecular Research</i> , 2006, 14, 610-616.	2.4	9
63	Morphology and properties of polyacrylonitrile/Na-MMT nanocomposites prepared via in-situ polymerization with macroazoinitiator. <i>Macromolecular Research</i> , 2006, 14, 312-317.	2.4	30
64	Characteristics of polystyrene/organoclay nanocomposites prepared by in-situ polymerization with macroazoinitiator containing poly(dimethylsiloxane) segment. <i>Journal of Applied Polymer Science</i> , 2006, 99, 2841-2847.	2.6	11
65	Preparation of poly(methyl methacrylate)/Na-MMT Nanocomposites via in-Situ polymerization with macroazoinitiator. <i>Macromolecular Research</i> , 2005, 13, 102-106.	2.4	14
66	Structure and properties of EVOH/organoclay nanocomposites. <i>Journal of Materials Science</i> , 2005, 40, 3783-3787.	3.7	33
67	Properties of waterborne polyurethane/nanosilica composite. <i>Macromolecular Research</i> , 2003, 11, 198-201.	2.4	31
68	Morphology and properties of waterborne polyurethane/clay nanocomposites. <i>European Polymer Journal</i> , 2003, 39, 85-91.	5.4	252
69	Properties of Waterborne Polyurethanes Based on Polycarbonate Diol Reinforced with Organophilic Clay. <i>Journal of Macromolecular Science - Physics</i> , 2003, 42, 1249-1263.	1.0	18
70	Properties of Waterborne Polyurethane/PMMA/Clay Hybrid Materials. <i>Journal of Macromolecular Science - Physics</i> , 2003, 42, 1153-1167.	1.0	20
71	Thermal and mechanical properties of the polymers synthesized by the sequential polymerization of propylene and 1-hexadecene. <i>Journal of Applied Polymer Science</i> , 2002, 84, 1709-1715.	2.6	11
72	Shape memory effect of poly(methylene-1,3-cyclopentane) and its copolymer with polyethylene. <i>Polymer International</i> , 2002, 51, 275-280.	3.1	25

#	ARTICLE	IF	CITATIONS
73	Miscibility and shape memory effect of thermoplastic polyurethane blends with phenoxy resin. <i>European Polymer Journal</i> , 2001, 37, 2245-2252.	5.4	81
74	Temperature sensitive water vapour permeability and shape memory effect of polyurethane with crystalline reversible phase and hydrophilic segments. <i>Polymer International</i> , 2000, 49, 1714-1721.	3.1	87
75	Morphology and physical properties of SAN/NBR blends: The effect of AN content in NBR. <i>Journal of Applied Polymer Science</i> , 2000, 78, 1861-1868.	2.6	10
76	Shape-memory behavior of segmented polyurethanes with an amorphous reversible phase: The effect of block length and content. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 2652-2657.	2.1	128
77	Water vapor permeability of shape memory polyurethane with amorphous reversible phase. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 3009-3017.	2.1	97
78	Shape memory polyurethane containing amorphous reversible phase. <i>Journal of Materials Science</i> , 2000, 35, 1579-1583.	3.7	117
79	Study on the Shape Memory Polyamides. Synthesis and Thermomechanical Properties of Polycaprolactone-Polyamide Block Copolymer. <i>Polymer Journal</i> , 2000, 32, 23-28.	2.7	41
80	Morphology and physical properties of SAN/NBR blends: The effect of AN content and melt viscosity of SAN. <i>Journal of Applied Polymer Science</i> , 1999, 73, 935-941.	2.6	6
81	Phase structure and properties of some thermoplastic polyesteramide elastomers. <i>Polymer</i> , 1998, 39, 459-465.	3.8	13
82	Tetramethylpolyarylate-polyarylate block copolymer: Synthesis and miscibility with polyarylate and poly(styrene-co-acrylonitrile). <i>Journal of Macromolecular Science - Physics</i> , 1997, 36, 429-440.	1.0	0
83	Compatibilizing effect of polyarylate-polyamide-6 block copolymers on polyarylate/polyamide-6 blends: 2. <i>Polymer</i> , 1996, 37, 3559-3565.	3.8	18
84	Miscibility of polyamide-6,6 with aromatic polyamides. <i>Polymer Bulletin</i> , 1996, 37, 361-367.	3.3	2
85	Thermal and mechanical properties of poly(esterurethane) modified by copolyamide segments of various molecular weight. <i>Polymer International</i> , 1995, 36, 239-245.	3.1	8
86	Compatibilizing effect of polyarylate-polystyrene block copolymer in polyarylate/polystyrene blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994, 32, 21-28.	2.1	13
87	Thermal and mechanical properties of poly(ether urethane) modified by copolyamide segments. <i>Macromolecular Chemistry and Physics</i> , 1994, 195, 2559-2567.	2.2	9
88	Synthesis and application of polyarylate-poly(methyl methacrylate) block copolymer as compatibilizer for polyarylate/poly(vinylidene fluoride) blend. <i>European Polymer Journal</i> , 1994, 30, 353-360.	5.4	7
89	Dynamic mechanical properties of poly(vinyl chloride) and polyurethane carboxylate blends. <i>Journal of Applied Polymer Science</i> , 1994, 51, 2187-2190.	2.6	14
90	Compatibilizing effect of polyarylate-nylon 6 block copolymers on polyarylate/nylon 6 blends: 1. Synthesis of polyarylate-nylon 6 block copolymer and its miscibility in binary blends with polyarylate or nylon 6. <i>Polymer</i> , 1993, 34, 4156-4165.	3.8	4

#	ARTICLE	IF	CITATIONS
91	Physical properties of ABS/SMA/nylon-6 ternary blends: effect of blending sequence. <i>Polymer</i> , 1993, 34, 2075-2080.	3.8	64
92	Thermal and mechanical properties of thermoplastic polyurethane elastomers from different polymerization methods. <i>Polymer International</i> , 1993, 31, 329-333.	3.1	36
93	Polyarylate-polystyrene block copolymer from macro-azoinitiator: Synthesis and its thermal properties. <i>Journal of Polymer Science Part A</i> , 1993, 31, 435-441.	2.3	15
94	Miscibility of thermoplastic polyurethane elastomers with chlorine-containing polymers. <i>Polymer International</i> , 1992, 29, 115-120.	3.1	16
95	Ultralow density polyethylene blends with polypropylene. <i>Polymer Engineering and Science</i> , 1991, 31, 944-953.	3.1	33
96	Binary blends of nylons with ethylene vinyl alcohol copolymers: Morphological, thermal, rheological, and mechanical behavior. <i>Polymer Engineering and Science</i> , 1990, 30, 341-349.	3.1	27
97	Morphological, thermal and rheological properties of the blends polypropylene/nylon-6, polypropylene/nylon-6/(maleic anhydride-g-polypropylene) and (maleic anhydride-g-polypropylene)/nylon-6. <i>Polymer Engineering and Science</i> , 1990, 30, 341-349.	3.1	27