Mitchell A Lazar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11696643/mitchell-a-lazar-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 31,048 119 121 h-index g-index citations papers 33,384 121 14.1 7.14 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
119	Nuclear receptors and transcriptional regulation in non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2021 , 50, 101119	8.8	8
118	Toxicity of overexpressed MeCP2 is independent of HDAC3 activity. <i>Genes and Development</i> , 2018 , 32, 1514-1524	12.6	16
117	Regeneration of fat cells from myofibroblasts during wound healing. <i>Science</i> , 2017 , 355, 748-752	33.3	277
116	Dissociation of muscle insulin sensitivity from exercise endurance in mice by HDAC3 depletion. <i>Nature Medicine</i> , 2017 , 23, 223-234	50.5	62
115	Human resistin protects against endotoxic shock by blocking LPS-TLR4 interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E10399-E10408	11.5	38
114	Targeting PPARIIn the epigenome rescues genetic metabolic defects in mice. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1451-1462	15.9	31
113	The Nuclear Receptor Rev-erb®Regulates Adipose Tissue-specific FGF21 Signaling. <i>Journal of Biological Chemistry</i> , 2016 , 291, 10867-75	5.4	23
112	Principles of Hormone Action 2016 , 18-48		3
111	Macrophage-derived human resistin is induced in multiple helminth infections and promotes inflammatory monocytes and increased parasite burden. <i>PLoS Pathogens</i> , 2015 , 11, e1004579	7.6	35
110	Circadian metabolism in the light of evolution. <i>Endocrine Reviews</i> , 2015 , 36, 289-304	27.2	85
109	ATF4 licenses C/EBPlactivity in human mesenchymal stem cells primed for adipogenesis. <i>ELife</i> , 2015 , 4, e06821	8.9	31
108	PPARIand the global map of adipogenesis and beyond. <i>Trends in Endocrinology and Metabolism</i> , 2014 , 25, 293-302	8.8	338
107	Anti-diabetic rosiglitazone remodels the adipocyte transcriptome by redistributing transcription to PPAREdriven enhancers. <i>Genes and Development</i> , 2014 , 28, 1018-28	12.6	73
106	Thiazolidinediones and the promise of insulin sensitization in type 2 diabetes. <i>Cell Metabolism</i> , 2014 , 20, 573-91	24.6	313
105	Adenylyl cyclase-associated protein 1 is a receptor for human resistin and mediates inflammatory actions of human monocytes. <i>Cell Metabolism</i> , 2014 , 19, 484-97	24.6	167
104	Lipoatrophy and severe metabolic disturbance in mice with fat-specific deletion of PPARI <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18656-61	11.5	168
103	Histone deacetylase 3 coordinates commensal-bacteria-dependent intestinal homeostasis. <i>Nature</i> , 2013 , 504, 153-7	50.4	154

(2010-2013)

	102	Deacetylase-independent function of HDAC3 in transcription and metabolism requires nuclear receptor corepressor. <i>Molecular Cell</i> , 2013 , 52, 769-82	17.6	168
	101	A novel adipose-specific gene deletion model demonstrates potential pitfalls of existing methods. <i>Molecular Endocrinology</i> , 2013 , 27, 127-34		68
·	100	Nuclear receptor co-repressors are required for the histone-deacetylase activity of HDAC3[in vivo. <i>Nature Structural and Molecular Biology</i> , 2013 , 20, 182-7	17.6	131
(99	Human resistin in chemotherapy-induced heart failure in humanized male mice and in women treated for breast cancer. <i>Endocrinology</i> , 2013 , 154, 4206-14	4.8	11
(98	The orphan nuclear receptors at their 25-year reunion. <i>Journal of Molecular Endocrinology</i> , 2013 , 51, T1	1 5-4 0	66
(97	Double SET point: G9a makes its mark in adipogenesis. <i>EMBO Journal</i> , 2013 , 32, 4-6	13	2
(96	Human resistin: found in translation from mouse to man. <i>Trends in Endocrinology and Metabolism</i> , 2011 , 22, 259-65	8.8	195
(95	Forming functional fat: a growing understanding of adipocyte differentiation. <i>Nature Reviews Molecular Cell Biology</i> , 2011 , 12, 722-34	48.7	891
	94	HDAC3 is a critical negative regulator of long-term memory formation. <i>Journal of Neuroscience</i> , 2011 , 31, 764-74	6.6	386
-	93	Species-specific strategies underlying conserved functions of metabolic transcription factors. <i>Molecular Endocrinology</i> , 2011 , 25, 694-706		48
	93 92		4.1	48 39
(Molecular Endocrinology, 2011 , 25, 694-706 Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and	4.1	
	92	Molecular Endocrinology, 2011, 25, 694-706 Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification. Journal of Rheumatology, 2011, 38, 2369-75 Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. Diabetes,		39
	92 91	Molecular Endocrinology, 2011, 25, 694-706 Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification. Journal of Rheumatology, 2011, 38, 2369-75 Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. Diabetes, 2011, 60, 775-83 Repressor transcription factor 7-like 1 promotes adipogenic competency in precursor cells.	0.9	39
	92 91 90	Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification. <i>Journal of Rheumatology</i> , 2011 , 38, 2369-75 Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. <i>Diabetes</i> , 2011 , 60, 775-83 Repressor transcription factor 7-like 1 promotes adipogenic competency in precursor cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16271-6	0.9	39 44
	92 91 90	Molecular Endocrinology, 2011, 25, 694-706 Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification. Journal of Rheumatology, 2011, 38, 2369-75 Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. Diabetes, 2011, 60, 775-83 Repressor transcription factor 7-like 1 promotes adipogenic competency in precursor cells. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 16271-6 Mechanism of Action of Hormones That Act on Nuclear Receptors 2011, 51-61 Cell-specific determinants of peroxisome proliferator-activated receptor gamma function in	0.9	39 44 33
	92 91 90 89	Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification. <i>Journal of Rheumatology</i> , 2011 , 38, 2369-75 Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. <i>Diabetes</i> , 2011 , 60, 775-83 Repressor transcription factor 7-like 1 promotes adipogenic competency in precursor cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16271-6 Mechanism of Action of Hormones That Act on Nuclear Receptors 2011 , 51-61 Cell-specific determinants of peroxisome proliferator-activated receptor gamma function in adipocytes and macrophages. <i>Molecular and Cellular Biology</i> , 2010 , 30, 2078-89 Propagation of adipogenic signals through an epigenomic transition state. <i>Genes and Development</i> ,	0.9	39 44 33
	92 91 90 89 88	Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification. <i>Journal of Rheumatology</i> , 2011 , 38, 2369-75 Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. <i>Diabetes</i> , 2011 , 60, 775-83 Repressor transcription factor 7-like 1 promotes adipogenic competency in precursor cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16271-6 Mechanism of Action of Hormones That Act on Nuclear Receptors 2011 , 51-61 Cell-specific determinants of peroxisome proliferator-activated receptor gamma function in adipocytes and macrophages. <i>Molecular and Cellular Biology</i> , 2010 , 30, 2078-89 Propagation of adipogenic signals through an epigenomic transition state. <i>Genes and Development</i> , 2010 , 24, 1035-44 Endogenous ligands for nuclear receptors: digging deeper. <i>Journal of Biological Chemistry</i> , 2010 ,	0.9 11.5 4.8	39 44 33 173

84	Endoplasmic reticulum stress regulates adipocyte resistin expression. <i>Diabetes</i> , 2009 , 58, 1879-86	0.9	35
83	Adipocyte-specific expression of murine resistin is mediated by synergism between peroxisome proliferator-activated receptor gamma and CCAAT/enhancer-binding proteins. <i>Journal of Biological Chemistry</i> , 2009 , 284, 6116-25	5.4	61
82	Retinol saturase promotes adipogenesis and is downregulated in obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 1105-10	11.5	64
81	Re-expression of GATA2 cooperates with peroxisome proliferator-activated receptor-gamma depletion to revert the adipocyte phenotype. <i>Journal of Biological Chemistry</i> , 2009 , 284, 9458-64	5.4	52
80	New developments in adipogenesis. <i>Trends in Endocrinology and Metabolism</i> , 2009 , 20, 107-14	8.8	619
79	Macrophage-derived human resistin exacerbates adipose tissue inflammation and insulin resistance in mice. <i>Journal of Clinical Investigation</i> , 2009 , 119, 531-9	15.9	143
78	Adipokines and the peripheral and neural control of energy balance. <i>Molecular Endocrinology</i> , 2008 , 22, 1023-31		222
77	Bifunctional role of Rev-erbalpha in adipocyte differentiation. <i>Molecular and Cellular Biology</i> , 2008 , 28, 2213-20	4.8	95
76	Identification and characterization of a selective peroxisome proliferator-activated receptor beta/delta (NR1C2) antagonist. <i>Molecular Endocrinology</i> , 2008 , 22, 523-9		123
75	Regulation of the brown and white fat gene programs through a PRDM16/CtBP transcriptional complex. <i>Genes and Development</i> , 2008 , 22, 1397-409	12.6	340
74	Developmental biology. How now, brown fat?. Science, 2008, 321, 1048-9	33.3	31
73	PPARgamma and C/EBP factors orchestrate adipocyte biology via adjacent binding on a genome-wide scale. <i>Genes and Development</i> , 2008 , 22, 2941-52	12.6	582
72	Mechanisms of obesity-associated insulin resistance: many choices on the menu. <i>Genes and Development</i> , 2007 , 21, 1443-55	12.6	500
71	A widely used retinoic acid receptor antagonist induces peroxisome proliferator-activated receptor-gamma activity. <i>Molecular Pharmacology</i> , 2007 , 71, 1251-7	4.3	35
70	Central resistin induces hepatic insulin resistance via neuropeptide Y. <i>Journal of Neuroscience</i> , 2007 , 27, 12924-32	6.6	70
69	Nuclear receptor Rev-erbalpha is a critical lithium-sensitive component of the circadian clock. <i>Science</i> , 2006 , 311, 1002-5	33.3	460
68	Loss of resistin improves glucose homeostasis in leptin deficiency. <i>Diabetes</i> , 2006 , 55, 3083-90	0.9	130
67	The corepressor silencing mediator for retinoid and thyroid hormone receptor facilitates cellular recovery from DNA double-strand breaks. <i>Cancer Research</i> , 2006 , 66, 9316-22	10.1	22

(2004-2006)

66	International Union of Pharmacology. LXI. Peroxisome proliferator-activated receptors. <i>Pharmacological Reviews</i> , 2006 , 58, 726-41	22.5	749
65	Absence of bacterially induced RELMbeta reduces injury in the dextran sodium sulfate model of colitis. <i>Journal of Clinical Investigation</i> , 2006 , 116, 2914-23	15.9	81
64	Resistin is an inflammatory marker of atherosclerosis in humans. Circulation, 2005, 111, 932-9	16.7	711
63	How obesity causes diabetes: not a tall tale. <i>Science</i> , 2005 , 307, 373-5	33.3	433
62	The many faces of PPARgamma. <i>Cell</i> , 2005 , 123, 993-9	56.2	1114
61	PPAR gamma, 10 years later. <i>Biochimie</i> , 2005 , 87, 9-13	4.6	122
60	The histone-binding code of nuclear receptor co-repressors matches the substrate specificity of histone deacetylase 3. <i>EMBO Reports</i> , 2005 , 6, 445-51	6.5	72
59	Resistin levels in human immunodeficiency virus-infected patients with lipoatrophy decrease in response to rosiglitazone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3423-6	5.6	45
58	The nuclear receptor corepressor deacetylase activating domain is essential for repression by thyroid hormone receptor. <i>Molecular Endocrinology</i> , 2005 , 19, 1443-51		35
57	Coactivators and corepressors of NF-kappaB in IkappaB alpha gene promoter. <i>Journal of Biological Chemistry</i> , 2005 , 280, 21091-8	5.4	108
56	Corepressors selectively control the transcriptional activity of PPARgamma in adipocytes. <i>Genes and Development</i> , 2005 , 19, 453-61	12.6	233
55	Mouse and human resistins impair glucose transport in primary mouse cardiomyocytes, and oligomerization is required for this biological action. <i>Journal of Biological Chemistry</i> , 2005 , 280, 31679-8	5 ^{5.4}	76
54	Structural insights into the interaction and activation of histone deacetylase 3 by nuclear receptor corepressors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 6009-14	11.5	76
53	Activation of SOCS-3 by resistin. <i>Molecular and Cellular Biology</i> , 2005 , 25, 1569-75	4.8	218
52	PPARgamma regulates adipocyte cholesterol metabolism via oxidized LDL receptor 1. <i>Journal of Clinical Investigation</i> , 2005 , 115, 2244-56	15.9	133
51	The coiled-coil domain is the structural determinant for mammalian homologues of Drosophila Sina-mediated degradation of promyelocytic leukemia protein and other tripartite motif proteins by the proteasome. <i>Journal of Biological Chemistry</i> , 2004 , 279, 5374-9	5.4	49
50	Abnormal glucose homeostasis due to chronic hyperresistinemia. <i>Diabetes</i> , 2004 , 53, 1937-41	0.9	170
49	An inflammatory cascade leading to hyperresistinemia in humans. <i>PLoS Medicine</i> , 2004 , 1, e45	11.6	361

48	The current biology of resistin. <i>Journal of Internal Medicine</i> , 2004 , 255, 439-47	10.8	302
47	Regulation of fasted blood glucose by resistin. <i>Science</i> , 2004 , 303, 1195-8	33.3	583
46	Peroxisome proliferator-activated receptor gamma in diabetes and metabolism. <i>Trends in Pharmacological Sciences</i> , 2004 , 25, 331-6	13.2	340
45	Mitochondrial remodeling in adipose tissue associated with obesity and treatment with rosiglitazone. <i>Journal of Clinical Investigation</i> , 2004 , 114, 1281-9	15.9	434
44	Nuclear receptor corepressors. <i>Nuclear Receptor Signaling</i> , 2003 , 1, e001	1	68
43	Resistin: molecular history and prognosis. <i>Journal of Molecular Medicine</i> , 2003 , 81, 218-26	5.5	102
42	Bacterial colonization leads to the colonic secretion of RELMbeta/FIZZ2, a novel goblet cell-specific protein. <i>Gastroenterology</i> , 2003 , 125, 1388-97	13.3	115
41	Histone deacetylase 4 interacts with 53BP1 to mediate the DNA damage response. <i>Journal of Cell Biology</i> , 2003 , 160, 1017-27	7.3	154
40	Genetic modulation of PPARgamma phosphorylation regulates insulin sensitivity. <i>Developmental Cell</i> , 2003 , 5, 657-63	10.2	176
39	Biochemical isolation and analysis of a nuclear receptor corepressor complex. <i>Methods in Enzymology</i> , 2003 , 364, 246-57	1.7	8
38	The N-CoR/histone deacetylase 3 complex is required for repression by thyroid hormone receptor. <i>Molecular and Cellular Biology</i> , 2003 , 23, 5122-31	4.8	171
37	A futile metabolic cycle activated in adipocytes by antidiabetic agents. <i>Nature Medicine</i> , 2002 , 8, 1122-8	50.5	317
36			
	Mechanisms regulating adipocyte expression of resistin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1975	5 4: 461	111
35	Mechanisms regulating adipocyte expression of resistin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1975 Assembly of the SMRT-histone deacetylase 3 repression complex requires the TCP-1 ring complex. <i>Genes and Development</i> , 2002 , 16, 3130-5	5 4:4 1	
35	Assembly of the SMRT-histone deacetylase 3 repression complex requires the TCP-1 ring complex.		
	Assembly of the SMRT-histone deacetylase 3 repression complex requires the TCP-1 ring complex. Genes and Development, 2002, 16, 3130-5 Thiazolidinedione activation of peroxisome proliferator-activated receptor gamma can enhance	12.6	99
34	Assembly of the SMRT-histone deacetylase 3 repression complex requires the TCP-1 ring complex. <i>Genes and Development</i> , 2002 , 16, 3130-5 Thiazolidinedione activation of peroxisome proliferator-activated receptor gamma can enhance mitochondrial potential and promote cell survival. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31781-8 Differential gene regulation by PPARgamma agonist and constitutively active PPARgamma2.	12.6	99

30	Resistin and obesity-associated insulin resistance. <i>Trends in Endocrinology and Metabolism</i> , 2002 , 13, 18-	- 283 8	386
29	Histone deacetylase is a direct target of valproic acid, a potent anticonvulsant, mood stabilizer, and teratogen. <i>Journal of Biological Chemistry</i> , 2001 , 276, 36734-41	5.4	1282
28	The hormone resistin links obesity to diabetes. <i>Nature</i> , 2001 , 409, 307-12	50.4	3606
27	Dimerization of resistin and resistin-like molecules is determined by a single cysteine. <i>Journal of Biological Chemistry</i> , 2001 , 276, 25970-3	5.4	93
26	Inhibition of cellular proliferation through IkappaB kinase-independent and peroxisome proliferator-activated receptor gamma-dependent repression of cyclin D1. <i>Molecular and Cellular Biology</i> , 2001 , 21, 3057-70	4.8	149
25	The SMRT and N-CoR corepressors are activating cofactors for histone deacetylase 3. <i>Molecular and Cellular Biology</i> , 2001 , 21, 6091-101	4.8	476
24	Oligomerization of ETO is obligatory for corepressor interaction. <i>Molecular and Cellular Biology</i> , 2001 , 21, 156-63	4.8	97
23	Determinants of CoRNR-dependent repression complex assembly on nuclear hormone receptors. <i>Molecular and Cellular Biology</i> , 2001 , 21, 1747-58	4.8	117
22	An open-label trial of the PPAR-gamma ligand rosiglitazone for active ulcerative colitis. <i>American Journal of Gastroenterology</i> , 2001 , 96, 3323-8	0.7	153
21	Transcriptional control of adipogenesis. <i>Annual Review of Nutrition</i> , 2000 , 20, 535-59	9.9	265
20	The DRIP complex and SRC-1/p160 coactivators share similar nuclear receptor binding determinants but constitute functionally distinct complexes. <i>Molecular and Cellular Biology</i> , 2000 , 20, 2718-26	4.8	176
19	Transcriptional repression by nuclear hormone receptors. <i>Trends in Endocrinology and Metabolism</i> , 2000 , 11, 6-10	8.8	242
18	Oligomerization of RAR and AML1 transcription factors as a novel mechanism of oncogenic activation. <i>Molecular Cell</i> , 2000 , 5, 811-20	17.6	256
17	Cofactor dynamics and sufficiency in estrogen receptor-regulated transcription. <i>Cell</i> , 2000 , 103, 843-52	56.2	1472
16	The mechanism of action of thyroid hormones. <i>Annual Review of Physiology</i> , 2000 , 62, 439-66	23.1	552
15	Nuclear receptor corepressors partner with class II histone deacetylases in a Sin3-independent repression pathway. <i>Genes and Development</i> , 2000 , 14, 45-54	12.6	237
14	A core SMRT corepressor complex containing HDAC3 and TBL1, a WD40-repeat protein linked to deafness. <i>Genes and Development</i> , 2000 , 14, 1048-1057	12.6	263
13	The CoRNR motif controls the recruitment of corepressors by nuclear hormone receptors. <i>Nature</i> , 1999 , 402, 93-6	50.4	542

12	Mechanisms by which Thiazolidinediones Enhance Insulin Action. <i>Trends in Endocrinology and Metabolism</i> , 1999 , 10, 9-13	8.8	65
11	A novel therapy for colitis utilizing PPAR-gamma ligands to inhibit the epithelial inflammatory response. <i>Journal of Clinical Investigation</i> , 1999 , 104, 383-9	15.9	602
10	Fusion proteins of the retinoic acid receptor-alpha recruit histone deacetylase in promyelocytic leukaemia. <i>Nature</i> , 1998 , 391, 815-8	50.4	933
9	Interdomain communication regulating ligand binding by PPAR-gamma. <i>Nature</i> , 1998 , 396, 377-80	50.4	304
8	Structural elements of an orphan nuclear receptor-DNA complex. <i>Molecular Cell</i> , 1998 , 1, 849-61	17.6	126
7	A potent antidiabetic thiazolidinedione with unique peroxisome proliferator-activated receptor gamma-activating properties. <i>Journal of Biological Chemistry</i> , 1998 , 273, 32679-84	5.4	151
6	Prostaglandins promote and block adipogenesis through opposing effects on peroxisome proliferator-activated receptor gamma. <i>Journal of Biological Chemistry</i> , 1998 , 273, 1855-8	5.4	234
5	Aberrant recruitment of the nuclear receptor corepressor-histone deacetylase complex by the acute myeloid leukemia fusion partner ETO. <i>Molecular and Cellular Biology</i> , 1998 , 18, 7185-91	4.8	431
4	Monomeric Nuclear Receptors 1998 , 261-279		1
3	Peroxisome proliferator activated receptor gamma, CCAAT/enhancer-binding protein alpha, and cell cycle status regulate the commitment to adipocyte differentiation. <i>Journal of Biological Chemistry</i> , 1997 , 272, 21473-8	5.4	216
2	Transcriptional activation by peroxisome proliferator-activated receptor gamma is inhibited by phosphorylation at a consensus mitogen-activated protein kinase site. <i>Journal of Biological Chemistry</i> , 1997 , 272, 5128-32	5.4	419
1	Differential activation of peroxisome proliferator-activated receptors by eicosanoids. <i>Journal of Biological Chemistry</i> , 1995 , 270, 23975-83	5.4	548