

Martin Hrter

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1169934/martin-harter-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

7,957
citations

46
h-index

81
g-index

302
ext. papers

10,332
ext. citations

3.7
avg, IF

6.08
L-index

#	Paper	IF	Citations
253	The 9-item Shared Decision Making Questionnaire (SDM-Q-9). Development and psychometric properties in a primary care sample. <i>Patient Education and Counseling</i> , 2010 , 80, 94-9	3.1	383
252	Four-week prevalence of mental disorders in patients with cancer across major tumor entities. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3540-6	2.2	363
251	An integrative model of patient-centeredness - a systematic review and concept analysis. <i>PLoS ONE</i> , 2014 , 9, e107828	3.7	322
250	Assessing the quality of decision support technologies using the International Patient Decision Aid Standards instrument (IPDASI). <i>PLoS ONE</i> , 2009 , 4, e4705	3.7	291
249	A three-talk model for shared decision making: multistage consultation process. <i>BMJ, The</i> , 2017 , 359, j4891	5.9	275
248	The effects of a shared decision-making intervention in primary care of depression: a cluster-randomized controlled trial. <i>Patient Education and Counseling</i> , 2007 , 67, 324-32	3.1	266
247	Measurement of shared decision making - a review of instruments. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2011 , 105, 313-24	1.4	202
246	The prevalence of mental disorders in older people in Western countries - a meta-analysis. <i>Ageing Research Reviews</i> , 2013 , 12, 339-53	12	187
245	The impact of patient participation on adherence and clinical outcome in primary care of depression. <i>Patient Education and Counseling</i> , 2007 , 65, 69-78	3.1	168
244	Prevalence of mental disorders in elderly people: the European MentDis_ICF65+ study. <i>British Journal of Psychiatry</i> , 2017 , 210, 125-131	5.4	165
243	Increased 12-month prevalence rates of mental disorders in patients with chronic somatic diseases. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 354-60	9.4	156
242	Risk factors for chronic depression--a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 1-13	6.6	153
241	Development and psychometric properties of the Shared Decision Making Questionnaire--physician version (SDM-Q-Doc). <i>Patient Education and Counseling</i> , 2012 , 88, 284-90	3.1	126
240	Satisfaction with information and unmet information needs in men and women with cancer. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 62-70	5.1	119
239	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). <i>BMC Psychology</i> , 2018 , 6, 31	2.8	118
238	Quality of life in medically ill persons with comorbid mental disorders: a systematic review and meta-analysis. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 275-86	9.4	115
237	Participation preferences of patients with acute and chronic conditions. <i>Health Expectations</i> , 2007 , 10, 358-63	3.7	103

236	The alcohol use disorders identification test for detecting at-risk drinking: a systematic review and meta-analysis. <i>Journal of Studies on Alcohol and Drugs</i> , 2007 , 68, 461-73	1.9	98
235	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020 , 265, 395-401	6.6	82
234	Efficacy and acceptability of acute treatments for persistent depressive disorder: a network meta-analysis. <i>Depression and Anxiety</i> , 2014 , 31, 621-30	8.4	73
233	Assessing Communication Skills of Medical Students in Objective Structured Clinical Examinations (OSCE)--A Systematic Review of Rating Scales. <i>PLoS ONE</i> , 2016 , 11, e0152717	3.7	73
232	Patient Preferences and Shared Decision Making in the Treatment of Substance Use Disorders: A Systematic Review of the Literature. <i>PLoS ONE</i> , 2016 , 11, e0145817	3.7	70
231	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , 2017 , 123, 4236-4243	6.4	69
230	Core competencies for shared decision making training programs: insights from an international, interdisciplinary working group. <i>Journal of Continuing Education in the Health Professions</i> , 2013 , 33, 267-73 ¹	2.1	69
229	The assessment of depressive patients' involvement in decision making in audio-taped primary care consultations. <i>Patient Education and Counseling</i> , 2006 , 63, 314-8	3.1	68
228	Measurement of physician-patient communication--a systematic review. <i>PLoS ONE</i> , 2014 , 9, e112637	3.7	68
227	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. <i>Journal of Psychosomatic Research</i> , 2016 , 81, 24-30	4.1	67
226	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 289-96	9.4	65
225	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 1368-1380	6.9	65
224	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 233-242	14.5	64
223	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients - study protocol of an epidemiological multi-center study. <i>BMC Psychiatry</i> , 2012 , 12, 70	4.2	60
222	Efficacy of Interpersonal Psychotherapy plus pharmacotherapy in chronically depressed inpatients. <i>Journal of Affective Disorders</i> , 2008 , 109, 65-73	6.6	60
221	Which Dimensions of Patient-Centeredness Matter? - Results of a Web-Based Expert Delphi Survey. <i>PLoS ONE</i> , 2015 , 10, e0141978	3.7	58
220	The Generalized Anxiety Disorder Screener (GAD-7) and the anxiety module of the Hospital and Depression Scale (HADS-A) as screening tools for generalized anxiety disorder among cancer patients. <i>Psycho-Oncology</i> , 2018 , 27, 1509-1516	3.9	57
219	Utilization of professional psychological care in a large German sample of cancer patients. <i>Psycho-Oncology</i> , 2017 , 26, 537-543	3.9	52

218	Assessment of trust in physician: a systematic review of measures. <i>PLoS ONE</i> , 2014 , 9, e106844	3.7	52
217	Training physicians in shared decision-making-who can be reached and what is achieved?. <i>Patient Education and Counseling</i> , 2009 , 77, 48-54	3.1	50
216	Reliability and Validity of the German Version of the Young Schema Questionnaire [Short Form 3 (YSQ-S3)]. <i>European Journal of Psychological Assessment</i> , 2013 , 29, 205-212	2.2	50
215	German translation, cultural adaptation, and validation of the Health Literacy Questionnaire (HLQ). <i>PLoS ONE</i> , 2017 , 12, e0172340	3.7	49
214	Comparing the nine-item Shared Decision-Making Questionnaire to the OPTION Scale - an attempt to establish convergent validity. <i>Health Expectations</i> , 2015 , 18, 137-50	3.7	49
213	Use of the 9-item Shared Decision Making Questionnaire (SDM-Q-9 and SDM-Q-Doc) in intervention studies-A systematic review. <i>PLoS ONE</i> , 2017 , 12, e0173904	3.7	47
212	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 174-185	6.5	47
211	Process quality of decision-making in multidisciplinary cancer team meetings: a structured observational study. <i>BMC Cancer</i> , 2017 , 17, 772	4.8	46
210	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 2, S57-63	5.1	45
209	Patient preference for involvement, experienced involvement, decisional conflict, and satisfaction with physician: a structural equation model test. <i>BMC Health Services Research</i> , 2013 , 13, 231	2.9	44
208	Patient participation and shared decision making in Germany - history, agents and current transfer to practice. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2011 , 105, 263-70	1.4	44
207	When do cancer patients regret their treatment decision? A path analysis of the influence of clinicians' communication styles and the match of decision-making styles on decision regret. <i>Patient Education and Counseling</i> , 2016 , 99, 739-46	3.1	43
206	Unipolar depression: diagnostic and therapeutic recommendations from the current S3/National Clinical Practice Guideline. <i>Deutsches Arzteblatt International</i> , 2010 , 107, 700-8	2.5	43
205	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
204	Effectiveness of a Web-based tailored interactive health communication application for patients with type 2 diabetes or chronic low back pain: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2015 , 17, e53	7.6	41
203	Shared Decision Making and the Use of Decision Aids. <i>Deutsches Arzteblatt International</i> , 2015 , 112, 672-9	2.5	41
202	Effectiveness of metacognitive interventions for mental disorders in adults-A systematic review and meta-analysis (METACOG). <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 227-240	2.9	41
201	Information and decision-making needs among people with mental disorders: a systematic review of the literature. <i>Health Expectations</i> , 2015 , 18, 1856-72	3.7	40

200	Confirmatory factor analysis and recommendations for improvement of the Autonomy-Preference-Index (API). <i>Health Expectations</i> , 2010 , 13, 234-43	3.7	40
199	Validation of the Spanish version of the 9-item Shared Decision-Making Questionnaire. <i>Health Expectations</i> , 2015 , 18, 2143-53	3.7	39
198	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. <i>Patient Education and Counseling</i> , 2017 , 100, 1934-1942	3.1	37
197	The long way of implementing patient-centered care and shared decision making in Germany. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017 , 123-124, 46-51	1.4	36
196	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). <i>Psycho-Oncology</i> , 2018 , 27, 1802-1809	3.9	36
195	In Absentia: An Exploratory Study of How Patients Are Considered in Multidisciplinary Cancer Team Meetings. <i>PLoS ONE</i> , 2015 , 10, e0139921	3.7	36
194	Combination of pharmacotherapy and psychotherapy in the treatment of chronic depression: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2012 , 12, 61	4.2	35
193	Measuring (shared) decision-making--a review of psychometric instruments. <i>Zeitschrift Für Ärztliche Fortbildung Und Qualitätssicherung</i> , 2007 , 101, 259-67		35
192	Adherence to guidelines for treatment of depression in in-patients. <i>British Journal of Psychiatry</i> , 2005 , 187, 462-9	5.4	35
191	Cost-effectiveness of collaborative care for the treatment of depressive disorders in primary care: a systematic review. <i>PLoS ONE</i> , 2015 , 10, e0123078	3.7	35
190	A Systematic Literature Review of Self-Reported Smoking Cessation Counseling by Primary Care Physicians. <i>PLoS ONE</i> , 2016 , 11, e0168482	3.7	32
189	Effectiveness of a web-based, individually tailored decision aid for depression or acute low back pain: a randomized controlled trial. <i>Patient Education and Counseling</i> , 2012 , 87, 360-8	3.1	31
188	Measuring symptoms and diagnosing mental disorders in the elderly community: the test-retest reliability of the CIDI65. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 116-29	4.3	31
187	Recommendations for detection of individual risk for comorbidities in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2013 , 305, 91-8	3.3	30
186	Age and gender differences in anxiety and depression in cancer patients compared with the general population. <i>European Journal of Cancer Care</i> , 2019 , 28, e13129	2.4	29
185	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. <i>BMC Psychiatry</i> , 2013 , 13, 62	4.2	29
184	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0161269	3.7	29
183	Efficacy of a brief manualized intervention Managing Cancer and Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial. <i>BMC Cancer</i> , 2015 , 15, 592	4.8	27

182	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , 2016 , 33, 153-61	8.4	27
181	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 337	2.8	27
180	Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0211343	3.7	27
179	Comparative Safety of Pharmacologic Treatments for Persistent Depressive Disorder: A Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0153380	3.7	26
178	Placebo and nocebo reactions in randomized trials of pharmacological treatments for persistent depressive disorder. A meta-regression analysis. <i>Journal of Affective Disorders</i> , 2017 , 215, 288-298	6.6	25
177	Early detection of comorbidity in psoriasis: recommendations of the National Conference on Healthcare in Psoriasis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 674-90	1.2	25
176	Information and decision-making needs among people with affective disorders - results of an online survey. <i>Patient Preference and Adherence</i> , 2015 , 9, 627-38	2.4	23
175	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus supportive psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. <i>BMC Psychiatry</i> , 2011 , 11, 134	4.2	23
174	Quality of life in cancer patients-a comparison of inpatient, outpatient, and rehabilitation settings. <i>Supportive Care in Cancer</i> , 2018 , 26, 3533-3541	3.9	22
173	Adverse event methods were heterogeneous and insufficiently reported in randomized trials on persistent depressive disorder. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 97-108	5.7	22
172	Changes in beliefs and attitudes toward people with depression and schizophrenia - results of a public campaign in Germany. <i>Psychiatry Research</i> , 2016 , 237, 271-8	9.9	22
171	Improving quality of care for depression: the German Action Programme for the implementation of evidence-based guidelines. <i>International Journal for Quality in Health Care</i> , 2006 , 18, 113-9	1.9	22
170	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. <i>Scientific Reports</i> , 2018 , 8, 9389	4.9	22
169	How are decisions made in cancer care? A qualitative study using participant observation of current practice. <i>BMJ Open</i> , 2017 , 7, e016360	3	21
168	Strategies to evaluate healthcare provider trainings in shared decision-making (SDM): a systematic review of evaluation studies. <i>BMJ Open</i> , 2019 , 9, e026488	3	20
167	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. <i>BMC Psychiatry</i> , 2014 , 14, 230	4.2	20
166	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. <i>Psycho-Oncology</i> , 2015 , 24, 1456-62	3.9	20
165	Usefulness scale for patient information material (USE) - development and psychometric properties. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 34	3.6	18

164	Understanding the role of childhood abuse and neglect as a cause and consequence of substance abuse: the German CANSAS network. <i>Höhere Utbildning</i> , 2017 , 8, 1304114	5	17
163	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017 , 79, 1016-1024	3.7	17
162	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 46-48	9.4	17
161	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018 , 13, e0196574	3.7	17
160	Indicators of outcome quality in peripheral arterial disease revascularisations - a Delphi expert consensus. <i>Vasa - European Journal of Vascular Medicine</i> , 2018 , 47, 491-497	1.9	17
159	"Learning how to ask": Effectiveness of a training for trauma inquiry and response in substance use disorder healthcare professionals. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2018 , 10, 229-238	7.8	17
158	Assessment of patient centredness through patient-reported experience measures (ASPIRED): protocol of a mixed-methods study. <i>BMJ Open</i> , 2018 , 8, e025896	3	17
157	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 154-164	9.4	16
156	Drinking patterns of alcohol intoxicated adolescents in the emergency department: A latent class analysis. <i>Addictive Behaviors</i> , 2015 , 50, 51-9	4.2	16
155	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. <i>Acta Oncologica</i> , 2020 , 59, 967-974	3.2	16
154	Long-term effectiveness of telephone-based health coaching for heart failure patients: A post-only randomised controlled trial. <i>Journal of Telemedicine and Telecare</i> , 2017 , 23, 716-724	6.8	16
153	Health information, behavior change, and decision support for patients with type 2 diabetes: development of a tailored, preference-sensitive health communication application. <i>Patient Preference and Adherence</i> , 2013 , 7, 1091-9	2.4	16
152	Insecure attachment predicts depression and death anxiety in advanced cancer patients. <i>Palliative and Supportive Care</i> , 2018 , 16, 308-316	2.5	15
151	How Does a Shared Decision-Making (SDM) Intervention for Oncologists Affect Participation Style and Preference Matching in Patients with Breast and Colon Cancer?. <i>Journal of Cancer Education</i> , 2018 , 33, 708-715	1.8	15
150	Information and decision support needs in patients with type 2 diabetes. <i>Health Informatics Journal</i> , 2016 , 22, 46-59	3	15
149	Evaluation of a program for routine implementation of shared decision-making in cancer care: study protocol of a stepped wedge cluster randomized trial. <i>Implementation Science</i> , 2018 , 13, 51	8.4	15
148	Quality of online information on type 2 diabetes: a cross-sectional study. <i>Health Promotion International</i> , 2015 , 30, 821-31	3	15
147	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. <i>Trials</i> , 2014 , 15, 351	2.8	15

146	How do health services researchers understand the concept of patient-centeredness? Results from an expert survey. <i>Patient Preference and Adherence</i> , 2014 , 8, 1153-60	2.4	15
145	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 61	3	14
144	Potentially inappropriate use of benzodiazepines and z-drugs in the older population-analysis of associations between long-term use and patient-related factors. <i>PeerJ</i> , 2018 , 6, e4614	3.1	14
143	The German version of the Four Habits Coding Scheme - association between physicians' communication and shared decision making skills in the medical encounter. <i>Patient Education and Counseling</i> , 2014 , 94, 224-9	3.1	14
142	Effects of culture-sensitive adaptation of patient information material on usefulness in migrants: a multicentre, blinded randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012008	3	14
141	A tailored, interactive health communication application for patients with type 2 diabetes: study protocol of a randomised controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 24	3.6	13
140	A latent variable framework for modeling dyadic measures in research on shared decision-making. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2012 , 106, 253-63	1.4	13
139	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	12
138	Guideline adherence of antidepressant treatment in outpatients with major depressive disorder: a naturalistic study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 711-721	5.1	12
137	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe - telephone intervention for depression. <i>BMC Psychiatry</i> , 2017 , 17, 263	4.2	12
136	Psychometric properties of the German version of Observer OPTION. <i>BMC Health Services Research</i> , 2018 , 18, 74	2.9	12
135	Conceptual decomposition of complex health care interventions for evidence synthesis: a literature review. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 817-23	2.5	12
134	Translation and validation of a multidimensional instrument to assess health literacy. <i>Health Expectations</i> , 2015 , 18, 2776-86	3.7	12
133	Incomplete medication adherence of chronically ill patients in German primary care. <i>Patient Preference and Adherence</i> , 2013 , 7, 237-44	2.4	12
132	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 229, 262-268	6.6	11
131	Assessing the relevance and implementation of patient-centredness from the patients' perspective in Germany: results of a Delphi study. <i>BMJ Open</i> , 2019 , 9, e031741	3	11
130	Perceived doctor-patient relationship and its association with demoralization in patients with advanced cancer. <i>Psycho-Oncology</i> , 2018 , 27, 2587-2593	3.9	11
129	Information and Decision-Making Needs Among People with Anxiety Disorders: Results of an Online Survey. <i>Patient</i> , 2015 , 8, 531-9	3.7	10

128	A tailored, dialogue-based health communication application for patients with chronic low back pain: study protocol of a randomised controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 66	3.6	10
127	Generalizability of findings from efficacy trials for chronic depression: an analysis of eligibility criteria. <i>Psychiatric Services</i> , 2014 , 65, 897-904	3.3	10
126	How can continuing professional development better promote shared decision-making? Perspectives from an international collaboration. <i>Implementation Science</i> , 2011 , 6, 68	8.4	10
125	DOVER and QUVER-new marker combinations to detect and monitor at-risk drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 1372-80	3.7	10
124	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. <i>Depression and Anxiety</i> , 2018 , 35, 1001-1008	8.4	10
123	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , 2017 , 17, 366	4.2	9
122	Attachment Insecurity in Advanced Cancer Patients: Psychometric Properties of the German Version of the Brief Experiences in Close Relationships Scale (ECR-M16-G). <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 555-562	4.8	9
121	Evaluation of telephone health coaching of German health insurants with chronic conditions. <i>Health Education Journal</i> , 2013 , 72, 622-634	1.5	9
120	Predicting the preferences for involvement in medical decision making among patients with mental disorders. <i>PLoS ONE</i> , 2017 , 12, e0182203	3.7	9
119	The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019 , 116, 127-133	2.5	9
118	Outcome evaluation by patient reported outcome measures in stroke clinical practice (EPOS) protocol for a prospective observation and implementation study. <i>Neurological Research and Practice</i> , 2019 , 1, 28	3.2	9
117	Psychenet.de: Development and process evaluation of an e-mental health portal. <i>Informatics for Health and Social Care</i> , 2016 , 41, 267-85	2.7	8
116	Fatigue in cancer patients: comparison with the general population and prognostic factors. <i>Supportive Care in Cancer</i> , 2020 , 28, 4517-4526	3.9	8
115	Development and testing of culturally sensitive patient information material for Turkish, Polish, Russian and Italian migrants with depression or chronic low back pain (KULTINFO): study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2014 , 15, 265	2.8	8
114	Acceptance of the German e-mental health portal www.psychnet.de: an online survey. <i>PeerJ</i> , 2016 , 4, e2093	3.1	8
113	Efficacy of the Managing Cancer and Living Meaningfully (CALM) individual psychotherapy for patients with advanced cancer: A single-blind randomized controlled trial. <i>Psycho-Oncology</i> , 2020 , 29, 1895-1904	3.9	8
112	Treatment selection and treatment initialization in guideline-based stepped and collaborative care for depression. <i>PLoS ONE</i> , 2018 , 13, e0208882	3.7	8
111	DoctorQ recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. <i>PLoS ONE</i> , 2018 , 13, e0205160	3.7	8

110	Public Stigma Toward Persons with Suicidal Thoughts-Do Age, Sex, and Medical Condition of Affected Persons Matter?. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 631-642	3.9	7
109	How does a German audience appraise an American decision aid on early stage breast cancer?. <i>Patient Education and Counseling</i> , 2011 , 83, 58-63	3.1	7
108	Insufficient depression treatment in outpatient settings. <i>GMS German Medical Science</i> , 2004 , 2, Doc01	3.2	7
107	Therapeutic Alliance in Technology-Based Interventions for the Treatment of Depression: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e17195	7.6	7
106	Psychosocial Distress of Patients with Psoriasis: Protocol for an Assessment of Care Needs and the Development of a Supportive Intervention. <i>JMIR Research Protocols</i> , 2018 , 7, e22	2	7
105	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019 , 9, e032408	3	7
104	Evaluation of a shared decision-making communication skills training for physicians treating patients with asthma: a mixed methods study using simulated patients. <i>BMC Health Services Research</i> , 2019 , 19, 612	2.9	6
103	Assessment of patient information needs: A systematic review of measures. <i>PLoS ONE</i> , 2019 , 14, e0209165	3.5	6
102	Vorvida: study protocol of a randomized controlled trial testing the effectiveness of Internet-based self-help program for the reduction of alcohol consumption for adults. <i>BMC Psychiatry</i> , 2016 , 16, 19	4.2	6
101	Patient involvement in a systematic review: Development and pilot evaluation of a patient workshop. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017 , 127-128, 56-61	1.4	6
100	Evidenzbasierte Psychotherapie der Depression. <i>Psychotherapeut</i> , 2010 , 55, 247-263	0.5	6
99	Long-term use of benzodiazepines and Z drugs: a qualitative study of patients and healthcare professionals' perceptions and possible levers for change. <i>BJGP Open</i> , 2019 , 3, bjgpopen18X101626	3.1	6
98	Management of comorbid mental and somatic disorders in stepped care approaches in primary care: a systematic review. <i>Family Practice</i> , 2019 , 36, 38-52	1.9	6
97	Patient involvement in developing a patient-targeted feedback intervention after depression screening in primary care within the randomized controlled trial GET.FEEDBACK.GP. <i>Health Expectations</i> , 2021 , 24 Suppl 1, 95-112	3.7	6
96	Measuring the Psychosocial Dimensions of Quality of Life in Patients With Advanced Cancer: Psychometrics of the German Quality of Life at the End of Life-Cancer-Psychosocial Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 985-991.e1	4.8	6
95	Patient-centered care interventions to reduce the inappropriate prescription and use of benzodiazepines and z-drugs: a systematic review. <i>PeerJ</i> , 2018 , 6, e5535	3.1	6
94	Development and evaluation of e-mental health interventions to reduce stigmatization of suicidality - a study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 152	4.2	5
93	Spiritual well-being mediates the association between attachment insecurity and psychological distress in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2019 , 27, 4317-4325	3.9	5

92	Posttraumatic stress disorder among cancer patients-Findings from a large and representative interview-based study in Germany. <i>Psycho-Oncology</i> , 2019 , 28, 1278-1285	3.9	5
91	Psychotherapists' Perspectives on collaboration and stepped care in outpatient psychotherapy-A qualitative study. <i>PLoS ONE</i> , 2020 , 15, e0228748	3.7	5
90	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 261-262	9.4	5
89	Telefongestützte Verhaltenstherapie als niedrigschwellige Intervention bei Depression: Ein Behandlungsprogramm für den deutschen Sprachraum. <i>Verhaltenstherapie</i> , 2016 , 26, 244-253	0.9	5
88	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2019 , 14, e0224871	3.7	5
87	Effectiveness of metacognitive interventions for mental disorders in adults: a systematic review protocol (METACOG). <i>BMJ Open</i> , 2017 , 7, e015428	3	5
86	Managing Cancer and Living Meaningfully <i>Psychotherapeut</i> , 2017 , 62, 243-248	0.5	5
85	Treatment of depressive symptoms and attitudes towards treatment options in a representative German general population sample. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008 , 12, 5-10	2.4	5
84	The validity of the laboratory marker combinations DOVER and QUVER to detect physician diagnosis of at-risk drinking. <i>Addiction Biology</i> , 2007 , 12, 85-92	4.6	5
83	Effectiveness of telephone-based aftercare case management for adult patients with unipolar depression compared to usual care: A randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0186967	3.7	5
82	Psychometric Evaluation of the Japanese 9-Item Shared Decision-Making Questionnaire and Its Association with Decision Conflict and Patient Factors in Japanese Primary Care. <i>JMA Journal</i> , 2020 , 3, 208-215	1	5
81	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103512	5.2	5
80	Concepts of Metacognition in the Treatment of Patients with Mental Disorders. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2020 , 38, 173-183	1.7	5
79	Effects of telephone-based health coaching on patient-reported outcomes and health behavior change: A randomized controlled trial. <i>PLoS ONE</i> , 2020 , 15, e0236861	3.7	5
78	Adverse events during a disorder-specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. <i>Journal of Clinical Psychology</i> , 2020 , 76, 7-19	2.8	5
77	Suicide literacy and suicide stigma - results of a population survey from Germany. <i>Journal of Mental Health</i> , 2021 , 1-7	2.7	5
76	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). <i>European Psychiatry</i> , 2019 , 57, 10-18	6	4
75	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020 , 10, e036021	3	4

74	Choosing the appropriate treatment setting: which information and decision-making needs do adult inpatients with mental disorders have? A qualitative interview study. <i>Patient Preference and Adherence</i> , 2018 , 12, 823-833	2.4	4
73	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015 , 16, 447	2.8	4
72	Partizipative Entscheidungsfindung. <i>Best Practice Onkologie</i> , 2010 , 5, 49-55	0	4
71	Rationale and methods of the IDOMENEO health outcomes of the peripheral arterial disease revascularisation study in the GermanVasc registry. <i>Vasa - European Journal of Vascular Medicine</i> , 2018 , 47, 499-505	1.9	4
70	Existential distress in patients with advanced cancer and their caregivers: study protocol of a longitudinal cohort study. <i>BMJ Open</i> , 2021 , 11, e046351	3	4
69	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. <i>Behavioral Medicine</i> , 2019 , 45, 231-239	4.4	4
68	Effectiveness of Telephone-Administered Cognitive-Behavioral Psychotherapy for Depression With Versus Without Additional Letters: A Randomized Controlled Trial. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 347-353	5.9	4
67	Evidence on Technology-Based Psychological Interventions in Diagnosed Depression: Systematic Review. <i>JMIR Mental Health</i> , 2021 , 8, e21700	6	4
66	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018 , 18, 347	4.2	4
65	Which criteria characterize a health literate health care organization? - a scoping review on organizational health literacy. <i>BMC Health Services Research</i> , 2021 , 21, 664	2.9	4
64	Quality Indicators in Peripheral Arterial Occlusive Disease Treatment: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, 738-745	2.3	3
63	Reducing barriers to trauma inquiry in substance use disorder treatment - a cluster-randomized controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019 , 14, 23	3.4	3
62	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2020 , 10, e032146	3	3
61	Treatment patterns in inpatient depression care. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 55-67	4.3	3
60	Information and decision-making needs of psychiatric patients: the perspective of relatives. <i>PeerJ</i> , 2017 , 5, e3378	3.1	3
59	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. <i>Psycho-Oncology</i> , 2020 , 29, 1604-1612	3.9	3
58	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035973	3	3
57	Psychometric properties of a patient-reported outcome set in acute stroke patients. <i>Brain and Behavior</i> , 2021 , 11, e2249	3.4	3

56	Rationale and design of a systematic review: effectiveness and acceptance of technology-based psychological interventions in different clinical phases of depression management. <i>BMJ Open</i> , 2019 , 9, e028042	3	3
55	Results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 235-242	4.9	3
54	Association between physicians and patients perspectives of shared decision making in primary care settings in Japan: The impact of environmental factors. <i>PLoS ONE</i> , 2021 , 16, e0246518	3.7	3
53	The role of attachment avoidance: A longitudinal mediation model predicting existential distress in patients with advanced cancer. <i>Psycho-Oncology</i> , 2021 , 30, 1059-1067	3.9	3
52	Learning How to Ask - Does a one-day training increase trauma inquiry in routine substance use disorder practice? Results of a cluster-randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2019 , 107, 8-16	4.2	2
51	Measuring oral health: the Physical Oral Health Index: Physical Oral Health Index (PhOX).. <i>Journal of Dentistry</i> , 2022 , 118, 103946	4.8	2
50	Romanian version of SDM-Q-9 validation in Internal Medicine and Cardiology setting: a multicentric cross-sectional study. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , 2019 , 57, 195-200	1.5	2
49	Partizipative Entscheidungsfindung in der Diabetestherapie [Von der guten Absicht zur guten Tat] 2013 , 281-297		2
48	A skills network approach to physicians competence in shared decision making. <i>Health Expectations</i> , 2020 , 23, 1466-1476	3.7	2
47	Does symptom severity matter in stepped and collaborative care for depression?. <i>Journal of Affective Disorders</i> , 2020 , 277, 287-295	6.6	2
46	Testing the Treatment Integrity of the Managing Cancer and Living Meaningfully Psychotherapeutic Intervention for Patients With Advanced Cancer. <i>Frontiers in Psychology</i> , 2020 , 11, 561997	3.4	2
45	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 607300	5	2
44	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. <i>Psycho-Oncology</i> , 2021 , 30, 2023-2031	3.9	2
43	Efficacy of a Brief, Peer-Delivered Self-management Intervention for Patients With Rare Chronic Diseases: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2021 , 78, 607-615	14.5	2
42	What do patients expect? Assessing patient-centredness from the patients perspective: an interview study. <i>BMJ Open</i> , 2021 , 11, e047810	3	2
41	Termination rates and histological reclassification of active surveillance patients with low- and early intermediate-risk prostate cancer: results of the PREFERE trial. <i>World Journal of Urology</i> , 2021 , 39, 65-72 ⁴		2
40	Rationale and design of an interventional study of cross-sectoral, coordinated treatment of stroke patients with patient-orientated outcome measurement (StroCare). <i>Neurological Research and Practice</i> , 2021 , 3, 7	3.2	2
39	Leitlinien 2006 , 387-404		2

38	Evaluation of a program for routine implementation of shared decision-making in cancer care: results of a stepped wedge cluster randomized trial.. <i>Implementation Science</i> , 2021 , 16, 106	8.4	2
37	Choosing treatments and the role of shared decision-making 2020 , 283-316		1
36	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. <i>European Journal of Health Economics</i> , 2020 , 21, 751-761	3.6	1
35	Ambulante psychotherapeutische Versorgung depressiver Patienten. <i>Psychotherapeut</i> , 2008 , 53, 260-267.5		1
34	Adapting the patient and physician versions of the 9-item shared decision making questionnaire for other healthcare providers in Japan. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 314	3.6	1
33	Therapeutic Alliance in Technology-Based Interventions for the Treatment of Depression: Systematic Review (Preprint)		1
32	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression - a cluster-randomized trial. <i>BMC Psychiatry</i> , 2020 , 20, 427	4.2	1
31	Depression treatment in Germany - using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <i>BMC Psychiatry</i> , 2020 , 20, 591	4.2	1
30	What Does the Public Know About Varying Depression Severity?-Results of a Population Survey. <i>International Journal of Public Health</i> , 2021 , 66, 607794	4	1
29	Translation and psychometric evaluation of the German version of the IcanSDM measure - a cross-sectional study among healthcare professionals. <i>BMC Health Services Research</i> , 2021 , 21, 541	2.9	1
28	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020 , 272, 152-157	6.6	0
27	Patients' language proficiency and inpatient depression treatment in Baden-Württemberg (South Germany). <i>Psychiatric Services</i> , 2009 , 60, 545-8	3.3	0
26	Prevalence of mental disorders in patients with cancer compared to matched controls - secondary analysis of two nationally representative surveys. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	0
25	Die COVID-19-Pandemie: Wie gelingt eine transparente Kommunikation von Risiken?. <i>Public Health Forum</i> , 2021 , 29, 27-31	0.1	0
24	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025711	2.6	0
23	Improvement of perioperative care of the elderly patient (PeriAge): protocol of a controlled interventional feasibility study. <i>BMJ Open</i> , 2019 , 9, e031837	3	0
22	Effects of alliance ruptures and repairs on outcomes. <i>Psychotherapy Research</i> , 2021 , 31, 977-987	3.6	0
21	A cross-sectional survey of factors associated with the uptake of smoking cessation aids among smokers and ex-smokers. <i>Journal of Substance Use</i> , 2018 , 23, 597-602	0.8	0

20	Profiles of patients & self-reported health after acute stroke. <i>Neurological Research and Practice</i> , 2021 , 3, 43	3.2	○
19	Measuring walking impairment in patients with intermittent claudication: psychometric properties of the Walking Estimated-Limitation Calculated by History (WELCH) questionnaire. <i>PeerJ</i> , 2021 , 9, e12039 ¹	3.1	○
18	Development of an online suicide prevention program involving people with lived experience: ideas and challenges. <i>Research Involvement and Engagement</i> , 2021 , 7, 60	4.4	○
17	Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set. 2021 , 6, 34-63		○
16	Reply to C.e. Paiva et Al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1517	2.2	
15	Reply to J. Dekker et al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2828	2.2	
14	Interface management concepts in healthcare for rare diseases in Germany: a study protocol for a mixed-methods study to develop best practice recommendations. <i>BMJ Open</i> , 2020 , 10, e040470	3	
13	Epidemiologie psychischer Störungen bei MigrantInnen 2018 , 229-237		
12	Qualitätsmanagement in der Versorgung psychischer Erkrankungen 2019 , 829-840.e2		
11	Patientenzentrierte Kommunikation und partizipative Entscheidungsfindung in der Onkologie. <i>Springer Reference Medizin</i> , 2020 , 1-9		○
10	Qualitätsmanagement in der Versorgung psychischer Erkrankungen 2015 , 933-945		
9	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9552-9552	2.2	
8	Diagnoseaufklärung, Information und Entscheidung über Behandlungen Patientenbeteiligung und partizipative Entscheidungsfindung 2016 , 15-29		
7	Leitlinien bei psychischen Erkrankungen am Beispiel der Depression 2012 , 229-234		
6	How do care providers evaluate collaboration? - qualitative process evaluation of a cluster-randomized controlled trial of collaborative and stepped care for patients with mental disorders. <i>BMC Psychiatry</i> , 2021 , 21, 296	4.2	
5	Study protocol of a randomized controlled trial on two new dissemination strategies for a brief, shared-decision-making (SDM) training for oncologists: web-based interactive SDM online-training versus individualized context-based SDM face-to-face training. <i>Trials</i> , 2019 , 20, 18	2.8	
4	Potenziale und Herausforderungen von E-Mental-Health-Interventionen in der Versorgung psychischer Störungen. <i>Psychiatrische Pflege Heute: Fachzeitschrift Für Die Psychiatrische Pflege</i> , 2021 , 27, 33-39		○
3	Reply to Andreas Boehle, Frank Kahmann, Thomas Oliver Henkel, Joerg Zimmermann and Stefan Machten to the Letter to the editor Re: results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 1273-1274	4.9	

- 2 Stepped Care zur Verbesserung der Versorgung von Menschen mit Depression. *PiD - Psychotherapie Im Dialog*, **2021**, 22, 39-43 0.2
- 1 Implementability of collecting patient-reported outcome data in stroke unit care - a qualitative study.. *BMC Health Services Research*, **2022**, 22, 346 2.9