

Martin Hrter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1169934/martin-harter-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

7,957
citations

46
h-index

81
g-index

302
ext. papers

10,332
ext. citations

3.7
avg, IF

6.08
L-index

#	Paper	IF	Citations
253	Measuring oral health: the Physical Oral Health Index: Physical Oral Health Index (PhOX).. <i>Journal of Dentistry</i> , 2022 , 118, 103946	4.8	2
252	Implementability of collecting patient-reported outcome data in stroke unit care - a qualitative study.. <i>BMC Health Services Research</i> , 2022 , 22, 346	2.9	
251	Prevalence of mental disorders in patients with cancer compared to matched controls - secondary analysis of two nationally representative surveys. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	0
250	Adapting the patient and physician versions of the 9-item shared decision making questionnaire for other healthcare providers in Japan. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 314	3.6	1
249	Die COVID-19-Pandemie: Wie gelingt eine transparente Kommunikation von Risiken?. <i>Public Health Forum</i> , 2021 , 29, 27-31	0.1	0
248	Existential distress in patients with advanced cancer and their caregivers: study protocol of a longitudinal cohort study. <i>BMJ Open</i> , 2021 , 11, e046351	3	4
247	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. <i>Psycho-Oncology</i> , 2021 , 30, 2023-2031	3.9	2
246	What Does the Public Know About Varying Depression Severity?-Results of a Population Survey. <i>International Journal of Public Health</i> , 2021 , 66, 607794	4	1
245	Translation and psychometric evaluation of the German version of the IcanSDM measure - a cross-sectional study among healthcare professionals. <i>BMC Health Services Research</i> , 2021 , 21, 541	2.9	1
244	Psychometric properties of a patient-reported outcome set in acute stroke patients. <i>Brain and Behavior</i> , 2021 , 11, e2249	3.4	3
243	How do care providers evaluate collaboration? - qualitative process evaluation of a cluster-randomized controlled trial of collaborative and stepped care for patients with mental disorders. <i>BMC Psychiatry</i> , 2021 , 21, 296	4.2	
242	Efficacy of a Brief, Peer-Delivered Self-management Intervention for Patients With Rare Chronic Diseases: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2021 , 78, 607-615	14.5	2
241	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025711	2.6	0
240	What do patients expect? Assessing patient-centredness from the patients perspective: an interview study. <i>BMJ Open</i> , 2021 , 11, e047810	3	2
239	Patient involvement in developing a patient-targeted feedback intervention after depression screening in primary care within the randomized controlled trial GET.FEEDBACK.GP. <i>Health Expectations</i> , 2021 , 24 Suppl 1, 95-112	3.7	6
238	Termination rates and histological reclassification of active surveillance patients with low- and early intermediate-risk prostate cancer: results of the PREFERE trial. <i>World Journal of Urology</i> , 2021 , 39, 65-72 ⁴		2
237	Results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 235-242	4.9	3

236	Effects of alliance ruptures and repairs on outcomes. <i>Psychotherapy Research</i> , 2021 , 31, 977-987	3.6	0
235	Potenziale und Herausforderungen von E-Mental-Health-Interventionen in der Versorgung psychischer Störungen. <i>Psychiatrische Pflege Heute: Fachzeitschrift Fuer Die Psychiatrische Pflege</i> , 2021 , 27, 33-39	0	
234	Evidence on Technology-Based Psychological Interventions in Diagnosed Depression: Systematic Review. <i>JMIR Mental Health</i> , 2021 , 8, e21700	6	4
233	Association between physicians and patients perspectives of shared decision making in primary care settings in Japan: The impact of environmental factors. <i>PLoS ONE</i> , 2021 , 16, e0246518	3.7	3
232	Reply to Andreas Boehle, Frank Kahmann, Thomas Oliver Henkel, Joerg Zimmermann and Stefan Machten to the Letter to the editor Re: results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 1273-1274	4.9	
231	Rationale and design of an interventional study of cross-sectoral, coordinated treatment of stroke patients with patient-orientated outcome measurement (StroCare). <i>Neurological Research and Practice</i> , 2021 , 3, 7	3.2	2
230	Suicide literacy and suicide stigma - results of a population survey from Germany. <i>Journal of Mental Health</i> , 2021 , 1-7	2.7	5
229	The role of attachment avoidance: A longitudinal mediation model predicting existential distress in patients with advanced cancer. <i>Psycho-Oncology</i> , 2021 , 30, 1059-1067	3.9	3
228	Which criteria characterize a health literate health care organization? - a scoping review on organizational health literacy. <i>BMC Health Services Research</i> , 2021 , 21, 664	2.9	4
227	Profiles of patients self-reported health after acute stroke. <i>Neurological Research and Practice</i> , 2021 , 3, 43	3.2	0
226	Stepped Care zur Verbesserung der Versorgung von Menschen mit Depression. <i>PiD - Psychotherapie Im Dialog</i> , 2021 , 22, 39-43	0.2	
225	Measuring walking impairment in patients with intermittent claudication: psychometric properties of the Walking Estimated-Limitation Calculated by History (WELCH) questionnaire. <i>PeerJ</i> , 2021 , 9, e12039	3.1	0
224	Development of an online suicide prevention program involving people with lived experience: ideas and challenges. <i>Research Involvement and Engagement</i> , 2021 , 7, 60	4.4	0
223	Evaluation of a program for routine implementation of shared decision-making in cancer care: results of a stepped wedge cluster randomized trial.. <i>Implementation Science</i> , 2021 , 16, 106	8.4	2
222	Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set. 2021 , 6, 34-63		0
221	Choosing treatments and the role of shared decision-making 2020 , 283-316		1
220	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020 , 272, 152-157	6.6	0
219	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020 , 10, e036021	3	4

218	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2020 , 10, e032146	3	3
217	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. <i>European Journal of Health Economics</i> , 2020 , 21, 751-761	3.6	1
216	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 61	3	14
215	Public Stigma Toward Persons with Suicidal Thoughts-Do Age, Sex, and Medical Condition of Affected Persons Matter?. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 631-642	3.9	7
214	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. <i>Acta Oncologica</i> , 2020 , 59, 967-974	3.2	16
213	Psychotherapists' perspectives on collaboration and stepped care in outpatient psychotherapy-A qualitative study. <i>PLoS ONE</i> , 2020 , 15, e0228748	3.7	5
212	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 261-262	9.4	5
211	Fatigue in cancer patients: comparison with the general population and prognostic factors. <i>Supportive Care in Cancer</i> , 2020 , 28, 4517-4526	3.9	8
210	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020 , 265, 395-401	6.6	82
209	Interface management concepts in healthcare for rare diseases in Germany: a study protocol for a mixed-methods study to develop best practice recommendations. <i>BMJ Open</i> , 2020 , 10, e040470	3	
208	Therapeutic Alliance in Technology-Based Interventions for the Treatment of Depression: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e17195	7.6	7
207	Psychometric Evaluation of the Japanese 9-Item Shared Decision-Making Questionnaire and Its Association with Decision Conflict and Patient Factors in Japanese Primary Care. <i>JMA Journal</i> , 2020 , 3, 208-215	1	5
206	Patientenzentrierte Kommunikation und partizipative Entscheidungsfindung in der Onkologie. <i>Springer Reference Medizin</i> , 2020 , 1-9	0	
205	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103512	5.2	5
204	Concepts of Metacognition in the Treatment of Patients with Mental Disorders. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2020 , 38, 173-183	1.7	5
203	Effects of telephone-based health coaching on patient-reported outcomes and health behavior change: A randomized controlled trial. <i>PLoS ONE</i> , 2020 , 15, e0236861	3.7	5
202	A skills network approach to physicians' competence in shared decision making. <i>Health Expectations</i> , 2020 , 23, 1466-1476	3.7	2
201	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. <i>Psycho-Oncology</i> , 2020 , 29, 1604-1612	3.9	3

200	Does symptom severity matter in stepped and collaborative care for depression?. <i>Journal of Affective Disorders</i> , 2020 , 277, 287-295	6.6	2
199	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035973	3	3
198	Efficacy of the Managing Cancer and Living Meaningfully (CALM) individual psychotherapy for patients with advanced cancer: A single-blind randomized controlled trial. <i>Psycho-Oncology</i> , 2020 , 29, 1895-1904	3.9	8
197	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression - a cluster-randomized trial. <i>BMC Psychiatry</i> , 2020 , 20, 427	4.2	1
196	Depression treatment in Germany - using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <i>BMC Psychiatry</i> , 2020 , 20, 591	4.2	1
195	Testing the Treatment Integrity of the Managing Cancer and Living Meaningfully Psychotherapeutic Intervention for Patients With Advanced Cancer. <i>Frontiers in Psychology</i> , 2020 , 11, 561997	3.4	2
194	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 607300	5	2
193	Effectiveness of Telephone-Administered Cognitive-Behavioral Psychotherapy for Depression With Versus Without Additional Letters: A Randomized Controlled Trial. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 347-353	5.9	4
192	Adverse events during a disorder-specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. <i>Journal of Clinical Psychology</i> , 2020 , 76, 7-19	2.8	5
191	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
190	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 1368-1380	6.9	65
189	Evaluation of a shared decision-making communication skills training for physicians treating patients with asthma: a mixed methods study using simulated patients. <i>BMC Health Services Research</i> , 2019 , 19, 612	2.9	6
188	Quality Indicators in Peripheral Arterial Occlusive Disease Treatment: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, 738-745	2.3	3
187	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). <i>European Psychiatry</i> , 2019 , 57, 10-18	6	4
186	Development and evaluation of e-mental health interventions to reduce stigmatization of suicidality - a study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 152	4.2	5
185	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 154-164	9.4	16
184	Strategies to evaluate healthcare provider trainings in shared decision-making (SDM): a systematic review of evaluation studies. <i>BMJ Open</i> , 2019 , 9, e026488	3	20
183	Reducing barriers to trauma inquiry in substance use disorder treatment - a cluster-randomized controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019 , 14, 23	3.4	3

182	Spiritual well-being mediates the association between attachment insecurity and psychological distress in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2019 , 27, 4317-4325	3.9	5
181	Posttraumatic stress disorder among cancer patients-Findings from a large and representative interview-based study in Germany. <i>Psycho-Oncology</i> , 2019 , 28, 1278-1285	3.9	5
180	Assessment of patient information needs: A systematic review of measures. <i>PLoS ONE</i> , 2019 , 14, e0209165	3.5	6
179	Age and gender differences in anxiety and depression in cancer patients compared with the general population. <i>European Journal of Cancer Care</i> , 2019 , 28, e13129	2.4	29
178	Learning How to Ask - Does a one-day training increase trauma inquiry in routine substance use disorder practice? Results of a cluster-randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2019 , 107, 8-16	4.2	2
177	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2019 , 14, e0224871	3.7	5
176	Romanian version of SDM-Q-9 validation in Internal Medicine and Cardiology setting: a multicentric cross-sectional study. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , 2019 , 57, 195-200	1.5	2
175	The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019 , 116, 127-133	2.5	9
174	Long-term use of benzodiazepines and Z drugs: a qualitative study of patients and healthcare professionals' perceptions and possible levers for change. <i>BJGP Open</i> , 2019 , 3, bjgpopen18X101626	3.1	6
173	Qualitätsmanagement in der Versorgung psychischer Erkrankungen 2019 , 829-840.e2		
172	Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0211343	3.7	27
171	Outcome evaluation by patient reported outcome measures in stroke clinical practice (EPOS) protocol for a prospective observation and implementation study. <i>Neurological Research and Practice</i> , 2019 , 1, 28	3.2	9
170	Assessing the relevance and implementation of patient-centredness from the patients' perspective in Germany: results of a Delphi study. <i>BMJ Open</i> , 2019 , 9, e031741	3	11
169	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019 , 9, e032408	3	7
168	Rationale and design of a systematic review: effectiveness and acceptance of technology-based psychological interventions in different clinical phases of depression management. <i>BMJ Open</i> , 2019 , 9, e028042	3	3
167	Improvement of perioperative care of the elderly patient (PeriAge): protocol of a controlled interventional feasibility study. <i>BMJ Open</i> , 2019 , 9, e031837	3	0
166	Management of comorbid mental and somatic disorders in stepped care approaches in primary care: a systematic review. <i>Family Practice</i> , 2019 , 36, 38-52	1.9	6
165	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. <i>Behavioral Medicine</i> , 2019 , 45, 231-239	4.4	4

164	Effectiveness of metacognitive interventions for mental disorders in adults-A systematic review and meta-analysis (METACOG). <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 227-240	2.9	41
163	Study protocol of a randomized controlled trial on two new dissemination strategies for a brief, shared-decision-making (SDM) training for oncologists: web-based interactive SDM online-training versus individualized context-based SDM face-to-face training. <i>Trials</i> , 2019 , 20, 18	2.8	
162	The Generalized Anxiety Disorder Screener (GAD-7) and the anxiety module of the Hospital and Depression Scale (HADS-A) as screening tools for generalized anxiety disorder among cancer patients. <i>Psycho-Oncology</i> , 2018 , 27, 1509-1516	3.9	57
161	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). <i>Psycho-Oncology</i> , 2018 , 27, 1802-1809	3.9	36
160	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 229, 262-268	6.6	11
159	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 46-48	9.4	17
158	Psychometric properties of the German version of Observer OPTION. <i>BMC Health Services Research</i> , 2018 , 18, 74	2.9	12
157	Quality of life in cancer patients-a comparison of inpatient, outpatient, and rehabilitation settings. <i>Supportive Care in Cancer</i> , 2018 , 26, 3533-3541	3.9	22
156	Insecure attachment predicts depression and death anxiety in advanced cancer patients. <i>Palliative and Supportive Care</i> , 2018 , 16, 308-316	2.5	15
155	How Does a Shared Decision-Making (SDM) Intervention for Oncologists Affect Participation Style and Preference Matching in Patients with Breast and Colon Cancer?. <i>Journal of Cancer Education</i> , 2018 , 33, 708-715	1.8	15
154	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 174-185	6.5	47
153	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). <i>BMC Psychology</i> , 2018 , 6, 31	2.8	118
152	Potentially inappropriate use of benzodiazepines and z-drugs in the older population-analysis of associations between long-term use and patient-related factors. <i>PeerJ</i> , 2018 , 6, e4614	3.1	14
151	Evaluation of a program for routine implementation of shared decision-making in cancer care: study protocol of a stepped wedge cluster randomized trial. <i>Implementation Science</i> , 2018 , 13, 51	8.4	15
150	Choosing the appropriate treatment setting: which information and decision-making needs do adult inpatients with mental disorders have? A qualitative interview study. <i>Patient Preference and Adherence</i> , 2018 , 12, 823-833	2.4	4
149	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018 , 13, e0196574	3.7	17
148	Psychosocial Distress of Patients with Psoriasis: Protocol for an Assessment of Care Needs and the Development of a Supportive Intervention. <i>JMIR Research Protocols</i> , 2018 , 7, e22	2	7
147	Epidemiologie psychischer Störungen bei MigrantInnen 2018 , 229-237		

146	Indicators of outcome quality in peripheral arterial disease revascularisations - a Delphi expert consensus. <i>Vasa - European Journal of Vascular Medicine</i> , 2018 , 47, 491-497	1.9	17
145	Rationale and methods of the IDOMENEO health outcomes of the peripheral arterial disease revascularisation study in the GermanVasc registry. <i>Vasa - European Journal of Vascular Medicine</i> , 2018 , 47, 499-505	1.9	4
144	"Learning how to ask": Effectiveness of a training for trauma inquiry and response in substance use disorder healthcare professionals. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2018 , 10, 229-238	7.8	17
143	Measuring the Psychosocial Dimensions of Quality of Life in Patients With Advanced Cancer: Psychometrics of the German Quality of Life at the End of Life-Cancer-Psychosocial Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 985-991.e1	4.8	6
142	Patient-centered care interventions to reduce the inappropriate prescription and use of benzodiazepines and z-drugs: a systematic review. <i>PeerJ</i> , 2018 , 6, e5535	3.1	6
141	Treatment selection and treatment initialization in guideline-based stepped and collaborative care for depression. <i>PLoS ONE</i> , 2018 , 13, e0208882	3.7	8
140	Assessment of patient centredness through patient-reported experience measures (ASPIRED): protocol of a mixed-methods study. <i>BMJ Open</i> , 2018 , 8, e025896	3	17
139	DoctorQ recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. <i>PLoS ONE</i> , 2018 , 13, e0205160	3.7	8
138	A cross-sectional survey of factors associated with the uptake of smoking cessation aids among smokers and ex-smokers. <i>Journal of Substance Use</i> , 2018 , 23, 597-602	0.8	0
137	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018 , 18, 347	4.2	4
136	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. <i>Depression and Anxiety</i> , 2018 , 35, 1001-1008	8.4	10
135	Perceived doctor-patient relationship and its association with demoralization in patients with advanced cancer. <i>Psycho-Oncology</i> , 2018 , 27, 2587-2593	3.9	11
134	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. <i>Scientific Reports</i> , 2018 , 8, 9389	4.9	22
133	Utilization of professional psychological care in a large German sample of cancer patients. <i>Psycho-Oncology</i> , 2017 , 26, 537-543	3.9	52
132	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 233-242	14.5	64
131	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	12
130	Guideline adherence of antidepressant treatment in outpatients with major depressive disorder: a naturalistic study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 711-721	5.1	12
129	Understanding the role of childhood abuse and neglect as a cause and consequence of substance abuse: the German CANSAS network. <i>Höre Utbildning</i> , 2017 , 8, 1304114	5	17

128	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017 , 79, 1016-1024	3.7	17
127	The long way of implementing patient-centered care and shared decision making in Germany. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017 , 123-124, 46-51	1.4	36
126	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. <i>Patient Education and Counseling</i> , 2017 , 100, 1934-1942	3.1	37
125	Placebo and nocebo reactions in randomized trials of pharmacological treatments for persistent depressive disorder. A meta-regression analysis. <i>Journal of Affective Disorders</i> , 2017 , 215, 288-298	6.6	25
124	Prevalence of mental disorders in elderly people: the European MentDis_ICF65+ study. <i>British Journal of Psychiatry</i> , 2017 , 210, 125-131	5.4	165
123	How are decisions made in cancer care? A qualitative study using participant observation of current practice. <i>BMJ Open</i> , 2017 , 7, e016360	3	21
122	German translation, cultural adaptation, and validation of the Health Literacy Questionnaire (HLQ). <i>PLoS ONE</i> , 2017 , 12, e0172340	3.7	49
121	Use of the 9-item Shared Decision Making Questionnaire (SDM-Q-9 and SDM-Q-Doc) in intervention studies-A systematic review. <i>PLoS ONE</i> , 2017 , 12, e0173904	3.7	47
120	Process quality of decision-making in multidisciplinary cancer team meetings: a structured observational study. <i>BMC Cancer</i> , 2017 , 17, 772	4.8	46
119	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe - telephone intervention for depression. <i>BMC Psychiatry</i> , 2017 , 17, 263	4.2	12
118	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , 2017 , 17, 366	4.2	9
117	Effectiveness of metacognitive interventions for mental disorders in adults: a systematic review protocol (METACOG). <i>BMJ Open</i> , 2017 , 7, e015428	3	5
116	Attachment Insecurity in Advanced Cancer Patients: Psychometric Properties of the German Version of the Brief Experiences in Close Relationships Scale (ECR-M16-G). <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 555-562	4.8	9
115	Patient involvement in a systematic review: Development and pilot evaluation of a patient workshop. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017 , 127-128, 56-61	1.4	6
114	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , 2017 , 123, 4236-4243	6.4	69
113	Managing Cancer and Living Meaningfully <i>Psychotherapeut</i> , 2017 , 62, 243-248	0.5	5
112	Long-term effectiveness of telephone-based health coaching for heart failure patients: A post-only randomised controlled trial. <i>Journal of Telemedicine and Telecare</i> , 2017 , 23, 716-724	6.8	16
111	A three-talk model for shared decision making: multistage consultation process. <i>BMJ, The</i> , 2017 , 359, j4891	5.9	275

110	Predicting the preferences for involvement in medical decision making among patients with mental disorders. <i>PLoS ONE</i> , 2017 , 12, e0182203	3.7	9
109	Effectiveness of telephone-based aftercare case management for adult patients with unipolar depression compared to usual care: A randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0186967	3.7	5
108	Information and decision-making needs of psychiatric patients: the perspective of relatives. <i>PeerJ</i> , 2017 , 5, e3378	3.1	3
107	Satisfaction with information and unmet information needs in men and women with cancer. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 62-70	5.1	119
106	Psychenet.de: Development and process evaluation of an e-mental health portal. <i>Informatics for Health and Social Care</i> , 2016 , 41, 267-85	2.7	8
105	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 289-96	9.4	65
104	Telefongestützte Verhaltenstherapie als niedrigschwellige Intervention bei Depression: Ein Behandlungsprogramm für den deutschen Sprachraum. <i>Verhaltenstherapie</i> , 2016 , 26, 244-253	0.9	5
103	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , 2016 , 33, 153-61	8.4	27
102	Vorvida: study protocol of a randomized controlled trial testing the effectiveness of Internet-based self-help program for the reduction of alcohol consumption for adults. <i>BMC Psychiatry</i> , 2016 , 16, 19	4.2	6
101	Treatment patterns in inpatient depression care. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 55-67	4.3	3
100	When do cancer patients regret their treatment decision? A path analysis of the influence of clinicians' communication styles and the match of decision-making styles on decision regret. <i>Patient Education and Counseling</i> , 2016 , 99, 739-46	3.1	43
99	Adverse event methods were heterogeneous and insufficiently reported in randomized trials on persistent depressive disorder. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 97-108	5.7	22
98	Changes in beliefs and attitudes toward people with depression and schizophrenia - results of a public campaign in Germany. <i>Psychiatry Research</i> , 2016 , 237, 271-8	9.9	22
97	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. <i>Journal of Psychosomatic Research</i> , 2016 , 81, 24-30	4.1	67
96	Information and decision support needs in patients with type 2 diabetes. <i>Health Informatics Journal</i> , 2016 , 22, 46-59	3	15
95	A Systematic Literature Review of Self-Reported Smoking Cessation Counseling by Primary Care Physicians. <i>PLoS ONE</i> , 2016 , 11, e0168482	3.7	32
94	Acceptance of the German e-mental health portal www.psychnet.de: an online survey. <i>PeerJ</i> , 2016 , 4, e2093	3.1	8
93	Diagnoseaufklärung, Information und Entscheidung über Behandlungen [Patientenbeteiligung und partizipative Entscheidungsfindung 2016 , 15-29		

92	Assessing Communication Skills of Medical Students in Objective Structured Clinical Examinations (OSCE)--A Systematic Review of Rating Scales. <i>PLoS ONE</i> , 2016 , 11, e0152717	3.7	73
91	Patient Preferences and Shared Decision Making in the Treatment of Substance Use Disorders: A Systematic Review of the Literature. <i>PLoS ONE</i> , 2016 , 11, e0145817	3.7	70
90	Comparative Safety of Pharmacologic Treatments for Persistent Depressive Disorder: A Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0153380	3.7	26
89	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0161269	3.7	29
88	Effects of culture-sensitive adaptation of patient information material on usefulness in migrants: a multicentre, blinded randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012008	3	14
87	Information and Decision-Making Needs Among People with Anxiety Disorders: Results of an Online Survey. <i>Patient</i> , 2015 , 8, 531-9	3.7	10
86	Usefulness scale for patient information material (USE) - development and psychometric properties. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 34	3.6	18
85	Drinking patterns of alcohol intoxicated adolescents in the emergency department: A latent class analysis. <i>Addictive Behaviors</i> , 2015 , 50, 51-9	4.2	16
84	Efficacy of a brief manualized intervention Managing Cancer and Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial. <i>BMC Cancer</i> , 2015 , 15, 592	4.8	27
83	Validation of the Spanish version of the 9-item Shared Decision-Making Questionnaire. <i>Health Expectations</i> , 2015 , 18, 2143-53	3.7	39
82	Information and decision-making needs among people with mental disorders: a systematic review of the literature. <i>Health Expectations</i> , 2015 , 18, 1856-72	3.7	40
81	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015 , 16, 447	2.8	4
80	Measuring symptoms and diagnosing mental disorders in the elderly community: the test-retest reliability of the CID165. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 116-29	4.3	31
79	Early detection of comorbidity in psoriasis: recommendations of the National Conference on Healthcare in Psoriasis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 674-90	1.2	25
78	Conceptual decomposition of complex health care interventions for evidence synthesis: a literature review. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 817-23	2.5	12
77	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. <i>Psycho-Oncology</i> , 2015 , 24, 1456-62	3.9	20
76	Information and decision-making needs among people with affective disorders - results of an online survey. <i>Patient Preference and Adherence</i> , 2015 , 9, 627-38	2.4	23
75	In Absentia: An Exploratory Study of How Patients Are Considered in Multidisciplinary Cancer Team Meetings. <i>PLoS ONE</i> , 2015 , 10, e0139921	3.7	36

74	Which Dimensions of Patient-Centeredness Matter? - Results of a Web-Based Expert Delphi Survey. <i>PLoS ONE</i> , 2015 , 10, e0141978	3.7	58
73	Reply to C.e. Paiva et Al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1517	2.2	
72	Reply to J. Dekker et al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2828	2.2	
71	Quality of online information on type 2 diabetes: a cross-sectional study. <i>Health Promotion International</i> , 2015 , 30, 821-31	3	15
70	Translation and validation of a multidimensional instrument to assess health literacy. <i>Health Expectations</i> , 2015 , 18, 2776-86	3.7	12
69	Comparing the nine-item Shared Decision-Making Questionnaire to the OPTION Scale - an attempt to establish convergent validity. <i>Health Expectations</i> , 2015 , 18, 137-50	3.7	49
68	Cost-effectiveness of collaborative care for the treatment of depressive disorders in primary care: a systematic review. <i>PLoS ONE</i> , 2015 , 10, e0123078	3.7	35
67	Effectiveness of a Web-based tailored interactive health communication application for patients with type 2 diabetes or chronic low back pain: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2015 , 17, e53	7.6	41
66	Shared Decision Making and the Use of Decision Aids. <i>Deutsches A&#x0308;rztblatt International</i> , 2015 , 112, 672-9	2.5	41
65	Qualiẗtsmanagement in der Versorgung psychischer Erkrankungen 2015 , 933-945		
64	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9552-9552	2.2	
63	Efficacy and acceptability of acute treatments for persistent depressive disorder: a network meta-analysis. <i>Depression and Anxiety</i> , 2014 , 31, 621-30	8.4	73
62	Development and testing of culturally sensitive patient information material for Turkish, Polish, Russian and Italian migrants with depression or chronic low back pain (KULTINFO): study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2014 , 15, 265	2.8	8
61	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. <i>BMC Psychiatry</i> , 2014 , 14, 230	4.2	20
60	An integrative model of patient-centeredness - a systematic review and concept analysis. <i>PLoS ONE</i> , 2014 , 9, e107828	3.7	322
59	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. <i>Trials</i> , 2014 , 15, 351	2.8	15
58	Four-week prevalence of mental disorders in patients with cancer across major tumor entities. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3540-6	2.2	363
57	How do health services researchers understand the concept of patient-centeredness? Results from an expert survey. <i>Patient Preference and Adherence</i> , 2014 , 8, 1153-60	2.4	15

56	Generalizability of findings from efficacy trials for chronic depression: an analysis of eligibility criteria. <i>Psychiatric Services</i> , 2014 , 65, 897-904	3.3	10
55	The German version of the Four Habits Coding Scheme - association between physicians' communication and shared decision making skills in the medical encounter. <i>Patient Education and Counseling</i> , 2014 , 94, 224-9	3.1	14
54	Assessment of trust in physician: a systematic review of measures. <i>PLoS ONE</i> , 2014 , 9, e106844	3.7	52
53	Measurement of physician-patient communication--a systematic review. <i>PLoS ONE</i> , 2014 , 9, e112637	3.7	68
52	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. <i>BMC Psychiatry</i> , 2013 , 13, 62	4.2	29
51	A tailored, dialogue-based health communication application for patients with chronic low back pain: study protocol of a randomised controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 66	3.6	10
50	A tailored, interactive health communication application for patients with type 2 diabetes: study protocol of a randomised controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 24	3.6	13
49	Patient preference for involvement, experienced involvement, decisional conflict, and satisfaction with physician: a structural equation model test. <i>BMC Health Services Research</i> , 2013 , 13, 231	2.9	44
48	Recommendations for detection of individual risk for comorbidities in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2013 , 305, 91-8	3.3	30
47	The prevalence of mental disorders in older people in Western countries - a meta-analysis. <i>Ageing Research Reviews</i> , 2013 , 12, 339-53	12	187
46	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 337	2.8	27
45	Evaluation of telephone health coaching of German health insurants with chronic conditions. <i>Health Education Journal</i> , 2013 , 72, 622-634	1.5	9
44	Core competencies for shared decision making training programs: insights from an international, interdisciplinary working group. <i>Journal of Continuing Education in the Health Professions</i> , 2013 , 33, 267-73	2.1	69
43	Health information, behavior change, and decision support for patients with type 2 diabetes: development of a tailored, preference-sensitive health communication application. <i>Patient Preference and Adherence</i> , 2013 , 7, 1091-9	2.4	16
42	Incomplete medication adherence of chronically ill patients in German primary care. <i>Patient Preference and Adherence</i> , 2013 , 7, 237-44	2.4	12
41	Reliability and Validity of the German Version of the Young Schema Questionnaire [Short Form 3 (YSQ-S3)]. <i>European Journal of Psychological Assessment</i> , 2013 , 29, 205-212	2.2	50
40	Partizipative Entscheidungsfindung in der Diabetestherapie [Von der guten Absicht zur guten Tat] 2013 , 281-297		2
39	Effectiveness of a web-based, individually tailored decision aid for depression or acute low back pain: a randomized controlled trial. <i>Patient Education and Counseling</i> , 2012 , 87, 360-8	3.1	31

38	A latent variable framework for modeling dyadic measures in research on shared decision-making. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2012 , 106, 253-63	1.4	13
37	Development and psychometric properties of the Shared Decision Making Questionnaire--physician version (SDM-Q-Doc). <i>Patient Education and Counseling</i> , 2012 , 88, 284-90	3.1	126
36	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 2, S57-63	5.1	45
35	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients - study protocol of an epidemiological multi-center study. <i>BMC Psychiatry</i> , 2012 , 12, 70	4.2	60
34	Combination of pharmacotherapy and psychotherapy in the treatment of chronic depression: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2012 , 12, 61	4.2	35
33	Leitlinien bei psychischen Erkrankungen am Beispiel der Depression 2012 , 229-234		
32	Measurement of shared decision making - a review of instruments. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2011 , 105, 313-24	1.4	202
31	Patient participation and shared decision making in Germany - history, agents and current transfer to practice. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2011 , 105, 263-70	1.4	44
30	Risk factors for chronic depression--a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 1-13	6.6	153
29	How does a German audience appraise an American decision aid on early stage breast cancer?. <i>Patient Education and Counseling</i> , 2011 , 83, 58-63	3.1	7
28	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus supportive psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. <i>BMC Psychiatry</i> , 2011 , 11, 134	4.2	23
27	How can continuing professional development better promote shared decision-making? Perspectives from an international collaboration. <i>Implementation Science</i> , 2011 , 6, 68	8.4	10
26	Quality of life in medically ill persons with comorbid mental disorders: a systematic review and meta-analysis. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 275-86	9.4	115
25	Confirmatory factor analysis and recommendations for improvement of the Autonomy-Preference-Index (API). <i>Health Expectations</i> , 2010 , 13, 234-43	3.7	40
24	Partizipative Entscheidungsfindung. <i>Best Practice Onkologie</i> , 2010 , 5, 49-55	0	4
23	Evidenzbasierte Psychotherapie der Depression. <i>Psychotherapeut</i> , 2010 , 55, 247-263	0.5	6
22	The 9-item Shared Decision Making Questionnaire (SDM-Q-9). Development and psychometric properties in a primary care sample. <i>Patient Education and Counseling</i> , 2010 , 80, 94-9	3.1	383
21	Unipolar depression: diagnostic and therapeutic recommendations from the current S3/National Clinical Practice Guideline. <i>Deutsches A&#x0308;rztblatt International</i> , 2010 , 107, 700-8	2.5	43

20	Training physicians in shared decision-making-who can be reached and what is achieved?. <i>Patient Education and Counseling</i> , 2009 , 77, 48-54	3.1	50
19	Patients' language proficiency and inpatient depression treatment in Baden-Württemberg (South Germany). <i>Psychiatric Services</i> , 2009 , 60, 545-8	3.3	0
18	Assessing the quality of decision support technologies using the International Patient Decision Aid Standards instrument (IPDASi). <i>PLoS ONE</i> , 2009 , 4, e4705	3.7	291
17	Efficacy of Interpersonal Psychotherapy plus pharmacotherapy in chronically depressed inpatients. <i>Journal of Affective Disorders</i> , 2008 , 109, 65-73	6.6	60
16	Treatment of depressive symptoms and attitudes towards treatment options in a representative German general population sample. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008 , 12, 5-10	2.4	5
15	Ambulante psychotherapeutische Versorgung depressiver Patienten. <i>Psychotherapeut</i> , 2008 , 53, 260-267	5	1
14	The impact of patient participation on adherence and clinical outcome in primary care of depression. <i>Patient Education and Counseling</i> , 2007 , 65, 69-78	3.1	168
13	The effects of a shared decision-making intervention in primary care of depression: a cluster-randomized controlled trial. <i>Patient Education and Counseling</i> , 2007 , 67, 324-32	3.1	266
12	The validity of the laboratory marker combinations DOVER and QUVER to detect physician diagnosis of at-risk drinking. <i>Addiction Biology</i> , 2007 , 12, 85-92	4.6	5
11	Participation preferences of patients with acute and chronic conditions. <i>Health Expectations</i> , 2007 , 10, 358-63	3.7	103
10	Increased 12-month prevalence rates of mental disorders in patients with chronic somatic diseases. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 354-60	9.4	156
9	The alcohol use disorders identification test for detecting at-risk drinking: a systematic review and meta-analysis. <i>Journal of Studies on Alcohol and Drugs</i> , 2007 , 68, 461-73	1.9	98
8	Measuring (shared) decision-making--a review of psychometric instruments. <i>Zeitschrift Für Ärztliche Fortbildung Und Qualitätssicherung</i> , 2007 , 101, 259-67		35
7	Improving quality of care for depression: the German Action Programme for the implementation of evidence-based guidelines. <i>International Journal for Quality in Health Care</i> , 2006 , 18, 113-9	1.9	22
6	DOVER and QUVER-new marker combinations to detect and monitor at-risk drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 1372-80	3.7	10
5	The assessment of depressive patients' involvement in decision making in audio-taped primary care consultations. <i>Patient Education and Counseling</i> , 2006 , 63, 314-8	3.1	68
4	Leitlinien 2006 , 387-404		2
3	Adherence to guidelines for treatment of depression in in-patients. <i>British Journal of Psychiatry</i> , 2005 , 187, 462-9	5.4	35

2 Insufficient depression treatment in outpatient settings. *GMS German Medical Science*, **2004**, 2, Doc01 3.2 7

1 Therapeutic Alliance in Technology-Based Interventions for the Treatment of Depression:
Systematic Review (Preprint) 1