Kevin A Kwei

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11699868/publications.pdf Version: 2024-02-01



KEVIN A KNUEL

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Recurrent rearrangements of the Myb/SANT-like DNA-binding domain containing 3 gene (MSANTD3) in salivary gland acinic cell carcinoma. PLoS ONE, 2017, 12, e0171265. | 2.5 | 39 |
| 2 | Integrative Genomics Implicates EGFR as a Downstream Mediator in NKX2-1 Amplified Non-Small Cell Lung Cancer. PLoS ONE, 2015, 10, e0142061. | 2.5 | 18 |
| 3 | Identification of recurrent SMO and BRAF mutations in ameloblastomas. Nature Genetics, 2014, 46, 722-725. | 21.4 | 273 |
| 4 | SMURF1 Amplification Promotes Invasiveness in Pancreatic Cancer. PLoS ONE, 2011, 6, e23924. | 2.5 | 44 |
| 5 | Genomic instability in breast cancer: Pathogenesis and clinical implications. Molecular Oncology, 2010, 4, 255-266. | 4.6 | 110 |
| 6 | Molecular Profiling of Breast Cancer Cell Lines Defines Relevant Tumor Models and Provides a Resource for Cancer Gene Discovery. PLoS ONE, 2009, 4, e6146. | 2.5 | 622 |
| 7 | <i>CAMK1D</i> amplification implicated in epithelial–mesenchymal transition in basalâ€like breast cancer. Molecular Oncology, 2008, 2, 327-339. | 4.6 | 55 |
| 8 | Genomic Profiling Identifies GATA6 as a Candidate Oncogene Amplified in Pancreatobiliary Cancer. PLoS Genetics, 2008, 4, e1000081. | 3.5 | 94 |
| 9 | The role of Rac1 in maintaining malignant phenotype of mouse skin tumor cells. Cancer Letters, 2006, 231, 326-338. | 7.2 | 21 |
| 10 | Catalase reverses tumorigenicity in a malignant cell line by an epidermal growth factor receptor pathway. Free Radical Biology and Medicine, 2006, 40, 863-875. | 2.9 | 28 |
| 11 | Transcriptional Repression of Catalase in Mouse Skin Tumor Progression. Neoplasia, 2004, 6, 440-448. | 5.3 | 60 |
| 12 | Elevated basal reactive oxygen species and phospho-Akt in murine keratinocytes resistant to ultraviolet B-induced apoptosis. Molecular Carcinogenesis, 2003, 37, 149-157. | 2.7 | 17 |
| 13 | Attenuation of catalase activity in the malignant phenotype plays a functional role in an in vitro model for tumor progression. Cancer Letters, 2001, 173, 115-125. | 7.2 | 68 |