

Hongqing Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1170132/publications.pdf>

Version: 2024-02-01

48
papers

413
citations

933447

10
h-index

839539

18
g-index

48
all docs

48
docs citations

48
times ranked

241
citing authors

#	ARTICLE	IF	CITATIONS
1	The tape casting process for manufacturing low-temperature co-fired ceramic green sheets: A review. <i>Journal of the American Ceramic Society</i> , 2018, 101, 3874-3889.	3.8	45
2	Preparation and properties of low-temperature co-fired ceramic of CaO-B ₂ O ₃ -SiO ₂ system. <i>Journal of Materials Science: Materials in Electronics</i> , 2006, 17, 637-641.	2.2	34
3	Microstructure, sintering and properties of CaO-Al ₂ O ₃ -B ₂ O ₃ -SiO ₂ glass/Al ₂ O ₃ composites with different CaO contents. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 5446-5451.	2.2	29
4	Sintering, densification and crystallization of Ca-Al-B-Si-O glass/Al ₂ O ₃ composites for LTCC application. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 3985-3994.	2.2	25
5	Microstructure and dielectric properties of glass/Al ₂ O ₃ composites with various low softening point borosilicate glasses. <i>Journal of Materials Science: Materials in Electronics</i> , 2012, 23, 2130-2139.	2.2	20
6	Microstructure and microwave dielectric characteristics of CaO-B ₂ O ₃ -SiO ₂ glass ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2009, 20, 1135-1139.	2.2	19
7	Effect of ZnO-WO ₃ additives on sintering behavior and microwave dielectric properties of 0.95MgTiO ₃ -0.05CaTiO ₃ ceramics. <i>Ceramics International</i> , 2014, 40, 6899-6902.	4.8	18
8	Improved microwave dielectric properties of Mg ₄ Nb ₂ O ₉ ceramics with CaO-B ₂ O ₃ -SiO ₂ glass additions. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 3546-3550.	2.2	15
9	Influence of La ₂ O ₃ /SrO doping of (Zr _{0.8} Sn _{0.2})TiO ₄ ceramics on their sintering behavior and microwave dielectric properties. <i>Ceramics International</i> , 2016, 42, 12306-12311.	4.8	12
10	Optimization of tape casting process via surface modification of glass/Al ₂ O ₃ powder. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 9877-9884.	2.2	11
11	Study on properties of Ca ₂ Zn ₄ Ti ₁₅ O ₃₆ ceramics with CaO-B ₂ O ₃ -SiO ₂ glass. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 1090-1094.	2.2	10
12	Effects of ZrO ₂ -ZnO on the sintering behavior and microwave dielectric properties of 0.65CaTiO ₃ -0.35SmAlO ₃ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 12834-12839.	2.2	10
13	Sintering behavior and microwave dielectric properties of Y ₂ O ₃ -ZnO doped (Zr _{0.8} Sn _{0.2})TiO ₄ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 7750-7754.	2.2	10
14	The effects of Ca/Si ratio and B ₂ O ₃ content on the dielectric properties of the CaO-B ₂ O ₃ -SiO ₂ glass-ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14053-14060.	2.2	10
15	Effect of MnCO ₃ doping on the dielectric and tunable properties of BSTO/MgO composite for phased array antennas. <i>Journal of Materials Science: Materials in Electronics</i> , 2007, 18, 985-989.	2.2	9
16	Synthesis of 0.65CaTiO ₃ -0.35SmAlO ₃ ceramics and effects of La ₂ O ₃ /SrO doping on their microwave dielectric properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 21205-21212.	2.2	9
17	Influence of Sb ₂ O ₃ -ZnO additives on sintering characteristics and dielectric properties of (Mg _{0.95} Ca _{0.05})TiO ₃ microwave ceramics. <i>Ceramics International</i> , 2018, 44, 17107-17112.	4.8	9
18	Properties of borosilicate glass/Al ₂ O ₃ composites with different Al ₂ O ₃ concentrations for LTCC applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 14069-14077.	2.2	9

#	ARTICLE	IF	CITATIONS
19	Effects of borosilicate glass additions on microstructures and magnetic properties of low temperature co-fired NiCuZn ferrites. Journal of Materials Science: Materials in Electronics, 2013, 24, 4713-4717.	2.2	8
20	Microwave dielectric properties of $(1-x)Mg(Sn_{0.05}Ti_{0.95})O_3 \cdot x(Ca_{0.8}Sr_{0.2})TiO_3$ wt% ZnNb ₂ O ₆ ceramics with near-zero temperature coefficient. Journal of Materials Science: Materials in Electronics, 2015, 26, 3515-3520.	2.2	8
21	Study on the hydrothermal synthesis of barium titanate nano-powders and calcination parameters. Journal of Materials Science: Materials in Electronics, 2015, 26, 8555-8562.	2.2	8
22	Low temperature sintering and dielectric properties of Ca-Ba-Al-B-Si-O glass/Al ₂ O ₃ composites for LTCC applications. Journal Wuhan University of Technology, Materials Science Edition, 2013, 28, 1085-1090.	1.0	7
23	Effects of Nb ₂ O ₅ ·WO ₃ additive on microstructure and magnetic properties of low-temperature-fired NiCuZn ferrites. Journal of Materials Science: Materials in Electronics, 2015, 26, 2397-2402.	2.2	7
24	Effect of MgO, BaO and La ₂ O ₃ additions on microwave dielectric properties of (Zr _{0.8} Sn _{0.2})TiO ₄ ceramics. Journal of Materials Science: Materials in Electronics, 2016, 27, 6183-6187.	2.2	7
25	Low temperature sintering and properties of Ca-Al-Ba-Si-O glass/ceramic composites with various ceramic fillers. Journal of Materials Science: Materials in Electronics, 2013, 24, 2161-2168.	2.2	6
26	Microwave dielectric properties of $(1-x)ZnNb_2O_6 \cdot xBa(Zn_{1/3}Nb_{2/3})O_3$ compound ceramic with near zero temperature coefficient. Journal of Materials Science: Materials in Electronics, 2018, 29, 2170-2174.	2.2	6
27	Sintering behaviors, microstructures and dielectric properties of CaO-B ₂ O ₃ -SiO ₂ glass ceramic for LTCC application with various network modifiers content. Journal of Materials Science: Materials in Electronics, 2021, 32, 26655-26665.	2.2	6
28	Study on properties of forsterite/cordierite ceramic composites. Journal of Materials Science: Materials in Electronics, 2010, 21, 231-235.	2.2	5
29	Dielectric properties of BSTO/MgO ceramic composites. Journal of Materials Science: Materials in Electronics, 2006, 17, 347-352.	2.2	4
30	Microstructure and magnetic properties of low-temperature-fired NiCuZn ferrites with various borosilicate glasses. Journal of Materials Science: Materials in Electronics, 2016, 27, 517-521.	2.2	3
31	Modification of tape casting slurry via effective plasticization by butyl benzyl phthalate of CaO-SiO ₂ -B ₂ O ₃ glass-ceramics. Journal of Materials Science: Materials in Electronics, 2018, 29, 20546-20553.	2.2	3
32	Optimization of borosilicate glass/CaTiO ₃ -TiO ₂ composite via altering pre-firing temperature and particle size. International Journal of Applied Ceramic Technology, 2019, 16, 77-87.	2.1	3
33	Influence of Nd ₂ O ₃ /SrO additives on sintering characteristics and microwave dielectric properties of (Zr _{0.8} Sn _{0.2})TiO ₄ ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 491-498.	2.2	3
34	Fabrication of low dielectric constant film based on CaO-B ₂ O ₃ -SiO ₂ glass/mullite composites for LTCC application. Journal of Materials Science: Materials in Electronics, 2020, 31, 8884-8892.	2.2	3
35	Preparation and properties of crystallizable Glass/Al ₂ O ₃ composites for LTCC material. Journal Wuhan University of Technology, Materials Science Edition, 2011, 26, 1174-1178.	1.0	2
36	Low temperature sintering and microwave dielectric properties of 0.7(Sr _{0.01} Ca _{0.99})TiO ₃ ·0.3(Sm _{0.75} Nd _{0.25})AlO ₃ ceramics with LiF additive. Journal of Materials Science: Materials in Electronics, 2016, 27, 9078-9082.	2.2	2

#	ARTICLE	IF	CITATIONS
37	Dielectric properties of 0.95(Mg _{0.98} Zn _{0.02})TiO ₃ â€“0.05CaTiO ₃ ceramic sintered by calcium borosilicate glass ceramic doping. Journal of Materials Science: Materials in Electronics, 2016, 27, 3839-3844.	2.2	2
38	Effect of cooling rate on microstructure and microwave dielectric properties of MgO doped (Sr,Ca)TiO ₃ -(Sm,Nd)AlO ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2017, 28, 6407-6412.	2.2	2
39	Effect of ZnO/WO ₃ additives on sintering behavior and microwave dielectric properties of (Sr,Ca)TiO ₃ â€“(Sm,Nd)AlO ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2018, 29, 9745-9750.	2.2	2
40	Effects of Sm ₂ O ₃ /SrO/LiF doping and cooling rate on sintering characteristics and microwave dielectric properties of (Zr _{0.8} Sn _{0.2})TiO ₄ ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 18818-18827.	2.2	2
41	Synthesis and low temperature densification of (Zr _{0.8} Sn _{0.2})TiO ₄ ceramics with improved dielectric properties. Journal of Materials Science: Materials in Electronics, 2019, 30, 5194-5202.	2.2	2
42	Influence of binder content and the ratio of plasticizer to binder on tape casting and sintering performance of CaOâ€“B ₂ O ₃ â€“SiO ₂ â€“Al ₂ O ₃ glass/Al ₂ O ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 20022-20032.	2.2	2
43	Preparation and microstructures of BSTO/MgO ferroelectric materials for phase shift. Journal Wuhan University of Technology, Materials Science Edition, 2007, 22, 122-125.	1.0	1
44	Effect of different forms of silica on sintering, microstructure and properties of borosilicate glass/Al ₂ O ₃ composites. Journal Wuhan University of Technology, Materials Science Edition, 2014, 29, 58-64.	1.0	1
45	Manufacturing a High-Performance Dielectric Tape Based on a CaO-B ₂ O ₃ -SiO ₂ Glassâ€“Ceramic. Journal of Electronic Materials, 2019, 48, 7452-7459.	2.2	1
46	Sintering behaviour and microwave dielectric properties of MgO/Eu ₂ O ₃ -doped 0.65CaTiO ₃ â€“0.35SmAlO ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 9372-9378.	2.2	1
47	Sinterability and microwave dielectric properties of MgO/CeO ₂ doped 0.65CaTiO ₃ â€“0.35SmAlO ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 9855-9860.	2.2	1
48	Co-firing compatibility of LTCC hetero-laminates with low and middle permittivity. Journal of Materials Science: Materials in Electronics, 2020, 31, 12282-12291.	2.2	1