

Xiaoshu Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1170522/publications.pdf>

Version: 2024-02-01

133
papers

3,167
citations

257101

24
h-index

189595

50
g-index

164
all docs

164
docs citations

164
times ranked

4186
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma exosomes induce inflammatory immune response in patients with acute myocardial infarction. <i>Archives of Physiology and Biochemistry</i> , 2023, 129, 1168-1176.	1.0	4
2	Association between plasma copper levels and first stroke: a community-based nested case-control study. <i>Nutritional Neuroscience</i> , 2022, 25, 1524-1533.	1.5	18
3	Association between serum folate levels and blood concentrations of cadmium and lead in US adults. <i>Environmental Science and Pollution Research</i> , 2022, 29, 3565-3574.	2.7	4
4	Association Between Hyperhomocysteinemia Combined with Metabolic Syndrome and Higher Prevalence of Stroke in Chinese Adults Who Have Elevated Blood Pressure. <i>Medical Science Monitor</i> , 2022, 27, e934100.	0.5	2
5	Association between baseline brachial-ankle pulse wave velocity and short-term risk of first stroke among Chinese hypertensive adults. <i>Journal of Human Hypertension</i> , 2022, 36, 1085-1091.	1.0	2
6	Association of weight-adjusted-waist index with all-cause and cardiovascular mortality in China: A prospective cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1210-1217.	1.1	35
7	Relationship Between the Triglyceride Glucose Index and the Risk of First Stroke in Elderly Hypertensive Patients. <i>International Journal of General Medicine</i> , 2022, Volume 15, 1271-1279.	0.8	9
8	Positive Association between the Triglyceride-Glucose Index and Hyperuricemia in Chinese Adults with Hypertension: An Insight from the China H-Type Hypertension Registry Study. <i>International Journal of Endocrinology</i> , 2022, 2022, 1-8.	0.6	9
9	Association Between the Surrogate Markers of Insulin Resistance and Chronic Kidney Disease in Chinese Hypertensive Patients. <i>Frontiers in Medicine</i> , 2022, 9, 831648.	1.2	11
10	Homozygous familial hypercholesterolemia in China: Genetic and clinical characteristics from a real-world, multi-center, cohort study. <i>Journal of Clinical Lipidology</i> , 2022, 16, 306-314.	0.6	4
11	Association of Sleep Duration, Midday Napping with Atrial Fibrillation in Patients with Hypertension. <i>Clinical Epidemiology</i> , 2022, Volume 14, 385-393.	1.5	7
12	Association of Plasma Bilirubin Levels With Peripheral Arterial Disease in Chinese Hypertensive Patients: New Insight on Sex Differences. <i>Frontiers in Physiology</i> , 2022, 13, 867418.	1.3	3
13	Association Between Body Mass Index and All-Cause Mortality in a Prospective Cohort of Southern Chinese Adults Without Morbid Obesity. <i>Frontiers in Physiology</i> , 2022, 13, 857787.	1.3	4
14	Visceral adiposity index and sex differences in relation to peripheral artery disease in normal-weight adults with hypertension. <i>Biology of Sex Differences</i> , 2022, 13, 22.	1.8	5
15	Sex Modified the Association between Sleep Duration and worse Cognitive Performance in Chinese Hypertensive Population: Insight from the China H-Type Hypertension Registry Study. <i>Behavioural Neurology</i> , 2022, 2022, 1-8.	1.1	0
16	BMI modifies the association between serum HDL cholesterol and stroke in a hypertensive population without atrial fibrillation. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 173-181.	1.8	18
17	The ankle-brachial index and risk of incident stroke in Chinese hypertensive population without atrial fibrillation: A cross-sectional study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 114-121.	1.0	6
18	Atrial fibrillation prevalence, awareness and management in a nationwide survey of adults in China. <i>Heart</i> , 2021, 107, 535-541.	1.2	91

#	ARTICLE	IF	CITATIONS
19	AST/ALT Ratio and Peripheral Artery Disease in a Chinese Hypertensive Population: A Cross-Sectional Study. <i>Angiology</i> , 2021, 72, 916-922.	0.8	18
20	Visceral Adiposity Index Is Inversely Associated with Renal Function in Normal-Weight Adults with Hypertension: The China H-Type Hypertension Registry Study. <i>Journal of Nutrition</i> , 2021, 151, 1394-1400.	1.3	13
21	The relationship between the atherogenic index of plasma and arterial stiffness in essential hypertensive patients from China: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 245.	0.7	11
22	Sex difference in the association between plasma selenium and first stroke: a community-based nested case-control study. <i>Biology of Sex Differences</i> , 2021, 12, 39.	1.8	14
23	High-Density Lipoprotein Cholesterol and the Risk of First Ischemic Stroke in a Chinese Hypertensive Population. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 801-810.	1.3	8
24	Prevalence and factors associated with depressive and anxiety symptoms in a Chinese population with and without cardiovascular diseases. <i>Journal of Affective Disorders</i> , 2021, 286, 241-247.	2.0	13
25	Association of waist-to-height ratio with hypertension and its subtypes in southern China. <i>Journal of Human Hypertension</i> , 2021, , .	1.0	1
26	Positive association between body fat percentage and hyperuricemia in patients with hypertension: The China H-type hypertension registry study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3076-3084.	1.1	9
27	U-Shaped Association of Body Mass Index with the Risk of Peripheral Arterial Disease in Chinese Hypertensive Population. <i>International Journal of General Medicine</i> , 2021, Volume 14, 3627-3634.	0.8	7
28	The association between ECG criteria and Echo criteria for left ventricular hypertrophy in a general Chinese population. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12880.	0.5	7
29	A Review of Novel Cardiac Biomarkers in Acute or Chronic Cardiovascular Diseases: The Role of Soluble ST2 (sST2), Lipoprotein-Associated Phospholipase A2 (Lp-PLA2), Myeloperoxidase (MPO), and Procalcitonin (PCT). <i>Disease Markers</i> , 2021, 2021, 1-10.	0.6	13
30	The association between AST/ALT ratio and all-cause and cardiovascular mortality in patients with hypertension. <i>Medicine (United States)</i> , 2021, 100, e26693.	0.4	20
31	Effect of age stratification on the association between carotid intima-media thickness and cognitive impairment in Chinese hypertensive patients: new insight from the secondary analysis of the China Stroke Primary Prevention Trial (CSPPT). <i>Hypertension Research</i> , 2021, 44, 1505-1514.	1.5	3
32	Pim-2 kinase inhibits inflammation by suppressing the mTORC1 pathway in atherosclerosis. <i>Aging</i> , 2021, 13, 22412-22431.	1.4	7
33	The association of lipid ratios with hyperuricemia in a rural Chinese hypertensive population. <i>Lipids in Health and Disease</i> , 2021, 20, 121.	1.2	4
34	Saturation Effects of Plasma Homocysteine on Chronic Kidney Disease in Chinese Adults With H-type Hypertension: A Cross-sectional Study. , 2021, 31, 459-466.		3
35	Cross-sectional association of meal skipping with lipid profiles and blood glucose in Chinese adults. <i>Nutrition</i> , 2021, 90, 111245.	1.1	5
36	Visceral adiposity index is associated with arterial stiffness in hypertensive adults with normal-weight: the china H-type hypertension registry study. <i>Nutrition and Metabolism</i> , 2021, 18, 90.	1.3	5

#	ARTICLE	IF	CITATIONS
37	HIF-1 α mediates the protective effect of plasma extracellular particles induced by remote ischaemic preconditioning on oxidative stress injury in human umbilical vein endothelial cells. <i>Experimental and Therapeutic Medicine</i> , 2021, 23, 48.	0.8	1
38	Knockdown of transient receptor potential melastatin 2 reduces renal fibrosis and inflammation by blocking transforming growth factor- β 1-activated JNK1 activation in diabetic mice. <i>Aging</i> , 2021, 13, 24605-24620.	1.4	2
39	Relationship Between Plasma Total Homocysteine Levels and Mean Corrected TIMI Frame Count in Patients with Acute Myocardial Infarction. <i>International Journal of General Medicine</i> , 2021, Volume 14, 8161-8172.	0.8	1
40	Positive Association between Triglyceride-Rich Lipoprotein Cholesterol and Diabetes Mellitus in Hypertensive Patients. <i>International Journal of Endocrinology</i> , 2021, 2021, 1-8.	0.6	2
41	Does body mass index or waist-hip ratio correlate with arterial stiffness based on brachial-ankle pulse wave velocity in Chinese rural adults with hypertension?. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 573.	0.7	5
42	Relationship Between the Lipid Accumulation Product Index and Arterial Stiffness in the Chinese Population With Hypertension: A Report From the China H-Type Hypertension Registry Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 760361.	1.1	4
43	Association Between Basal Metabolic Rate and All-Cause Mortality in a Prospective Cohort of Southern Chinese Adults. <i>Frontiers in Physiology</i> , 2021, 12, 790347.	1.3	7
44	Association Between Lipid Accumulation Product and Cognitive Function in Hypertensive Patients With Normal Weight: Insight From the China H-type Hypertension Registry Study. <i>Frontiers in Neurology</i> , 2021, 12, 732757.	1.1	4
45	High Estimated Glomerular Filtration Rate Is Associated With Worse Cognitive Performance in the Hypertensive Population: Results From the China H-Type Hypertension Registry Study. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 706928.	1.7	5
46	Disparities in Secondary Prevention between Stroke and Coronary Heart Disease in China: Cross-Sectional Community-Based Study, 2014–2016. <i>Cerebrovascular Diseases</i> , 2021, , 1-10.	0.8	0
47	Prospective Study of Serum Uric Acid Levels and First Stroke Events in Chinese Adults With Hypertension. <i>Frontiers in Physiology</i> , 2021, 12, 807420.	1.3	2
48	Visit-to-visit variability in blood pressure and the development of chronic kidney disease in treated general hypertensive patients. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1739-1746.	0.4	12
49	The efficacy of remote ischemic conditioning in preventing contrast-induced nephropathy among patients undergoing coronary angiography or intervention: An updated systematic review and meta-analysis. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12706.	0.5	2
50	U-Shaped Association of Serum Uric Acid With All-Cause and Cause-Specific Mortality in US Adults: A Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e597-e609.	1.8	64
51	Effect of hypertension status on the association between sleep duration and stroke among middle-aged and elderly population. <i>Journal of Clinical Hypertension</i> , 2020, 22, 65-73.	1.0	6
52	Nonlinear association between blood lead and hyperhomocysteinemia among adults in the United States. <i>Scientific Reports</i> , 2020, 10, 17166.	1.6	8
53	Association between serum albumin and peripheral arterial disease in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2250-2257.	1.0	7
54	Is There a Nonlinear Relationship between Serum Uric Acid and Lipids in a Hypertensive Population with eGFR ≥ 30 ml/min/1.73 m ² ? Findings from the China Hypertension Registry Study. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Serum folate modified the association between low-density lipoprotein cholesterol and carotid intima-media thickness in Chinese hypertensive adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2303-2311.	1.1	3
56	Interleukin-35 pretreatment attenuates lipopolysaccharide-induced heart injury by inhibition of inflammation, apoptosis and fibrotic reactions. <i>International Immunopharmacology</i> , 2020, 86, 106725.	1.7	21
57	Association of self-reported sleep duration and quality with BaPWV levels in hypertensive patients. <i>Hypertension Research</i> , 2020, 43, 1392-1402.	1.5	12
58	Association between nontraditional lipid profiles and peripheral arterial disease in Chinese adults with hypertension. <i>Lipids in Health and Disease</i> , 2020, 19, 231.	1.2	7
59	A U-shaped association between the LDL-cholesterol to HDL-cholesterol ratio and all-cause mortality in elderly hypertensive patients: a prospective cohort study. <i>Lipids in Health and Disease</i> , 2020, 19, 238.	1.2	16
60	Relationship Between Platelet to Lymphocyte Ratio and Stable Coronary Artery Disease: Meta-Analysis of Observational Studies. <i>Angiology</i> , 2020, 71, 909-915.	0.8	24
61	Positive association between triglyceride glucose index and arterial stiffness in hypertensive patients: the China H-type Hypertension Registry Study. <i>Cardiovascular Diabetology</i> , 2020, 19, 139.	2.7	90
62	Association between platelet count and the risk of bleeding among patients with nonvalvular atrial fibrillation taking dabigatran after radiofrequency ablation: a cohort study. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1175-1183.	0.7	2
63	Nicorandil reversed homocysteine-induced coronary microvascular dysfunction via regulating PI3K/Akt/eNOS pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020, 127, 110121.	2.5	25
64	Hyaluronic acid-based antibacterial hydrogels constructed by a hybrid crosslinking strategy for pacemaker pocket infection prevention. <i>Carbohydrate Polymers</i> , 2020, 245, 116525.	5.1	22
65	Achieving blood pressure control targets in hypertensive patients of rural China – a pilot randomized trial. <i>Trials</i> , 2020, 21, 515.	0.7	2
66	Effect of the baseline pulse wave velocity on short term and long term blood pressure control in primary hypertension. <i>International Journal of Cardiology</i> , 2020, 317, 193-199.	0.8	3
67	Different adiposity indices and their associations with hypertension among Chinese population from Jiangxi province. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 115.	0.7	16
68	Sex Differences in Primary and Secondary Prevention of Cardiovascular Disease in China. <i>Circulation</i> , 2020, 141, 530-539.	1.6	62
69	Interaction of serum vitamin B ₁₂ and folate with MTHFR genotypes on risk of ischemic stroke. <i>Neurology</i> , 2020, 94, e1126-e1136.	1.5	40
70	Association Between the Change in Total Bilirubin and Risk of Bleeding Among Patients With Nonvalvular Atrial Fibrillation Taking Dabigatran. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020, 26, 107602962091080.	0.7	1
71	Role of TRPM7 in cardiac fibrosis: A potential therapeutic target (Review). <i>Experimental and Therapeutic Medicine</i> , 2020, 21, 173.	0.8	9
72	Diastolic blood pressure achieved at target systolic blood pressure (120-140 mmHg) and dabigatran-related bleeding in patients with nonvalvular atrial fibrillation: a real-world study. <i>Anatolian Journal of Cardiology</i> , 2020, 24, 267-273.	0.5	2

#	ARTICLE	IF	CITATIONS
73	<p>Lipids in surgical aerosol as diagnosis biomarkers for discrimination of lung cancer</p>. Cancer Management and Research, 2019, Volume 11, 5537-5543.	0.9	2
74	Changes in Gut Microbiome Structure and Function of Rats with Isoproterenol-Induced Heart Failure. International Heart Journal, 2019, 60, 1176-1183.	0.5	11
75	Interpreting stimulated plasma renin and aldosterone to select physiologically individualized therapy for resistant hypertension: importance of the class of stimulating drugs. Hypertension Research, 2019, 42, 1971-1978.	1.5	9
76	Associations between Blood Pressure Indices and Brachialâ€“ankle Pulse Wave Velocity in Treated Hypertensive Adults: results from the China Stroke Primary Prevention Trial (CSPT). Scientific Reports, 2019, 9, 8178.	1.6	10
77	A risk score to predict postdischarge bleeding among acute coronary syndrome patients undergoing percutaneous coronary intervention: BRICâ€“ACS study. Catheterization and Cardiovascular Interventions, 2019, 93, 1194-1204.	0.7	10
78	FGF23 regulates atrial fibrosis in atrial fibrillation by mediating the STAT3 and SMAD3 pathways. Journal of Cellular Physiology, 2019, 234, 19502-19510.	2.0	32
79	Associations between resting heart rate, hypertension, and stroke: A populationâ€“based crossâ€“sectional study. Journal of Clinical Hypertension, 2019, 21, 589-597.	1.0	15
80	Association between Age at Menarche and Hypertension among Females in Southern China: A Cross-Sectional Study. International Journal of Hypertension, 2019, 2019, 1-9.	0.5	9
81	Meta-analysis of Stroke and Bleeding Risk in Patients with Various Atrial Fibrillation Patterns Receiving Oral Anticoagulants. American Journal of Cardiology, 2019, 123, 922-928.	0.7	12
82	Association Between Lipid Profiles and Arterial Stiffness in Chinese Patients With Hypertension: Insights From the CSPT. Angiology, 2019, 70, 515-522.	0.8	33
83	HSP22 suppresses diabetes-induced endothelial injury by inhibiting mitochondrial reactive oxygen species formation. Redox Biology, 2019, 21, 101095.	3.9	39
84	Relationship of sleep duration on workdays and non-workdays with blood pressure components in Chinese hypertensive patients. Clinical and Experimental Hypertension, 2019, 41, 627-636.	0.5	5
85	Pacemaker Dysfunction due to a Large Thrombus on Ventricular Lead. Heart Surgery Forum, 2019, 22, E131-E133.	0.2	0
86	AF1q gene polymorphism proteomic markers in herpes zoster-infected leukemia patients. Journal of Biological Regulators and Homeostatic Agents, 2019, 33, 505-510.	0.7	0
87	Association between serum total homocysteine and arterial stiffness in adults: a communityâ€“based study. Journal of Clinical Hypertension, 2018, 20, 686-693.	1.0	20
88	<i>MTHFR</i> Gene and Serum Folate Interaction on Serum Homocysteine Lowering. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 679-685.	1.1	29
89	Sleep duration on workdays or nonworkdays and cardiacâ€“cerebral vascular diseases in Southern China. Sleep Medicine, 2018, 47, 36-43.	0.8	17
90	Effect of Smoking and Folate Levels on the Efficacy of Folic Acid Therapy in Prevention of Stroke in Hypertensive Men. Stroke, 2018, 49, 114-120.	1.0	13

#	ARTICLE	IF	CITATIONS
91	Risk of Gastrointestinal Events During Lapatinib Therapy: A Meta-Analysis From 12,402 Patients With Cancer. <i>American Journal of Therapeutics</i> , 2018, 25, e412-e422.	0.5	0
92	Impact of achieved blood pressure on renal function decline and first stroke in hypertensive patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 409-417.	0.4	18
93	Effect of Nicorandil Administration on Preventing Contrast-Induced Nephropathy: A Meta-Analysis. <i>Angiology</i> , 2018, 69, 568-573.	0.8	17
94	Sedentary behavior and the risk of cardiac-cerebral vascular diseases in southern China. <i>Medicine (United States)</i> , 2018, 97, e12838.	0.4	16
95	Association between physical activity and stroke in a middle-aged and elderly Chinese population. <i>Medicine (United States)</i> , 2018, 97, e13568.	0.4	18
96	Value of electrocardiographic left ventricular hypertrophy as a predictor of poor blood pressure control. <i>Medicine (United States)</i> , 2018, 97, e12966.	0.4	2
97	Differences in Heart Rate Response and Recovery After 6-Minute Walk Test Between Patients With Atrial Fibrillation and in Sinus Rhythm. <i>American Journal of Cardiology</i> , 2018, 122, 592-596.	0.7	3
98	Platelet Count Affects Efficacy of Folic Acid in Preventing First Stroke. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2136-2146.	1.2	47
99	The role of lncRNA CASC2 on prognosis of malignant tumors: a meta-analysis and bioinformatics. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 4355-4365.	1.0	12
100	Association between subjective sleep duration on workdays or non-workdays and uncontrolled blood pressure in Southern China. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 742-750.	2.3	5
101	Genotype-phenotype relationship in patients with arrhythmogenic right ventricular cardiomyopathy caused by desmosomal gene mutations: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 41387.	1.6	36
102	Longitudinal association between fasting blood glucose concentrations and first stroke in hypertensive adults in China: effect of folic acid intervention. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 564-570.	2.2	21
103	Optimal Systolic Blood Pressure Levels for Primary Prevention of Stroke in General Hypertensive Adults. <i>Hypertension</i> , 2017, 69, 697-704.	1.3	40
104	Homocysteine and Stroke Risk. <i>Stroke</i> , 2017, 48, 1183-1190.	1.0	89
105	Knockdown of Long Non-Coding RNA FAS1 Protects Cardiomyocytes Against Acute Myocardial Infarction Via Anti-Apoptosis by Regulating miR-150/CRP. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 3281-3289.	1.2	80
106	Association between percent decline in serum total homocysteine and risk of first stroke. <i>Neurology</i> , 2017, 89, 2101-2107.	1.5	60
107	Lipid levels and new-onset diabetes in a hypertensive population: the China Stroke Primary Prevention Trial. <i>Scientific Reports</i> , 2017, 7, 7014.	1.6	4
108	Elevated Homocysteine Concentrations Decrease the Antihypertensive Effect of Angiotensin-Converting Enzyme Inhibitors in Hypertensive Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 166-172.	1.1	38

#	ARTICLE	IF	CITATIONS
109	A mutation in the CACNA1C gene leads to early repolarization syndrome with incomplete penetrance: A Chinese family study. PLoS ONE, 2017, 12, e0177532.	1.1	15
110	A comprehensive data mining study shows that most nuclear receptors act as newly proposed homeostasis-associated molecular pattern receptors. Journal of Hematology and Oncology, 2017, 10, 168.	6.9	23
111	Prevalence and Risk Factors of Prehypertension and Hypertension in Southern China. PLoS ONE, 2017, 12, e0170238.	1.1	99
112	Prevalence of overweight, obesity, abdominal obesity and obesity-related risk factors in southern China. PLoS ONE, 2017, 12, e0183934.	1.1	181
113	Vascular Endothelial Function Assessed by Postischemic Diastolic Blood Pressure Is Associated with Acclimatization and Acute Mountain Sickness. High Altitude Medicine and Biology, 2016, 17, 11-15.	0.5	3
114	Effect and mechanism of Irbesartan on occurrence of ventricular arrhythmias in rats with myocardial ischemia through connexin43 (cx43). Asian Pacific Journal of Tropical Medicine, 2016, 9, 1007-1012.	0.4	6
115	Pim-2 protects H9c2 cardiomyocytes from hypoxia/reoxygenation-induced apoptosis via downregulation of Bim expression. Environmental Toxicology and Pharmacology, 2016, 48, 94-102.	2.0	6
116	Novel extracellular and nuclear caspase-1 and inflammasomes propagate inflammation and regulate gene expression: a comprehensive database mining study. Journal of Hematology and Oncology, 2016, 9, 122.	6.9	92
117	Independent and Joint Effect of Brachial-Ankle Pulse Wave Velocity and Blood Pressure Control on Incident Stroke in Hypertensive Adults. Hypertension, 2016, 68, 46-53.	1.3	40
118	Caspase-1 Inflammasome Activation Mediates Homocysteine-Induced Pyrop-Apoptosis in Endothelial Cells. Circulation Research, 2016, 118, 1525-1539.	2.0	198
119	Modulation of fatty acid metabolism is involved in the alleviation of isoproterenol-induced rat heart failure by fenofibrate. Molecular Medicine Reports, 2015, 12, 7899-7906.	1.1	20
120	Effect of milrinone on cardiac functions in patients undergoing coronary artery bypass graft: a meta-analysis of randomized clinical trials. Drug Design, Development and Therapy, 2015, 10, 53.	2.0	7
121	Elevated Serum Bisphenol A Level in Patients with Dilated Cardiomyopathy. International Journal of Environmental Research and Public Health, 2015, 12, 5329-5337.	1.2	21
122	Risk of treatment-related mortality with sorafenib in cancer patients: a meta-analysis of 20 randomly controlled trials. International Journal of Clinical Pharmacy, 2015, 37, 1047-1056.	1.0	7
123	Efficacy of Folic Acid Therapy in Primary Prevention of Stroke Among Adults With Hypertension in China. JAMA - Journal of the American Medical Association, 2015, 313, 1325.	3.8	577
124	Sex differences in clinical characteristics and inpatient outcomes among 2442 hospitalized Chinese patients with nonvalvular atrial fibrillation: The Nanchang Atrial Fibrillation Project. International Journal of Cardiology, 2015, 201, 195-199.	0.8	7
125	Gender Differences in the Risk Factors for Endothelial Dysfunction in Chinese Hypertensive Patients: Homocysteine Is an Independent Risk Factor in Females. PLoS ONE, 2015, 10, e0118686.	1.1	25
126	Folic acid supplementation with and without vitamin B6 and revascularization risk: A meta-analysis of randomized controlled trials. Clinical Nutrition, 2014, 33, 603-612.	2.3	11

#	ARTICLE	IF	CITATIONS
127	Updating the Relationship between Hyperhomocysteinemia Lowering Therapy and Cardiovascular Events. <i>Cardiovascular Therapeutics</i> , 2013, 31, e19-26.	1.1	17
128	GW24-e0784â€¦The observation on short-term auxiliary therapeutic effect of passive leg movement in patients with acute decompensated chronic heart failure. <i>Heart</i> , 2013, 99, A218.2-A218.	1.2	0
129	ASSA13-11-11â€¦Should the D-Dimer Be Acted as a Useful Marker For Acute Myocardial Infarction?. <i>Heart</i> , 2013, 99, A53.4-A54.	1.2	0
130	e0180 The acute proarrhythmic effects of low concentration BPA on female adult rat and the electrophysiologic mechanisms. <i>Heart</i> , 2010, 96, A57-A57.	1.2	0
131	A Systemic Review of the Relationship Between Aldosterone Synthase â€œ 344 C/T Polymorphism and Hypertension in Han. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 301-307.	0.5	5
132	Effects of climatic temperature stress on cardiovascular diseases. <i>European Journal of Internal Medicine</i> , 2010, 21, 164-167.	1.0	119
133	Association between Aldosterone Synthase CYP11B2 Polymorphism and Essential Hypertension in Chinese: A Meta-Analysis. <i>Kidney and Blood Pressure Research</i> , 2009, 32, 128-140.	0.9	25