

J Louis Hinshaw

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11705250/publications.pdf>

Version: 2024-02-01

99
papers

5,080
citations

87886

38
h-index

91872

69
g-index

101
all docs

101
docs citations

101
times ranked

4330
citing authors

#	ARTICLE	IF	CITATIONS
1	CT Colonography versus Colonoscopy for the Detection of Advanced Neoplasia. <i>New England Journal of Medicine</i> , 2007, 357, 1403-1412.	27.0	655
2	Microwave Tumor Ablation: Mechanism of Action, Clinical Results, and Devices. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, S192-S203.	0.5	571
3	Percutaneous Tumor Ablation Tools: Microwave, Radiofrequency, or Cryoablation—What Should You Use and Why?. <i>Radiographics</i> , 2014, 34, 1344-1362.	3.3	284
4	Hepatic Steatosis (Fatty Liver Disease) in Asymptomatic Adults Identified by Unenhanced Low-Dose CT. <i>American Journal of Roentgenology</i> , 2010, 194, 623-628.	2.2	197
5	Unsuspected Extracolonic Findings at Screening CT Colonography: Clinical and Economic Impact. <i>Radiology</i> , 2008, 249, 151-159.	7.3	183
6	Pulmonary Thermal Ablation: Comparison of Radiofrequency and Microwave Devices by Using Gross Pathologic and CT Findings in a Swine Model. <i>Radiology</i> , 2009, 251, 705-711.	7.3	178
7	Tissue Contraction Caused by Radiofrequency and Microwave Ablation: A Laboratory Study in Liver and Lung. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 1280-1286.	0.5	137
8	Assessment of volumetric growth rates of small colorectal polyps with CT colonography: a longitudinal study of natural history. <i>Lancet Oncology</i> , The, 2013, 14, 711-720.	10.7	118
9	Primary 2D Versus Primary 3D Polyp Detection at Screening CT Colonography. <i>American Journal of Roentgenology</i> , 2007, 189, 1451-1456.	2.2	103
10	Effect of Computer-aided Detection for CT Colonography in a Multireader, Multicase Trial. <i>Radiology</i> , 2010, 256, 827-835.	7.3	94
11	Preoperative Pulmonary Nodule Localization: A Comparison of Methylene Blue and Hookwire Techniques. <i>American Journal of Roentgenology</i> , 2016, 207, 1334-1339.	2.2	90
12	Comparison of Percutaneous and Laparoscopic Cryoablation for the Treatment of Solid Renal Masses. <i>American Journal of Roentgenology</i> , 2008, 191, 1159-1168.	2.2	89
13	Cryoablation for Liver Cancer. <i>Techniques in Vascular and Interventional Radiology</i> , 2007, 10, 47-57.	1.0	84
14	Ionizing Radiation in Abdominal CT: Unindicated Multiphase Scans Are an Important Source of Medically Unnecessary Exposure. <i>Journal of the American College of Radiology</i> , 2011, 8, 756-761.	1.8	83
15	Microwave Ablation of Hepatic Malignancy. <i>Seminars in Interventional Radiology</i> , 2013, 30, 056-066.	0.8	80
16	Optimizing the Protocol for Pulmonary Cryoablation: A Comparison of a Dual- and Triple-Freeze Protocol. <i>CardioVascular and Interventional Radiology</i> , 2010, 33, 1180-1185.	2.0	77
17	Microwave versus Radiofrequency Ablation Treatment for Hepatocellular Carcinoma: A Comparison of Efficacy at a Single Center. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 631-638.	0.5	77
18	Liver Ablation. <i>Radiologic Clinics of North America</i> , 2015, 53, 933-971.	1.8	75

#	ARTICLE	IF	CITATIONS
19	Microwave Ablation: Comparison of Simultaneous and Sequential Activation of Multiple Antennas in Liver Model Systems. <i>Radiology</i> , 2016, 278, 95-103.	7.3	69
20	Assessing Normal Growth of Hepatic Hemangiomas During Long-term Follow-up. <i>JAMA Surgery</i> , 2014, 149, 1266.	4.3	68
21	Effect of Tumor Complexity and Technique on Efficacy and Complications after Percutaneous Microwave Ablation of Stage T1a Renal Cell Carcinoma: A Single-Center, Retrospective Study. <i>Radiology</i> , 2017, 284, 272-280.	7.3	67
22	Radiofrequency Ablation of Peripheral Liver Tumors: Intraperitoneal 5% Dextrose in Water Decreases Postprocedural Pain. <i>American Journal of Roentgenology</i> , 2006, 186, S306-S310.	2.2	63
23	High-Powered Microwave Ablation of T1a Renal Cell Carcinoma: Safety and Initial Clinical Evaluation. <i>Journal of Endourology</i> , 2014, 28, 1046-1052.	2.1	62
24	Thermal Ablation. <i>Seminars in Roentgenology</i> , 2011, 46, 133-141.	0.6	61
25	Radiofrequency Ablation: Simultaneous Application of Multiple Electrodes via Switching Creates Larger, More Confluent Ablations than Sequential Application in a Large Animal Model. <i>Journal of Vascular and Interventional Radiology</i> , 2009, 20, 118-124.	0.5	59
26	Thermal Ablation of Lung Tumors. <i>Surgical Oncology Clinics of North America</i> , 2011, 20, 369-387.	1.5	58
27	CT Colonography: Performance and Program Outcome Measures in an Older Screening Population. <i>Radiology</i> , 2010, 254, 493-500.	7.3	57
28	Contrast coating for the surface of flat polyps at CT colonography: a marker for detection. <i>European Radiology</i> , 2014, 24, 940-946.	4.5	57
29	Percutaneous Microwave Ablation of Hepatocellular Carcinoma with a Gas-Cooled System: Initial Clinical Results with 107 Tumors. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 62-68.	0.5	57
30	CT-Guided Lung Biopsies: Pleural Blood Patching Reduces the Rate of Chest Tube Placement for Postbiopsy Pneumothorax. <i>American Journal of Roentgenology</i> , 2011, 197, 783-788.	2.2	55
31	Serrated Polyps at CT Colonography: Prevalence and Characteristics of the Serrated Polyp Spectrum. <i>Radiology</i> , 2016, 280, 455-463.	7.3	53
32	Ultrasound Guidance Versus CT Guidance for Peripheral Lung Biopsy: Performance According to Lesion Size and Pleural Contact. <i>American Journal of Roentgenology</i> , 2018, 210, W110-W117.	2.2	51
33	Temperature Isotherms during Pulmonary Cryoablation and their Correlation with the Zone of Ablation. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 1424-1428.	0.5	46
34	High-powered Microwave Ablation with a Small-gauge, Gas-cooled Antenna: Initial Ex Vivo and In Vivo Results. <i>Journal of Vascular and Interventional Radiology</i> , 2012, 23, 405-411.	0.5	44
35	Contrast Media-“Doped Hydrodissection During Thermal Ablation: Optimizing Contrast Media Concentration for Improved Visibility on CT Images. <i>American Journal of Roentgenology</i> , 2012, 199, 677-682.	2.2	43
36	High-Powered Gas-Cooled Microwave Ablation: Shaft Cooling Creates an Effective Stick Function Without Altering the Ablation Zone. <i>American Journal of Roentgenology</i> , 2012, 198, W260-W265.	2.2	42

#	ARTICLE	IF	CITATIONS
37	Effects of Microwave Ablation on Arterial and Venous Vasculature after Treatment of Hepatocellular Carcinoma. <i>Radiology</i> , 2016, 281, 617-624.	7.3	42
38	Prospective Blinded Trial Comparing 45-mL and 90-mL Doses of Oral Sodium Phosphate for Bowel Preparation Before Computed Tomographic Colonography. <i>Journal of Computer Assisted Tomography</i> , 2007, 31, 53-58.	0.9	40
39	Bowel Preparation for CT Colonography: Blinded Comparison of Magnesium Citrate and Sodium Phosphate for Catharsis. <i>Radiology</i> , 2010, 254, 138-144.	7.3	38
40	Ultrasound-Guided Biopsies in the Abdomen and Pelvis. <i>Ultrasound Quarterly</i> , 2008, 24, 45-68.	0.8	35
41	Microwave Ablation of Giant Hepatic Cavernous Hemangiomas. <i>CardioVascular and Interventional Radiology</i> , 2014, 37, 1299-1305.	2.0	34
42	Combination transarterial chemoembolization and microwave ablation improves local tumor control for 3- to 5-cm hepatocellular carcinoma when compared with transarterial chemoembolization alone. <i>Abdominal Radiology</i> , 2018, 43, 2497-2504.	2.1	34
43	Image-guided ablation of renal cell carcinoma. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2004, 12, 429-447.	1.1	33
44	Microwave Ablation of Hepatic Tumors Abutting the Diaphragm Is Safe and Effective. <i>American Journal of Roentgenology</i> , 2015, 204, 197-203.	2.2	33
45	Microwave ablation of malignant hepatic tumours: Intraperitoneal fluid instillation prevents collateral damage and allows more aggressive case selection. <i>International Journal of Hyperthermia</i> , 2014, 30, 299-305.	2.5	31
46	Microwave Ablation for the Treatment of Hepatic Adenomas. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 244-249.	0.5	29
47	Renal mass biopsy and thermal ablation: should biopsy be performed before or during the ablation procedure?. <i>Abdominal Radiology</i> , 2017, 42, 1773-1780.	2.1	29
48	Pulmonary Intraparenchymal Blood Patching Decreases the Rate of Pneumothorax-Related Complications following Percutaneous CT-Guided Needle Biopsy. <i>Journal of Vascular and Interventional Radiology</i> , 2017, 28, 608-613.e1.	0.5	28
49	Multiple-Electrode Radiofrequency Ablation of Symptomatic Hepatic Cavernous Hemangioma. <i>American Journal of Roentgenology</i> , 2007, 189, W146-W149.	2.2	25
50	Robotically-Assisted Sonic Therapy for Renal Ablation in a Live Porcine Model: Initial Preclinical Results. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 1293-1302.	0.5	24
51	Tumor location does not impact oncologic outcomes for percutaneous microwave ablation of clinical T1a renal cell carcinoma. <i>European Radiology</i> , 2019, 29, 6319-6329.	4.5	23
52	Safety and Efficacy of Percutaneous Microwave Hepatic Ablation Near the Heart. <i>Journal of Vascular and Interventional Radiology</i> , 2017, 28, 490-497.	0.5	22
53	Hepatic Tumor Ablation. <i>Surgical Clinics of North America</i> , 2016, 96, 315-339.	1.5	21
54	Percutaneous liver biopsy and revised coagulation guidelines: a 9-year experience. <i>Abdominal Radiology</i> , 2018, 43, 1494-1501.	2.1	19

#	ARTICLE	IF	CITATIONS
55	Risk Factors for Complications and Nondiagnostic Results following 1,155 Consecutive Percutaneous Core Renal Mass Biopsies. <i>Journal of Urology</i> , 2019, 201, 1080-1087.	0.4	19
56	Hydrodissection Using an Iodinated Contrast Medium During Percutaneous Renal Cryoablation. <i>Journal of Endourology</i> , 2012, 26, 463-466.	2.1	18
57	Predictors of Thrombosis in Hepatic Vasculature during Microwave Tumor Ablation of an In Vivo Porcine Model. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1965-1971.e2.	0.5	18
58	Creation of Short Microwave Ablation Zones: In Vivo Characterization of Single and Paired Modified Triaxial Antennas. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1633-1640.	0.5	18
59	Objective and Subjective Inpatient Comparison of Iohexol Versus Diatrizoate for Bowel Preparation Quality at CT Colonography. <i>American Journal of Roentgenology</i> , 2016, 206, 1202-1207.	2.2	18
60	Percutaneous biopsy in the abdomen and pelvis: a step-by-step approach. <i>Abdominal Radiology</i> , 2016, 41, 720-742.	2.1	17
61	Comparative Analysis of Surgery, Thermal Ablation, and Active Surveillance for Renal Oncocytic Neoplasms. <i>Urology</i> , 2018, 112, 92-97.	1.0	17
62	Percutaneous Microwave Ablation of Renal Angiomyolipomas. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 433-440.	2.0	16
63	Microwave ablation for colorectal cancer metastasis to the liver: a single-center retrospective analysis. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, 1454-1469.	1.4	16
64	Design and validation of a thermoreversible material for percutaneous tissue hydrodissection. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013, 101, 1400-1409.	3.4	14
65	Percutaneous Microwave Ablation of an Insulinoma in a Patient with Refractory Symptomatic Hypoglycemia. <i>Journal of Gastrointestinal Surgery</i> , 2015, 19, 1378-1381.	1.7	12
66	Evaluation of a Thermoprotective Gel for Hydrodissection During Percutaneous Microwave Ablation: In Vivo Results. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 722-730.	2.0	12
67	Percutaneous Lung Biopsy with Pleural and Parenchymal Blood Patching: Results and Complications from 1,112 Core Biopsies. <i>Journal of Vascular and Interventional Radiology</i> , 2021, 32, 1319-1327.	0.5	11
68	Does Selective Intubation Increase Ablation Zone Size during Pulmonary Cryoablation?. <i>Journal of Vascular and Interventional Radiology</i> , 2008, 19, 1497-1501.	0.5	10
69	Thermal Ablation for the Treatment of Abdominal Tumors. <i>Journal of Visualized Experiments</i> , 2011, , .	0.3	10
70	Radiofrequency and microwave ablation in a porcine liver model: non-contrast CT and ultrasound radiologic-pathologic correlation. <i>International Journal of Hyperthermia</i> , 2020, 37, 799-807.	2.5	10
71	Microwave ablation of the liver in a live porcine model: the impact of power, time and total energy on ablation zone size and shape. <i>International Journal of Hyperthermia</i> , 2020, 37, 668-676.	2.5	10
72	Primary Malignant Tumors of Peritoneal and Retroperitoneal Origin. <i>Surgical Oncology Clinics of North America</i> , 2014, 23, 821-845.	1.5	9

#	ARTICLE	IF	CITATIONS
73	Percutaneous microwave ablation for local control of metastatic renal cell carcinoma. <i>Abdominal Radiology</i> , 2018, 43, 2446-2454.	2.1	9
74	Ultra-“Low Radiation Dose CT Fluoroscopy for Percutaneous Interventions: A Porcine Feasibility Study. <i>Radiology</i> , 2019, 291, 241-249.	7.3	9
75	CT Colonographic Screening of Patients With a Family History of Colorectal Cancer: Comparison With Adults at Average Risk and Implications for Guidelines. <i>American Journal of Roentgenology</i> , 2017, 208, 794-800.	2.2	7
76	Computer-Aided Detection of Colorectal Polyps at CT Colonography: Prospective Clinical Performance and Third-Party Reimbursement. <i>American Journal of Roentgenology</i> , 2017, 208, 1244-1248.	2.2	7
77	Development of a Risk-stratified Approach for Follow-up Imaging After Percutaneous Thermal Ablation of Sporadic Stage One Renal Cell Carcinoma. <i>Urology</i> , 2019, 134, 148-153.	1.0	7
78	Tissue sampling in the era of precision medicine: comparison of percutaneous biopsies performed for clinical trials or tumor genomics versus routine clinical care. <i>Abdominal Radiology</i> , 2019, 44, 2074-2080.	2.1	6
79	Imaging of Primary Malignant Tumors of Peritoneal and Retroperitoneal Origin. <i>Cancer Treatment and Research</i> , 2008, 143, 281-297.	0.5	6
80	Reorganizing Cross-Sectional Interventional Procedures Practice During the Coronavirus Disease (COVID-19) Pandemic. <i>American Journal of Roentgenology</i> , 2020, 215, 1499-1503.	2.2	6
81	Microwave Ablation as Bridging to Liver Transplant for Patients with Hepatocellular Carcinoma: A Single-Center Retrospective Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2022, 33, 1045-1053.	0.5	6
82	CAD-associated Reader Error in CT Colonography. <i>Academic Radiology</i> , 2012, 19, 801-810.	2.5	4
83	Symptomatic Versus Asymptomatic Colorectal Cancer. <i>Academic Radiology</i> , 2016, 23, 712-717.	2.5	4
84	Percutaneous Microwave Tumor Ablation Is Safe in Patients with Cardiovascular Implantable Electronic Devices: A Single-Institutional Retrospective Review. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 396-400.	0.5	4
85	Microwave Ablation of Adrenal Tumors in Patients With Continuous Intra-Arterial Blood Pressure Monitoring Without Prior Alpha-Adrenergic Blockade: Safety and Efficacy. <i>CardioVascular and Interventional Radiology</i> , 2020, 43, 1384-1391.	2.0	4
86	Microwave Ablation of Renal Cell Carcinoma. <i>Journal of Endourology</i> , 2021, 35, S-33-S-37.	2.1	4
87	Combining Stereotactic Body Radiotherapy and Microwave Ablation Appears Safe and Feasible for Renal Cell Carcinoma in an Early Series. <i>Clinical Genitourinary Cancer</i> , 2021, 19, e313-e318.	1.9	4
88	CT Fluoroscopy for Image-Guided Procedures: Physician Radiation Dose During Full-Rotation and Partial-Angle CT Scanning. <i>Journal of Vascular and Interventional Radiology</i> , 2021, 32, 439-446.	0.5	3
89	Cryoablation. , 2013, , 61-78.		2
90	Growth Assessment of Hepatic Venous Malformations“Reply. <i>JAMA Surgery</i> , 2015, 150, 371.	4.3	1

#	ARTICLE	IF	CITATIONS
91	The Back Alleys and Dark Corners of Abdomen and Pelvis Computed Tomography: The Most Frequent Sites of Missed Findings in the Multiplanar Era. <i>Journal of Clinical Imaging Science</i> , 2020, 10, 70.	1.1	1
92	Radiofrequency Ablation, Cryotherapy, and Microwave Ablation for Renal Tumors. , 2012, , 131-137.		1
93	Advanced CT techniques for hepatic microwave ablation zone monitoring and follow-up. <i>Abdominal Radiology</i> , 2022, 47, 2658-2668.	2.1	1
94	Guidelines for Appropriate CT Imaging. <i>Medical Radiology</i> , 2012, , 575-583.	0.1	0
95	Improved delineation rate of thermally ablated liver tumors with electrode displacement elastography compared to commercial acoustic radiation force impulse imaging. , 2017, , .		0
96	Delineation of microwave ablated hepatocellular carcinoma tumor regions using electrode displacement elastography. , 2017, , .		0
97	Image-Guided Ablation of Neuroendocrine Tumor Liver Metastases. <i>Digestive Disease Interventions</i> , 2019, 03, 038-045.	0.2	0
98	Diurnal variation of major error rates in the interpretation of abdominal/pelvic CT studies. <i>Abdominal Radiology</i> , 2021, 46, 1746-1751.	2.1	0
99	Microwave Ablation of Hepatocellular Carcinoma and Liver Metastases: Challenges, Opportunities, and Future Directions. <i>Digestive Disease Interventions</i> , 0, 06, .	0.2	0