

Ugo Nocentini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1170642/publications.pdf>

Version: 2024-02-01

68
papers

3,832
citations

236833

25
h-index

133188

59
g-index

76
all docs

76
docs citations

76
times ranked

4844
citing authors

#	ARTICLE	IF	CITATIONS
1	Study Protocol: Strategies and Techniques for the Rehabilitation of Cognitive and Motor Deficits in Patients with Multiple Sclerosis. <i>NeuroSci</i> , 2022, 3, 395-407.	0.4	1
2	Dual-Task Performance in Multiple Sclerosisâ€™ Patients: Cerebellum Matters?. <i>Archives of Clinical Neuropsychology</i> , 2021, 36, 517-526.	0.3	12
3	Viability of a MSQOL-54 general health-related quality of life score using bifactor model. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 224.	1.0	2
4	Comparison of the effectiveness of motor and cognitive rehabilitation alone compared to the combination of the two in patients with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2021, 429, 118566.	0.3	0
5	Can personality traits influence occupational stress in multiple sclerosis patients? A one-year longitudinal study. <i>Applied Neuropsychology Adult</i> , 2020, 27, 390-392.	0.7	2
6	Assessing measurement invariance of MSQOL-54 across Italian and English versions. <i>Quality of Life Research</i> , 2020, 29, 783-791.	1.5	4
7	An Italian Neurorehabilitation Hospital Facing the SARS-CoV-2 Pandemic: Data From 1207 Patients and Workers. <i>Frontiers in Neurology</i> , 2020, 11, 584317.	1.1	2
8	Can we offer more for cognitive impairment in patients with chronic hepatitis C?. <i>Arquivos De Neuro-Psiquiatria</i> , 2020, 78, 319-320.	0.3	0
9	The Italian validation of the minimal assessment of cognitive function in multiple sclerosis (MACFIMS) and the application of the Cognitive Impairment Index scoring procedure in MS patients. <i>Neurological Sciences</i> , 2018, 39, 1237-1244.	0.9	7
10	Siponimod versus placebo in secondary progressive multiple sclerosis (EXPAND): a double-blind, randomised, phase 3 study. <i>Lancet</i> , The, 2018, 391, 1263-1273.	6.3	684
11	Effect of natalizumab on disease progression in secondary progressive multiple sclerosis (ASCEND): a phase 3, randomised, double-blind, placebo-controlled trial with an open-label extension. <i>Lancet Neurology</i> , The, 2018, 17, 405-415.	4.9	238
12	Disruption of neurite morphology parallels MS progression. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2018, 5, e502.	3.1	43
13	Adverse working events in patients with multiple sclerosis. <i>Neurological Sciences</i> , 2017, 38, 349-352.	0.9	11
14	A more in-depth interpretation of MMPI-2 in MS patients by using Harris and Lingoes subscales. <i>Applied Neuropsychology Adult</i> , 2017, 24, 439-445.	0.7	2
15	Regression-Based Norms for the Brief Visuospatial Memory Test-Revised in Italian population and application in MS patients. <i>Clinical Neuropsychologist</i> , 2016, 30, 1469-1478.	1.5	13
16	Assessing clinical correlates of self-rated disability in patients with multiple sclerosis. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2015, 1, 205521731559242.	0.5	1
17	A comparison of the brief international cognitive assessment for multiple sclerosis and the brief repeatable battery in multiple sclerosis patients. <i>BMC Neurology</i> , 2015, 15, 204.	0.8	31
18	A Preliminary Investigation of Abnormal Personality Traits in MS Using the MCMI-III. <i>Applied Neuropsychology Adult</i> , 2015, 22, 452-458.	0.7	6

#	ARTICLE	IF	CITATIONS
19	Occupational stress and personality traits in multiple sclerosis: A preliminary study. <i>Multiple Sclerosis and Related Disorders</i> , 2015, 4, 315-319.	0.9	15
20	Validation of the World Health Organization Disability Assessment Schedule II (WHODAS-II) in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 448-456.	1.4	33
21	Role of inflammation and apoptosis in multiple sclerosis: Comparative analysis between the periphery and the central nervous system. <i>Journal of Neuroimmunology</i> , 2015, 287, 80-87.	1.1	41
22	Anxiety and Multiple Sclerosis. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2015, , 39-63.	0.3	2
23	Domestic accidents and multiple sclerosis: an exploratory study of occurrence and possible causes. <i>Disability and Rehabilitation</i> , 2014, 36, 2205-2209.	0.9	7
24	Functional connectivity changes within specific networks parallel the clinical evolution of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1050-1057.	1.4	47
25	The brief international cognitive assessment for multiple sclerosis (BICAMS): normative values with gender, age and education corrections in the Italian population. <i>BMC Neurology</i> , 2014, 14, 171.	0.8	99
26	Exploration of the relationships between regional grey matter atrophy and cognition in multiple sclerosis. <i>Brain Imaging and Behavior</i> , 2014, 8, 378-386.	1.1	41
27	The California Verbal Learning Test- II: Normative Data for Two Italian Alternative Forms. <i>Clinical Neuropsychologist</i> , 2014, 28, 42-54.	1.5	8
28	Anatomical brain connectivity can assess cognitive dysfunction in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1161-1168.	1.4	33
29	Cognitive Dysfunctions in Multiple Sclerosis. , 2013, , 133-153.		1
30	Clinical Presentation. , 2013, , 11-19.		0
31	Assessment Instruments. , 2013, , 37-41.		0
32	Emotions and Multiple Sclerosis. , 2013, , 127-130.		0
33	Etiopathogenesis. , 2013, , 21-25.		0
34	Neuropsychiatric Dysfunction in Multiple Sclerosis. , 2012, , .		8
35	Neuropsychological, medical and rehabilitative management of persons with multiple sclerosis. <i>NeuroRehabilitation</i> , 2011, 29, 197-219.	0.5	77
36	I deficit cognitivi nella sclerosi multipla. , 2011, , 123-144.		0

#	ARTICLE	IF	CITATIONS
37	Aspetti clinici generali. , 2011, , 3-31.		0
38	Infratentorial lesion volume correlates with sensory functional system in multiple sclerosis patients: a 3.0-Tesla MRI study. Radiologia Medica, 2010, 115, 115-124.	4.7	9
39	Multiparametric MR investigation of the motor pyramidal system in patients with "truly benign" multiple sclerosis. Multiple Sclerosis Journal, 2010, 16, 178-188.	1.4	12
40	An open-label pilot study of the use of rivastigmine to promote functional recovery in patients with unilateral spatial neglect due to first ischemic stroke. Functional Neurology, 2010, 25, 195-200.	1.3	19
41	Investigation of quantitative magnetisation transfer parameters of lesions and normal appearing white matter in multiple sclerosis. NMR in Biomedicine, 2009, 22, 646-653.	1.6	19
42	An exploration of anger phenomenology in multiple sclerosis. European Journal of Neurology, 2009, 16, 1312-1317.	1.7	16
43	An Italian experience in the ICF implementation in rehabilitation: Preliminary theoretical and practical considerations. Disability and Rehabilitation, 2008, 30, 1146-1152.	0.9	25
44	Clinical assessment and therapy for depression. Neurological Sciences, 2006, 27, s341-s343.	0.9	4
45	Cognitive dysfunction in patients with relapsing-remitting multiple sclerosis. Multiple Sclerosis Journal, 2006, 12, 77-87.	1.4	119
46	The Symbol Digit Modalities Test - Oral version: Italian normative data. Functional Neurology, 2006, 21, 93-6.	1.3	56
47	The role played by the right hemisphere in the organization of complex textual structures. Brain and Language, 2005, 93, 46-54.	0.8	121
48	Training on the International Classification of Functioning, Disability and Health (ICF): the ICF "DIN Basic and the ICF "DIN Advanced Course developed by the Disability Italian Network. Journal of Headache and Pain, 2005, 6, 159-164.	2.5	43
49	Parageusia: An Unusual Presentation of Multiple Sclerosis. European Neurology, 2004, 51, 123-124.	0.6	12
50	Gender-related effect of clinical and genetic variables on the cognitive impairment in multiple sclerosis. Journal of Neurology, 2004, 251, 1208-1214.	1.8	142
51	Apolipoprotein E genotype does not influence the progression of multiple sclerosis. Journal of Neurology, 2003, 250, 1094-1098.	1.8	40
52	Coefficient D(av) is more sensitive than fractional anisotropy in monitoring progression of irreversible tissue damage in focal nonactive multiple sclerosis lesions. American Journal of Neuroradiology, 2003, 24, 663-70.	1.2	37
53	Autoantibodies in Multiple Sclerosis Patients Before and During IFN- β Treatment: Are They Correlated with the Occurrence of Autoimmune Diseases?. Journal of Interferon and Cytokine Research, 2002, 22, 245-255.	0.5	28
54	Diffusion of water in large demyelinating lesions: a follow-up study. Neuroradiology, 2002, 44, 764-767.	1.1	56

#	ARTICLE	IF	CITATIONS
55	Interhemispheric transfer time in a patient with a partial lesion of the corpus callosum. <i>NeuroReport</i> , 2001, 12, 1469-1472.	0.6	22
56	Defective Fas ligand production in lymphocytes from MS patients. <i>NeuroReport</i> , 2001, 12, 4113-4116.	0.6	7
57	The effects of left- versus right-hemisphere lesions on the sensitivity to intra- and interconceptual semantic relationships. <i>Neuropsychologia</i> , 2001, 39, 443-451.	0.7	10
58	Patterns of Cognitive Impairment in Secondary Progressive Stable Phase of Multiple Sclerosis: Correlations with MRI Findings. <i>European Neurology</i> , 2001, 45, 11-18.	0.6	50
59	Age-Related Evolution of the Contribution of the Right Hemisphere to Language: Absence of Evidence. <i>International Journal of Neuroscience</i> , 1999, 99, 59-67.	0.8	7
60	Impaired apoptosis in mitogen-stimulated lymphocytes of patients with multiple sclerosis. <i>NeuroReport</i> , 1999, 10, 399-402.	0.6	61
61	Selective proper name anomia in a patient with asymmetric cortical degeneration. <i>European Journal of Neurology</i> , 1998, 5, 417-422.	1.7	8
62	Implicit Memory in Parkinsonian Patients: Evidence for Deficient Skill Learning. <i>European Neurology</i> , 1996, 36, 154-159.	0.6	39
63	The Mental Deterioration Battery: Normative Data, Diagnostic Reliability and Qualitative Analyses of Cognitive Impairment. <i>European Neurology</i> , 1996, 36, 378-384.	0.6	1,099
64	Cognitive Functions in Adult Down's Syndrome. <i>International Journal of Neuroscience</i> , 1990, 54, 221-230.	0.8	15
65	Semantic field integrity and naming ability in anomic patients. <i>Aphasiology</i> , 1989, 3, 423-434.	1.4	4
66	Can the pattern of neuropsychological improvement obtained with cholinergic drugs be used to infer a cholinergic mechanism in other nootropic drugs?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1989, 13, S47-S59.	2.5	5
67	The nature of lexical-semantic impairment in Alzheimer's disease. <i>Journal of Neurolinguistics</i> , 1989, 4, 449-460.	0.5	8
68	Patterns of dissociation in comprehension and production of nouns and verbs. <i>Aphasiology</i> , 1988, 2, 351-358.	1.4	261