## Paul J Arciero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1170725/publications.pdf Version: 2024-02-01



Ρλιμ Ι Δραιέρο

#	Article	IF	CITATIONS
1	Resistant Starch Combined with Whey Protein Increases Postprandial Metabolism and Lowers Glucose and Insulin Responses in Healthy Adult Men. Foods, 2021, 10, 537.	4.3	3
2	Impact of intermittent fasting regimens on circulating markers of oxidative stress in overweight and obese humans: A systematic review of randomized controlled trials. Advances in Redox Research, 2021, 3, 100026.	2.1	9
3	A Gluten-Free Meal Produces a Lower Postprandial Thermogenic Response Compared to an Iso-Energetic/Macronutrient Whole Food or Processed Food Meal in Young Women: A Single-Blind Randomized Cross-Over Trial. Nutrients, 2020, 12, 2035.	4.1	3
4	Lower Postprandial Thermogenic Response to an Unprocessed Whole Food Meal Compared to an Iso-Energetic/Macronutrient Meal Replacement in Young Women: A Single-Blind Randomized Cross-Over Trial. Nutrients, 2020, 12, 2469.	4.1	6
5	Higher-protein intake and physical activity are associated with healthier body composition and cardiometabolic health in Hispanic adults. Clinical Nutrition ESPEN, 2019, 30, 145-151.	1.2	2
6	The Aerobic and Cognitive Exercise Study (ACES) for Community-Dwelling Older Adults With or At-Risk for Mild Cognitive Impairment (MCI): Neuropsychological, Neurobiological and Neuroimaging Outcomes of a Randomized Clinical Trial. Frontiers in Aging Neuroscience, 2018, 10, 76.	3.4	120
7	International Society of Sports Nutrition Position Stand: protein and exercise. Journal of the International Society of Sports Nutrition, 2017, 14, 20.	3.9	430
8	Multi-modal exercise training and protein-pacing enhances physical performance adaptations independent of growth hormone and BDNF but may be dependent on IGF-1 in exercise-trained men. Growth Hormone and IGF Research, 2017, 32, 60-70.	1.1	12
9	Serum Polychlorinated Biphenyls Increase and Oxidative Stress Decreases with a Protein-Pacing Caloric Restriction Diet in Obese Men and Women. International Journal of Environmental Research and Public Health, 2017, 14, 59.	2.6	12
10	Effects of a combined protein and antioxidant supplement on recovery of muscle function and soreness following eccentric exercise. Journal of the International Society of Sports Nutrition, 2017, 14, 21.	3.9	20
11	International society of sports nutrition position stand: nutrient timing. Journal of the International Society of Sports Nutrition, 2017, 14, 33.	3.9	241
12	Protein-Pacing and Multi-Component Exercise Training Improves Physical Performance Outcomes in Exercise-Trained Women: The PRISE 3 Study. Nutrients, 2016, 8, 332.	4.1	15
13	Protein-Pacing Caloric-Restriction Enhances Body Composition Similarly in Obese Men and Women during Weight Loss and Sustains Efficacy during Long-Term Weight Maintenance. Nutrients, 2016, 8, 476.	4.1	24
14	Protein-Pacing from Food or Supplementation Improves Physical Performance in Overweight Men and Women: The PRISE 2 Study. Nutrients, 2016, 8, 288.	4.1	13
15	Comparison of High-Protein, Intermittent Fasting Low-Calorie Diet and Heart Healthy Diet for Vascular Health of the Obese. Frontiers in Physiology, 2016, 7, 350.	2.8	45
16	Aerobic and Cognitive Exercise (ACE) Pilot Study for Older Adults: Executive Function Improves with Cognitive Challenge While Exergaming. Journal of the International Neuropsychological Society, 2015, 21, 768-779.	1.8	81
17	Resistant starch and protein intake enhances fat oxidation and feelings of fullness in lean and overweight/obese women. Nutrition Journal, 2015, 14, 113.	3.4	50
18	Performance Enhancing Diets and the PRISE Protocol to Optimize Athletic Performance. Journal of Nutrition and Metabolism, 2015, 2015, 1-39.	1.8	18

PAUL J ARCIERO

#	Article	IF	CITATIONS
19	The impact of a pre-loaded multi-ingredient performance supplement on muscle soreness and performance following downhill running. Journal of the International Society of Sports Nutrition, 2015, 12, 2.	3.9	10
20	Physiological Demands of Simulated Off-Road Cycling Competition. Journal of Sports Science and Medicine, 2015, 14, 799-810.	1.6	5
21	Executive function and self-regulated exergaming adherence among older adults. Frontiers in Human Neuroscience, 2014, 8, 989.	2.0	11
22	Influence of night-time protein and carbohydrate intake on appetite and cardiometabolic risk in sedentary overweight and obese women. British Journal of Nutrition, 2014, 112, 320-327.	2.3	35
23	Timed-daily ingestion of whey protein and exercise training reduces visceral adipose tissue mass and improves insulin resistance: the PRISE study. Journal of Applied Physiology, 2014, 117, 1-10.	2.5	48
24	Effects of a highâ€protein low alorie intermittentâ€fast diet on plasma toxins and oxidative stress following weight loss (LB435). FASEB Journal, 2014, 28, LB435.	0.5	0
25	Increased protein intake and meal frequency reduces abdominal fat during energy balance and energy deficit. Obesity, 2013, 21, 1357-1366.	3.0	81
26	Neuropsychological Benefits of Stationary Bike Exercise and a Cybercycle Exergame for Older Adults with Diabetes: An Exploratory Analysis. Journal of Diabetes Science and Technology, 2012, 6, 849-857.	2.2	32
27	Exergaming and Older Adult Cognition. American Journal of Preventive Medicine, 2012, 42, 109-119.	3.0	359
28	Blood lactate concentration at the maximal lactate steady state is not dependent on endurance capacity in healthy recreationally trained individuals. European Journal of Applied Physiology, 2012, 112, 3079-3086.	2.5	21
29	Social facilitation in virtual reality-enhanced exercise: competitiveness moderates exercise effort of older adults. Clinical Interventions in Aging, 2011, 6, 275.	2.9	71
30	Relationship of blood pressure, behavioral mood state, and physical activity following caffeine ingestion in younger and older women. Applied Physiology, Nutrition and Metabolism, 2009, 34, 754-762.	1.9	27
31	Plasma adiponectin and insulin sensitivity in overweight and normal-weight middle-aged premenopausal women. Metabolism: Clinical and Experimental, 2009, 58, 638-643.	3.4	35
32	Moderate protein intake improves total and regional body composition and insulin sensitivity in overweight adults. Metabolism: Clinical and Experimental, 2008, 57, 757-765.	3.4	58
33	Sports Drinks, Exercise Training, and Competition. Current Sports Medicine Reports, 2008, 7, 202-208.	1.2	23
34	Increased Dietary Protein and Combined High Intensity Aerobic and Resistance Exercise Improves Body Fat Distribution and Cardiovascular Risk Factors. International Journal of Sport Nutrition and Exercise Metabolism, 2006, 16, 373-392.	2.1	56
35	Leptin concentrations experience a delayed reduction after resistance exercise in men. Medicine and Science in Sports and Exercise, 2002, 34, 608-613.	0.4	28
36	Overnight responses of the circulating IGF-I system after acute, heavy-resistance exercise. Journal of Applied Physiology, 2001, 90, 1319-1326.	2.5	95

PAUL J ARCIERO

#	Article	IF	CITATIONS
37	Influence of age on the thermic response to caffeine in women. Metabolism: Clinical and Experimental, 2000, 49, 101-107.	3.4	30
38	Comparison of short-term diet and exercise on insulin action in individuals with abnormal glucose tolerance. Journal of Applied Physiology, 1999, 86, 1930-1935.	2.5	65
39	Effects of short-term inactivity on glucose tolerance, energy expenditure, and blood flow in trained subjects. Journal of Applied Physiology, 1998, 84, 1365-1373.	2.5	40
40	A practical equation to predict resting metabolic rate in older men. Metabolism: Clinical and Experimental, 1993, 42, 950-957.	3.4	28
41	A Practical Equation to Predict Resting Metabolic Rate in Older Females. Journal of the American Geriatrics Society, 1993, 41, 389-395.	2.6	42