

A Jamil Tajik

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11708014/a-jamil-tajik-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

21,461
citations

54
h-index

87
g-index

87
ext. papers

23,561
ext. citations

8.5
avg, IF

5.76
L-index

#	Paper	IF	Citations
86	Principles of Flow Assessment 2018 , 95-110		
85	Frequent periodic leg movement during sleep is associated with left ventricular hypertrophy and adverse cardiovascular outcomes. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 783-90	5.8	60
84	Comparison of usefulness of tissue Doppler imaging versus brain natriuretic peptide for differentiation of constrictive pericardial disease from restrictive cardiomyopathy. <i>American Journal of Cardiology</i> , 2008 , 102, 357-62	3	27
83	Congestive heart failure complicating aortic regurgitation with medical and surgical management: a prospective study of traditional and quantitative echocardiographic markers. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 1549-57	1.5	14
82	Disparate patterns of left ventricular mechanics differentiate constrictive pericarditis from restrictive cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2008 , 1, 29-38	8.4	104
81	Quantitative echocardiographic determinants of clinical outcome in asymptomatic patients with aortic regurgitation: a prospective study. <i>JACC: Cardiovascular Imaging</i> , 2008 , 1, 1-11	8.4	97
80	Echocardiographic quantitation of mitral regurgitation. <i>Expert Review of Cardiovascular Therapy</i> , 2008 , 6, 1151-60	2.5	1
79	Echo-Based Approach to the Management of Diastolic Heart Failure 2008 , 429-434		
78	Timing of operation in asymptomatic severe aortic stenosis. <i>Expert Review of Cardiovascular Therapy</i> , 2007 , 5, 1065-71	2.5	6
77	Clinical features and surgical outcome in 25 patients with fenestrations of the coronary sinus. <i>Cardiology in the Young</i> , 2007 , 17, 592-600	1	20
76	Surgical correction of mitral regurgitation in the elderly: outcomes and recent improvements. <i>Circulation</i> , 2006 , 114, 265-72	16.7	126
75	Echocardiography-guided genetic testing in hypertrophic cardiomyopathy: septal morphological features predict the presence of myofilament mutations. <i>Mayo Clinic Proceedings</i> , 2006 , 81, 459-67	6.4	163
74	Cardiopulmonary exercise testing determination of functional capacity in mitral regurgitation: physiologic and outcome implications. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2521-7	15.1	106
73	Left atrial size: physiologic determinants and clinical applications. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2357-63	15.1	793
72	Left heart lesions in patients with Ebstein anomaly. <i>Mayo Clinic Proceedings</i> , 2005 , 80, 361-8	6.4	123
71	Outcome of 622 adults with asymptomatic, hemodynamically significant aortic stenosis during prolonged follow-up. <i>Circulation</i> , 2005 , 111, 3290-5	16.7	550
70	Quantitative determinants of the outcome of asymptomatic mitral regurgitation. <i>New England Journal of Medicine</i> , 2005 , 352, 875-83	59.2	798

69	Evaluation and clinical implications of aortic valve calcification measured by electron-beam computed tomography. <i>Circulation</i> , 2004 , 110, 356-62	16.7	276
68	Frequency of left ventricular dysfunction after electroconvulsive therapy. <i>American Journal of Cardiology</i> , 2003 , 91, 1147-50	3	15
67	Serial Doppler assessment of diastolic function before and after the Fontan operation. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1136-43	5.8	36
66	Natural history of asymptomatic mitral valve prolapse in the community. <i>Circulation</i> , 2002 , 106, 1355-61	16.7	306
65	Severe pulmonary hypertension in patients with severe aortic valve stenosis: clinical profile and prognostic implications. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 789-95	15.1	156
64	Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1636-44	15.1	498
63	Association of cholesterol levels, hydroxymethylglutaryl coenzyme-A reductase inhibitor treatment, and progression of aortic stenosis in the community. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1723-30	15.1	245
62	Ischemic mitral regurgitation: long-term outcome and prognostic implications with quantitative Doppler assessment. <i>Circulation</i> , 2001 , 103, 1759-64	16.7	1079
61	Annulus paradoxus: transmitral flow velocity to mitral annular velocity ratio is inversely proportional to pulmonary capillary wedge pressure in patients with constrictive pericarditis. <i>Circulation</i> , 2001 , 104, 976-8	16.7	133
60	Differentiation of intracardiac tumors and thrombi by echocardiographic tissue characterization: comparison of an artificial neural network and human observers. <i>Echocardiography</i> , 2000 , 17, 115-26	1.5	6
59	Diagnostic value of echocardiography in cardiac tamponade. <i>Herz</i> , 2000 , 25, 734-40	2.6	28
58	Assessment of severity of aortic regurgitation using the width of the vena contracta: A clinical color Doppler imaging study. <i>Circulation</i> , 2000 , 102, 558-64	16.7	111
57	Severe aortic stenosis with low transvalvular gradient and severe left ventricular dysfunction: result of aortic valve replacement in 52 patients. <i>Circulation</i> , 2000 , 101, 1940-6	16.7	266
56	Determinants of the degree of functional mitral regurgitation in patients with systolic left ventricular dysfunction: A quantitative clinical study. <i>Circulation</i> , 2000 , 102, 1400-6	16.7	553
55	Impact of preoperative symptoms on survival after surgical correction of organic mitral regurgitation: rationale for optimizing surgical indications. <i>Circulation</i> , 1999 , 99, 400-5	16.7	316
54	Constrictive pericarditis in the modern era: evolving clinical spectrum and impact on outcome after pericardiectomy. <i>Circulation</i> , 1999 , 100, 1380-6	16.7	440
53	Mitral regurgitation: a new clinical perspective. <i>Mayo Clinic Proceedings</i> , 1997 , 72, 1034-43	6.4	29
52	Preload reduction to unmask the characteristic Doppler features of constrictive pericarditis. A new observation. <i>Circulation</i> , 1997 , 95, 796-9	16.7	67

51	Grading of mitral regurgitation by quantitative Doppler echocardiography: calibration by left ventricular angiography in routine clinical practice. <i>Circulation</i> , 1997 , 96, 3409-15	16.7	128
50	Early surgery in patients with mitral regurgitation due to flail leaflets: a long-term outcome study. <i>Circulation</i> , 1997 , 96, 1819-25	16.7	163
49	Anatomy of the normal left atrial appendage: a quantitative study of age-related changes in 500 autopsy hearts: implications for echocardiographic examination. <i>Circulation</i> , 1997 , 96, 3112-5	16.7	280
48	Ultrasound cardioscopy: embarking on a new journey. <i>Mayo Clinic Proceedings</i> , 1996 , 71, 629-35	6.4	28
47	Critical appraisal of transesophageal echocardiography: limitations and pitfalls. <i>Critical Care Clinics</i> , 1996 , 12, 235-51	4.5	13
46	Multiplane transesophageal echocardiography: examination technique, anatomic correlations, and image orientation. <i>Critical Care Clinics</i> , 1996 , 12, 203-33	4.5	8
45	Intensity of murmurs correlates with severity of valvular regurgitation. <i>American Journal of Medicine</i> , 1996 , 100, 149-56	2.4	91
44	Noninvasive doppler echocardiographic evaluation of left ventricular filling pressures in patients with cardiomyopathies: a simultaneous Doppler echocardiographic and cardiac catheterization study. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 1226-33	15.1	279
43	Clinical outcome of mitral regurgitation due to flail leaflet. <i>New England Journal of Medicine</i> , 1996 , 335, 1417-23	59.2	512
42	Surgery for aortic regurgitation in women. Contrasting indications and outcomes compared with men. <i>Circulation</i> , 1996 , 94, 2472-8	16.7	82
41	Diagnosis of sinus venosus atrial septal defect with transesophageal echocardiography. <i>Circulation</i> , 1996 , 94, 1049-55	16.7	70
40	Stress echocardiography. Part I. Exercise echocardiography: techniques, implementation, clinical applications, and correlations. <i>Mayo Clinic Proceedings</i> , 1995 , 70, 5-15	6.4	88
39	Stress Echocardiography. Part II. Dobutamine Stress Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. <i>Mayo Clinic Proceedings</i> , 1995 , 70, 16-27	6.4	
38	Effective mitral regurgitant orifice area: clinical use and pitfalls of the proximal isovelocity surface area method. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 703-9	15.1	320
37	Stress echocardiography. Part II. Dobutamine stress echocardiography: techniques, implementation, clinical applications, and correlations. <i>Mayo Clinic Proceedings</i> , 1995 , 70, 16-27	6.4	168
36	Role of transesophageal echocardiography in hemodynamically unstable patients. <i>Mayo Clinic Proceedings</i> , 1995 , 70, 925-31	6.4	61
35	Stress Echocardiography. Part I. Exercise Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. <i>Mayo Clinic Proceedings</i> , 1995 , 70, 5-15	6.4	82
34	Valve repair improves the outcome of surgery for mitral regurgitation. A multivariate analysis. <i>Circulation</i> , 1995 , 91, 1022-8	16.7	496

33	Changes in effective regurgitant orifice throughout systole in patients with mitral valve prolapse. A clinical study using the proximal isovelocity surface area method. <i>Circulation</i> , 1995 , 92, 2951-8	16.7	75
32	Congestive heart failure after surgical correction of mitral regurgitation. A long-term study. <i>Circulation</i> , 1995 , 92, 2496-503	16.7	88
31	Quantitative hemodynamics by Doppler echocardiography: a noninvasive alternative to cardiac catheterization. <i>Progress in Cardiovascular Diseases</i> , 1994 , 36, 309-42	8.5	63
30	Transesophageal echocardiography. <i>Mayo Clinic Proceedings</i> , 1994 , 69, 856-63	6.4	82
29	Left ventricular volume and mass: Comparative study of two-dimensional echocardiography and ultrafast computed tomography. <i>Echocardiography</i> , 1994 , 11, 1-9	1.5	30
28	Multiplane transesophageal echocardiography: image orientation, examination technique, anatomic correlations, and clinical applications. <i>Mayo Clinic Proceedings</i> , 1993 , 68, 523-51	6.4	179
27	Critical appraisal of transesophageal echocardiography: limitations, pitfalls, and complications. <i>Journal of the American Society of Echocardiography</i> , 1992 , 5, 288-305	5.8	165
26	Mitral valve operation in postinfarction rupture of a papillary muscle: immediate results and long-term follow-up of 22 patients. <i>Mayo Clinic Proceedings</i> , 1992 , 67, 1023-30	6.4	103
25	Intraoperative evaluation of mitral valve regurgitation and repair by transesophageal echocardiography: incidence and significance of systolic anterior motion. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 599-609	15.1	175
24	Recurrence of symptoms after percutaneous aortic balloon valvuloplasty: relationship to Doppler diastolic filling values. <i>American Heart Journal</i> , 1992 , 123, 1236-44	4.9	1
23	Doppler assessment of diastolic function in cardiac amyloidosis. <i>Echocardiography</i> , 1991 , 8, 233-51	1.5	16
22	Transesophageal echocardiography and cardiac masses. <i>Mayo Clinic Proceedings</i> , 1991 , 66, 1101-9	6.4	111
21	Transvascular and intracardiac two-dimensional echocardiography. <i>Echocardiography</i> , 1990 , 7, 457-64	1.5	31
20	Intravascular ultrasonography: image interpretation and limitations. <i>Echocardiography</i> , 1990 , 7, 469-73	1.5	7
19	Wide-field transesophageal echocardiographic tomography: feasibility study. <i>Mayo Clinic Proceedings</i> , 1990 , 65, 31-7	6.4	22
18	Biplanar transesophageal echocardiography: anatomic correlations, image orientation, and clinical applications. <i>Mayo Clinic Proceedings</i> , 1990 , 65, 1193-213	6.4	253
17	Transesophageal echocardiography: technique and training. <i>Journal of the American Society of Echocardiography</i> , 1990 , 3, 177-8	5.8	2
16	Recommendations for quantitation of the left ventricle by two-dimensional echocardiography. American Society of Echocardiography Committee on Standards, Subcommittee on Quantitation of Two-Dimensional Echocardiograms. <i>Journal of the American Society of Echocardiography</i> , 1989 , 2, 358-67	5.8	6961

15	Assessment of diastolic function of the heart: background and current applications of Doppler echocardiography. Part II. Clinical studies. <i>Mayo Clinic Proceedings</i> , 1989 , 64, 181-204	6.4	577
14	Significance of Doppler indices of diastolic filling of the left ventricle: comparison with invasive hemodynamics in a canine model. <i>American Heart Journal</i> , 1989 , 118, 1248-58	4.9	98
13	Color Flow Imaging with Transesophageal Echocardiography. <i>Echocardiography</i> , 1989 , 6, 415-421	1.5	4
12	Transesophageal echocardiography: technique, anatomic correlations, implementation, and clinical applications. <i>Mayo Clinic Proceedings</i> , 1988 , 63, 649-80	6.4	659
11	Transesophageal Color Flow Imaging. <i>Echocardiography</i> , 1988 , 5, 407-416	1.5	7
10	Postinfarct Ventricular Septal Rupture: Diagnosis and Management Facilitated by Two-Dimensional and Doppler Echocardiography. <i>Echocardiography</i> , 1987 , 4, 75-81	1.5	6
9	Echocardiographic Contrast Enhancement of Poor or Weak Continuous-Wave Doppler Signals. <i>Echocardiography</i> , 1987 , 4, 63-67	1.5	19
8	Comparison of three Doppler ultrasound methods in the prediction of pulmonary artery pressure. <i>Journal of the American College of Cardiology</i> , 1987 , 9, 549-54	15.1	330
7	Introduction to Tomographic Anatomy 1987 , 1-42		1
6	Unsuspected Aortic Dissection: Diagnosis by Two-Dimensional Echocardiography. <i>Echocardiography</i> , 1986 , 3, 281-285	1.5	
5	Differentiation of Aortic Stenosis Jet From Mitral Regurgitation by Analysis of Continuous-Wave Doppler Spectrum: Illustrative Cases. <i>Echocardiography</i> , 1986 , 3, 55-60	1.5	7
4	Color Flow Imaging in Congenital Heart Disease. <i>Echocardiography</i> , 1986 , 3, 533-540	1.5	7
3	Use of Doppler techniques (continuous-wave, pulsed-wave, and color flow imaging) in the noninvasive hemodynamic assessment of congenital heart disease. <i>Mayo Clinic Proceedings</i> , 1986 , 61, 725-44	6.4	29
2	Prognostic significance of regional wall motion abnormality in patients with prior myocardial infarction: a prospective correlative study of two-dimensional echocardiography and angiography. <i>Mayo Clinic Proceedings</i> , 1986 , 61, 254-62	6.4	62
1	Continuous wave Doppler determination of right ventricular pressure: a simultaneous Doppler-catheterization study in 127 patients. <i>Journal of the American College of Cardiology</i> , 1985 , 6, 750-6	15.1	824