

Manoel Eduardo Rozalino Santos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11708556/publications.pdf>

Version: 2024-02-01

48
papers

482
citations

759233

12
h-index

794594

19
g-index

48
all docs

48
docs citations

48
times ranked

436
citing authors

#	ARTICLE	IF	CITATIONS
1	Contribution of tiller age category to herbage accumulation of Marandu palisadegrass under two fertilization regimes. <i>Semina:Ciencias Agrarias</i> , 2022, 43, 211-228.	0.3	1
2	Height and mowing of pasture at the end of winter modulate the tillering of Marandu palisadegrass in spring. <i>Tropical Grasslands - Forrajes Tropicales</i> , 2021, 9, 13-22.	0.5	2
3	Intake and digestibility of nutrients during the grazing period in sheep on deferred marandu pastures with four initial heights. <i>Semina:Ciencias Agrarias</i> , 2021, 42, 4133-4146.	0.3	2
4	Number and morphology of tiller age groups during summer in Marandu palisadegrass pastures previously used under deferred grazing. <i>Bioscience Journal</i> , 2020, 36, .	0.4	2
5	Morphogenesis of age groups of Marandu palisade grass tillers deferred and fertilised with nitrogen. <i>Semina:Ciencias Agrarias</i> , 2019, 40, 2683.	0.3	6
6	Effect of nitrogen fertilization on structure and tillering dynamics of Piata palisade grass during the deferment period. <i>Semina:Ciencias Agrarias</i> , 2019, 40, 249.	0.3	5
7	MORPHOGENETIC AND STRUCTURAL CHARACTERISTICS OF GUINEA GRASS PASTURES UNDER ROTATIONAL STOCKING STRATEGIES. <i>Experimental Agriculture</i> , 2018, 54, 243-256.	0.9	11
8	Marandu palisade grass management strategies at the beginning of the deferment period and effects on tillering. <i>Semina:Ciencias Agrarias</i> , 2018, 39, 1617.	0.3	4
9	ALTURA INICIAL E PERÍODO DE DIFERIMENTO EM PASTOS DE CAPIM-BRAQUIÁRIA. <i>Ciencia Animal Brasileira</i> , 2017, 18, .	0.3	7
10	Partial correlation analysis in the study of morphogenesis and herbage accumulation in <i>Panicum maximum</i> cv. "Tanzânia". <i>Ciencia Rural</i> , 2017, 47, .	0.5	1
11	ESTRUTURA DO DOSEL E CARACTERÍSTICAS DE PERFILHOS EM PASTOS DE CAPIM-PIATÁf MANEJADOS COM DOSES DE NITROGÊNIO E PERÍODOS DE DIFERIMENTO VARIÁVEIS. <i>Ciencia Animal Brasileira</i> , 2017, 18, .	0.3	4
12	CARACTERIZAÇÃO MORFOLÓGICA EM PASTOS DE CAPIM-MARANDU SUBMETIDOS A FREQUÊNCIAS DE DESFOLHAÇÃO E NÍVEIS DE ADUBAÇÃO. <i>Ciencia Animal Brasileira</i> , 2017, 18, .	0.3	4
13	ÍNDICE DE HORIZONTALIDADE E REMOÇÃO DE TECIDOS DO CAPIM-MARANDU. <i>Ciencia Animal Brasileira</i> , 2017, 18, .	0.3	1
14	Morphogenesis of marandu palisade grass closer to or farther from cattle feces varies by season. <i>Semina:Ciencias Agrarias</i> , 2016, 37, 3231.	0.3	6
15	Crescimento e valor bromatológico de taboa sob condições semiáridas. <i>Pesquisa Agropecuaria Tropical</i> , 2015, 45, 97-103.	1.0	0
16	Initial height of pasture deferred and utilized in winter and tillering dynamics of signal grass during the following spring. <i>Acta Scientiarum - Animal Sciences</i> , 2014, 36, 17.	0.3	10
17	Forage accumulation in brachiaria grass under continuous grazing with single or variable height during the seasons of the year. <i>Revista Brasileira De Zootecnia</i> , 2013, 42, 312-318.	0.8	6
18	Pasture height at the beginning of deferment as a determinant of signal grass structure and potential selectivity by cattle - doi: 10.4025/actascianimsci.v35i4.20421. <i>Acta Scientiarum - Animal Sciences</i> , 2013, 35, .	0.3	9

#	ARTICLE	IF	CITATIONS
19	Tillering dynamics in Guinea grass pastures subjected to management strategies under rotational grazing. <i>Revista Brasileira De Zootecnia</i> , 2013, 42, 155-161.	0.8	11
20	Piata palisade grass deferred with two distinct initial heights: luminous environment and tillering dynamics. <i>Revista Brasileira De Zootecnia</i> , 2013, 42, 36-43.	0.8	14
21	Characterization of tillers of piata palisade grass deferred in the fall with varying heights and deferment periods. <i>Acta Scientiarum - Animal Sciences</i> , 2013, 35, .	0.3	6
22	Forage yield and nutritive value of Tanzania grass under nitrogen supplies and plant densities. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 864-872.	0.8	15
23	Grazing patterns on signalgrass pasture according to location of cattle feces. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 898-904.	0.8	1
24	Crescimento do capim-tifton 85 sob doses de nitrogênio e alturas de corte. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 30-35.	0.8	15
25	Characterization of tillers in deferred Piata palisade grass with different initial heights and nitrogen levels. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 1618-1624.	0.8	5
26	Piata palisadegrass deferred in the fall: effects of initial height and nitrogen in the sward structure. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 1134-1139.	0.8	16
27	Forage mass and structure of piatã grass deferred at different heights and variable periods. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 1625-1631.	0.8	16
28	Características morfológicas e estruturais do capim-tifton 85 sob doses de nitrogênio e alturas de corte. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 1870-1878.	0.8	8
29	Características estruturais e acúmulo de forragem em capim-tanzânia sob pastejo rotativo. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 2364-2373.	0.8	17
30	Características morfológicas e estruturais de perfilhos de capim-braquiária em locais do pasto com alturas variáveis. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 535-542.	0.8	26
31	Influência da localização das fezes nas características morfológicas e estruturais e no acúmulo de forragem em pastos de capim-braquiária. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 31-38.	0.8	5
32	Morphogenesis of Tanzania guinea grass under nitrogen doses and plant densities. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 1420-1427.	0.8	15
33	Análise de crescimento do capim Coastcross-1 sob adubação nitrogenada em duas idades de rebrotação. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 2121-2128.	0.8	3
34	Capim-braquiária sob lotação contínua e com altura crítica ou variável durante as estações do ano: morfogenese e dinâmica de tecidos. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 2323-2331.	0.8	12
35	Capim-braquiária sob lotação contínua e com altura crítica ou variável durante as estações do ano: dinâmica do perfilhamento. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 2332-2339.	0.8	10
36	Características estruturais do pasto de capim-braquiária de acordo com a localização das fezes. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 2116-2124.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Valor nutritivo de perfilhos e componentes morfológicos em pastos de capim-braquiária diferidos e adubados com nitrogênio. Revista Brasileira De Zootecnia, 2010, 39, 1919-1927.	0.8	21
38	Correlações entre número de perfilhos, Índice de tombamento, massa dos componentes morfológicos e valor nutritivo da forragem em pastos diferidos de capim-braquiária. Revista Brasileira De Zootecnia, 2010, 39, 487-493.	0.8	9
39	Variabilidade espacial e temporal da vegetação em pastos de capim braquiária diferidos. Revista Brasileira De Zootecnia, 2010, 39, 727-735.	0.8	5
40	CARACTERÍSTICAS ESTRUTURAIS DE PERFILHOS VEGETATIVOS E REPRODUTIVOS EM PASTOS DIFERIDOS DE CAPIM-BRAQUIÁRIA. Ciencia Animal Brasileira, 2010, 11, .	0.3	2
41	Características estruturais e Índice de tombamento de Brachiaria decumbens cv. Basilisk em pastagens diferidas. Revista Brasileira De Zootecnia, 2009, 38, 626-634.	0.8	29
42	Produção de bovinos em pastagens de capim-braquiária diferidas. Revista Brasileira De Zootecnia, 2009, 38, 635-642.	0.8	32
43	Caracterização dos perfilhos em pastos de capim-braquiária diferidos e adubados com nitrogênio. Revista Brasileira De Zootecnia, 2009, 38, 643-649.	0.8	25
44	Capim-braquiária diferido e adubado com nitrogênio: produção e características da forragem. Revista Brasileira De Zootecnia, 2009, 38, 650-656.	0.8	31
45	Avaliação das características estruturais do capim-braquiária em pastagens adubadas com nitrogênio nas quatro estações do ano. Revista Brasileira De Zootecnia, 2006, 35, 30-37.	0.8	44
46	COMO A IDADE DO PERFILHO E A ADUBAÇÃO NITROGENADA MODIFICAM AS CARACTERÍSTICAS ESTRUTURAIS DO CAPIM-MARANDU DIFERIDO?. Ciencia Animal Brasileira, 0, 20, .	0.3	2
47	Herbage accumulation and canopy structure during stockpiling of Marandu, Piatã, Xaraés, and Paiaguás brachiariagrass cultivars. Pesquisa Agropecuaria Brasileira, 0, 56, .	0.9	0
48	Pasture structure and production of supplemented cattle in deferred signalgrass pasture. Ciencia Animal Brasileira, 0, 21, .	0.3	3