

Spartak N Litvinchuk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1171728/publications.pdf>

Version: 2024-02-01

68
papers

2,094
citations

257357

24
h-index

265120

42
g-index

70
all docs

70
docs citations

70
times ranked

1781
citing authors

#	ARTICLE	IF	CITATIONS
1	Diversity, distribution and molecular species delimitation in frogs and toads from the Eastern Palearctic. <i>Zoological Journal of the Linnean Society</i> , 2022, 195, 695-760.	1.0	20
2	Next-generation phylogeography of the banded newts (<i>Ommatotriton</i>): A phylogenetic hypothesis for three ancient species with geographically restricted interspecific gene flow and deep intraspecific genetic structure. <i>Molecular Phylogenetics and Evolution</i> , 2022, 167, 107361.	1.2	7
3	From Gondwana to the Yellow Sea, evolutionary diversifications of true toads <i>Bufo</i> sp. in the Eastern Palearctic and a revisit of species boundaries for Asian lineages. <i>ELife</i> , 2022, 11, .	2.8	18
4	<i>Strigea robusta</i> (Digenea: Strigeidae) infection effects on the gonadal structure and limb malformation in toad early development. <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2022, 337, 675-686.	0.9	3
5	Incorporation of latitude-adjusted bioclimatic variables increases accuracy in species distribution models. <i>Ecological Modelling</i> , 2022, 469, 109986.	1.2	6
6	Revisiting a speciation classic: Comparative analyses support sharp but leaky transitions between <i>Bombina</i> toads. <i>Journal of Biogeography</i> , 2021, 48, 548-560.	1.4	17
7	Genetic structure, morphological variation, and gametogenic peculiarities in water frogs (<i>Pseudis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Evolutionary Research, 2021, 59, 646-662.	0.6	16
8	Update on Distribution and Conservation Status of Amphibians in the Democratic People's Republic of Korea: Conclusions Based on Field Surveys, Environmental Modelling, Molecular Analyses and Call Properties. <i>Animals</i> , 2021, 11, 2057.	1.0	18
9	Discovery of a <i>Pelophylax saharicus</i> (Anura, Ranidae) population in Southern France: a new potentially invasive species of water frogs in Europe. <i>Amphibia - Reptilia</i> , 2021, 42, 427-442.	0.1	5
10	Mass of genes rather than master genes underlie the genomic architecture of amphibian speciation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	45
11	<i>Strigea robusta</i> causes polydactyly and severe forms of Rostand's anomaly P in water frogs. <i>Parasites and Vectors</i> , 2020, 13, 381.	1.0	12
12	Hybridization and introgression between toads with different sex chromosome systems. <i>Evolution Letters</i> , 2020, 4, 444-456.	1.6	22
13	Are glacial refugia hotspots of speciation and cytonuclear discordances? Answers from the genomic phylogeography of Spanish common frogs. <i>Molecular Ecology</i> , 2020, 29, 986-1000.	2.0	63
14	The effect of phylogeographic history on species boundaries: a comparative framework in <i>Hyla</i> tree frogs. <i>Scientific Reports</i> , 2020, 10, 5502.	1.6	21
15	A record of alien <i>Pelophylax</i> species and widespread mitochondrial DNA transfer in Kaliningradskaya Oblast' (the Baltic coast, Russia). <i>BioInvasions Records</i> , 2020, 9, 599-617.	0.4	19
16	Reconstruction of past distribution for the Mongolian toad, <i>Strauchbufo raddei</i> (Anura:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	0.9	3
17	A river runs through it: tree frog genomics supports the Dead Sea Rift as a rare phylogeographical break. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 130-137.	0.7	13
18	Phylogeography of a cryptic speciation continuum in Eurasian spadefoot toads (<i>Pelobates</i>). <i>Molecular Ecology</i> , 2019, 28, 3257-3270.	2.0	50

#	ARTICLE	IF	CITATIONS
19	Variation in hybridogenetic hybrid emergence between populations of water frogs from the <i>Pelophylax esculentus</i> complex. <i>PLoS ONE</i> , 2019, 14, e0224759.	1.1	19
20	Fifteen shades of green: The evolution of <i>Bufo</i> toads revisited. <i>Molecular Phylogenetics and Evolution</i> , 2019, 141, 106615.	1.2	65
21	Diversification and speciation in tree frogs from the Maghreb (<i>Hyla meridionalis sensu lato</i>), with description of a new African endemic. <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 291-299.	1.2	13
22	The first record of natural transfer of mitochondrial DNA from <i>Pelophylax cf. bedriagae</i> into <i>P. lessonae</i> (Amphibia, Anura). <i>Nature Conservation Research</i> , 2019, 4, .	0.4	5
23	Rediscovery of the High Altitude Lazy Toad, <i>Scutiger occidentalis</i>; Dubois, 1978, in India. <i>Russian Journal of Herpetology</i> , 2019, 26, 17.	0.2	3
24	Call a spade a spade: taxonomy and distribution of <i>Pelobates</i> , with description of a new Balkan endemic. <i>ZooKeys</i> , 2019, 859, 131-158.	0.5	22
25	Genomic Evidence for Cryptic Speciation in Tree Frogs From the Apennine Peninsula, With Description of <i>Hyla perrini</i> sp. nov. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, .	1.1	32
26	DISTRIBUTION AND CONTACT ZONE OF TWO FORMS OF THE GREEN TOAD FROM THE <i>BUFOTES VIRIDIS</i> COMPLEX (ANURA, AMPHIBIA), DIFFERING IN GENOME SIZE, IN THE VOLGA REGION. <i>Current Studies in Herpetology</i> , 2018, 18, 35-45.	0.2	2
27	Species composition and distributional peculiarities of green frogs (<i>Pelophylax esculentus</i> complex) in Protected Areas of the Middle Volga Region (Russia). <i>Nature Conservation Research</i> , 2018, 3, .	0.4	11
28	Distribution and conservation status of the Caucasian parsley frog, <i>Pelodytes caucasicus</i> (Amphibia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2)	0.4	5
29	Tracing a toad invasion: lack of mitochondrial DNA variation, haplotype origins, and potential distribution of introduced <i>Duttaphrynus melanostictus</i> in Madagascar. <i>Amphibia - Reptilia</i> , 2017, 38, 197-207.	0.1	18
30	The Near East as a cradle of biodiversity: A phylogeography of banded newts (genus <i>Ommatotriton</i>) reveals extensive inter- and intraspecific genetic differentiation. <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 73-81.	1.2	37
31	Mutual maintenance of di- and triploid <i>Pelophylax esculentus</i> hybrids in R-E systems: results from artificial crossings experiments. <i>BMC Evolutionary Biology</i> , 2017, 17, 220.	3.2	25
32	Distribution and conservation status of the banded newt, <i>Ommatotriton ophryticus</i> (Amphibia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2)	0.4	3
33	Evolutionary melting pots: a biodiversity hotspot shaped by ring diversifications around the Black Sea in the Eastern tree frog (<i>Hyla orientalis</i>). <i>Molecular Ecology</i> , 2016, 25, 4285-4300.	2.0	53
34	The first case of natural spontaneous triploidy in the family Bombinatoridae. <i>Amphibia - Reptilia</i> , 2016, 37, 243-245.	0.1	3
35	Phylogeography reveals an ancient cryptic radiation in East-Asian tree frogs (<i>Hyla japonica</i> group) and complex relationships between continental and island lineages. <i>BMC Evolutionary Biology</i> , 2016, 16, 253.	3.2	42
36	Gamete production patterns and mating systems in water frogs of the hybridogenetic <i>Pelophylax esculentus</i> complex in north-eastern Ukraine. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 215-225.	0.6	24

#	ARTICLE	IF	CITATIONS
37	Phylogenetic relationships among four new complete mitogenome sequences of <i>Pelophylax</i> (Amphibia: Anura) from the Balkans and Cyprus. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 3434-3437.	0.7	8
38	Natural polyploidy in amphibians. <i>Vestnik of Saint Petersburg University Biology</i> , 2016, , 77-86.	0.0	3
39	Morphological diversity and widespread hybridization in the genus <i>Bythotrephes leydig</i> , 1860 (Branchiopoda, Onychopoda, Cercopagidae). <i>Archives of Biological Sciences</i> , 2016, 68, 67-79.	0.2	11
40	Optional Endoreplication and Selective Elimination of Parental Genomes during Oogenesis in Diploid and Triploid Hybrid European Water Frogs. <i>PLoS ONE</i> , 2015, 10, e0123304.	1.1	32
41	Comparative and phylogenetic perspectives of the cleavage process in tailed amphibians. <i>Zygote</i> , 2015, 23, 722-731.	0.5	7
42	Sex-Chromosome Homomorphy in Palearctic Tree Frogs Results from Both Turnovers and X ^Y Recombination. <i>Molecular Biology and Evolution</i> , 2015, 32, 2328-2337.	3.5	57
43	Amphibians crossing the Bering Land Bridge: Evidence from holarctic treefrogs (<i>Hyla</i> , Hylidae, Anura). <i>Molecular Phylogenetics and Evolution</i> , 2015, 87, 80-90.	1.2	49
44	Origin and genome evolution of polyploid green toads in Central Asia: evidence from microsatellite markers. <i>Heredity</i> , 2015, 114, 300-308.	1.2	18
45	Tracing glacial refugia of <i>Triturus</i> newts based on mitochondrial DNA phylogeography and species distribution modeling. <i>Frontiers in Zoology</i> , 2013, 10, 13.	0.9	89
46	Cytological maps of lampbrush chromosomes of European water frogs (<i>Pelophylax</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td (escul</i>	2.7	18
47	Is mitochondrial DNA divergence of Near Eastern crested newts (<i>Triturus karelinii</i> group) reflected by differentiation of skull shape?. <i>Zoologischer Anzeiger</i> , 2013, 252, 269-277.	0.4	9
48	Phylogeographic patterns of genetic diversity in the common spadefoot toad, <i>Pelobates fuscus</i> (Anura: Pelobatidae), reveals evolutionary history, postglacial range expansion and secondary contact. <i>Organisms Diversity and Evolution</i> , 2013, 13, 433-451.	0.7	18
49	Radically different phylogeographies and patterns of genetic variation in two European brown frogs, genus <i>Rana</i> . <i>Molecular Phylogenetics and Evolution</i> , 2013, 68, 657-670.	1.2	56
50	A revised taxonomy of crested newts in the <i>Triturus karelinii</i> group (Amphibia:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2</i>	0.2	32
51	Genetic data reveal that water frogs of Cyprus (genus <i>Pelophylax</i>) are an endemic species of Messinian origin. <i>Zoosystematics and Evolution</i> , 2012, 88, 261-283.	0.4	37
52	Molecular phylogenetics and historical biogeography of the west-palearctic common toads (<i>Bufo</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.2	88
53	Cryptic diversity among Western Palearctic tree frogs: Postglacial range expansion, range limits, and secondary contacts of three European tree frog lineages (<i>Hyla arborea</i> group). <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 1-9.	1.2	97
54	Influence of environmental conditions on the distribution of Central Asian green toads with three ploidy levels. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011, 49, 233-239.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Nuclear and mitochondrial phylogeography of the European firebellied toads <i>Bombina orientalis</i> and <i>Bombina orientalis</i> supports their independent histories. <i>Molecular Ecology</i> , 2011, 20, 3381-3398.	2.0	68
56	Variations in BM224 microsatellite in green frogs of genus <i>Rana</i> . <i>Cell and Tissue Biology</i> , 2010, 4, 436-441.	0.2	0
57	Phylogeographic patterns of genetic diversity in eastern Mediterranean water frogs were determined by geological processes and climate change in the Late Cenozoic. <i>Journal of Biogeography</i> , 2010, 37, 2111-2124.	1.4	101
58	On tree frog cryptozoology and systematics – response to Y. Werner. <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 957-958.	1.2	4
59	Genetic Divergence and Evolution of Reproductive Isolation in Eastern Mediterranean Water Frogs. , 2010, , 373-403.		35
60	Mitochondrial and nuclear phylogeny of circum-Mediterranean tree frogs from the <i>Hyla arborea</i> group. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 1019-1024.	1.2	93
61	Widespread unidirectional transfer of mitochondrial DNA: a case in western Palearctic water frogs. <i>Journal of Evolutionary Biology</i> , 2008, 21, 668-681.	0.8	96
62	Correlations of geographic distribution and temperature of embryonic development with the nuclear DNA content in the Salamandridae (Urodela, Amphibia). <i>Genome</i> , 2007, 50, 333-342.	0.9	25
63	Fossorial but widespread: the phylogeography of the common spadefoot toad (<i>Pelobates fuscus</i>), and the role of the Po Valley as a major source of genetic variability. <i>Molecular Ecology</i> , 2007, 16, 2734-2754.	2.0	35
64	Heat resistance of the skeletal muscle in Western Palearctic green frogs (<i>Rana esculenta</i> complex). <i>Biology Bulletin</i> , 2007, 34, 61-66.	0.1	1
65	Variability of microsatellites BM224 and Bcal7 in populations of green toads (<i>Bufo viridis</i> complex) differing by nuclear DNA content and ploidy. <i>Cell and Tissue Biology</i> , 2007, 1, 65-79.	0.2	3
66	A molecular assessment of phylogenetic relationships and lineage accumulation rates within the family Salamandridae (Amphibia, Caudata). <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 368-383.	1.2	131
67	Mitochondrial phylogeography of the moor frog, <i>Rana arvalis</i> . <i>Molecular Ecology</i> , 2004, 13, 1469-1480.	2.0	108
68	A phylogeographical framework for <i>Zhangixalus</i> gliding frogs, with insight on their plasticity of nesting behaviour. <i>Biological Journal of the Linnean Society</i> , 0, , .	0.7	3