

# Clive Kearon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/11717322/clive-kearon-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

173 papers	27,510 citations	63 h-index	165 g-index
179 ext. papers	32,127 ext. citations	10.6 avg, IF	6.74 L-index

#	Paper	IF	Citations
173	Prevention of post-thrombotic syndrome with rosuvastatin: A multicenter randomized controlled pilot trial (SAVER).. <i>Thrombosis Research</i> , <b>2022</b> , 213, 119-124	8.2	0
172	A simplified decision rule to rule out deep vein thrombosis using clinical assessment and D-dimer. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> , 19, 1752-1758	15.4	1
171	Postoperative low molecular weight heparin bridging treatment for patients at high risk of arterial thromboembolism (PERIOP2): double blind randomised controlled trial. <i>BMJ, The</i> , <b>2021</b> , 373, n1205	5.9	9
170	Bleeding Independently associated with Mortality after noncardiac Surgery (BIMS): an international prospective cohort study establishing diagnostic criteria and prognostic importance. <i>British Journal of Anaesthesia</i> , <b>2021</b> , 126, 163-171	5.4	9
169	Preoperative prediction of Bleeding Independently associated with Mortality after noncardiac Surgery (BIMS): an international prospective cohort study. <i>British Journal of Anaesthesia</i> , <b>2021</b> , 126, 172-180	5.4	3
168	Physician choices in pulmonary embolism testing. <i>Cmaj</i> , <b>2021</b> , 193, E38-E46	3.5	2
167	Which older emergency patients are at risk of intracranial bleeding after a fall? A protocol to derive a clinical decision rule for the emergency department. <i>BMJ Open</i> , <b>2021</b> , 11, e044800	3	
166	Long-term risk of recurrent venous thromboembolism among patients receiving extended oral anticoagulant therapy for first unprovoked venous thromboembolism: A systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> , 19, 2801-2813	15.4	1
165	Antithrombotic Therapy for VTE Disease: Second Update of the CHEST Guideline and Expert Panel Report. <i>Chest</i> , <b>2021</b> , 160, e545-e608	5.3	48
164	Executive Summary: Antithrombotic Therapy for VTE Disease: Second Update of the CHEST Guideline and Expert Panel Report. <i>Chest</i> , <b>2021</b> , 160, 2247-2259	5.3	35
163	Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism : A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , <b>2021</b> , 174, 1420-1429	8	7
162	Performance of two clinical scales to assess quality of life in patients with post-thrombotic syndrome. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , <b>2021</b> , 9, 1257-1265.e2	3.2	1
161	Statins for venous event reduction in patients with venous thromboembolism: A multicenter randomized controlled pilot trial assessing feasibility. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> ,	15.4	1
160	Diagnosing deep vein thrombosis in cancer patients with suspected symptoms: An individual participant data meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 2245-2252	15.4	4
159	Whole-exome sequencing identifies rare variants in STAB2 associated with venous thromboembolic disease. <i>Blood</i> , <b>2020</b> , 136, 533-541	2.2	18
158	External validation of the SOX-PTS score in a prospective multicenter trial of patients with proximal deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 1381-1389	15.4	3
157	Accelerated surgery versus standard care in hip fracture (HIP ATTACK): an international, randomised, controlled trial. <i>Lancet, The</i> , <b>2020</b> , 395, 698-708	40	98

156	Clinical Predictors of Intracranial Bleeding in Older Adults Who Have Fallen: A Cohort Study. <i>Journal of the American Geriatrics Society</i> , <b>2020</b> , 68, 970-976	5.6	5
155	Rivaroxaban Compared to Placebo for the Treatment of Leg Superficial Vein Thrombosis: A Randomized Trial. <i>Seminars in Thrombosis and Hemostasis</i> , <b>2020</b> , 46, 977-985	5.3	3
154	Quality of life after pharmacomechanical catheter-directed thrombolysis for proximal deep venous thrombosis. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , <b>2020</b> , 8, 8-23.e18	3.2	27
153	Does cell-free DNA promote coagulation and inhibit fibrinolysis in patients with unprovoked venous thromboembolism?. <i>Thrombosis Research</i> , <b>2020</b> , 186, 13-19	8.2	3
152	Clinical pre-test probability adjusted versus age-adjusted D-dimer interpretation strategy for DVT diagnosis: A diagnostic individual patient data meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 669-675	15.4	8
151	Correlation between Post-Procedure Residual Thrombus and Clinical Outcome in Deep Vein Thrombosis Patients Receiving Pharmacomechanical Thrombolysis in a Multicenter Randomized Trial. <i>Journal of Vascular and Interventional Radiology</i> , <b>2020</b> , 31, 1517-1528.e2	2.4	6
150	Tranexamic acid and rosuvastatin in patients at risk of cardiovascular events after noncardiac surgery: a pilot of the POISE-3 randomized controlled trial. <i>Pilot and Feasibility Studies</i> , <b>2020</b> , 6, 104	1.9	3
149	Long-term treatment of venous thromboembolism. <i>Blood</i> , <b>2020</b> , 135, 317-325	2.2	21
148	Interventional Therapies for Acute Pulmonary Embolism: Current Status and Principles for the Development of Novel Evidence: A Scientific Statement From the American Heart Association. <i>Circulation</i> , <b>2019</b> , 140, e774-e801	16.7	93
147	Pharmacomechanical Catheter-Directed Thrombolysis in Acute Femoral-Popliteal Deep Vein Thrombosis: Analysis From a Stratified Randomized Trial. <i>Thrombosis and Haemostasis</i> , <b>2019</b> , 119, 633-644	7	22
146	Treatment of Superficial Vein Thrombosis: A Systematic Review and Meta-Analysis. <i>Thrombosis and Haemostasis</i> , <b>2019</b> , 119, 479-489	7	16
145	Long-term risk of recurrence in patients with a first unprovoked venous thromboembolism managed according to d-dimer results; A cohort study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 1144-1152	15.4	21
144	The American College of Chest Physicians score to assess the risk of bleeding during anticoagulation in patients with venous thromboembolism: More. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 1180-1182	15.4	4
143	Comparison of the age-adjusted and clinical probability-adjusted D-dimer to exclude pulmonary embolism in the ED. <i>American Journal of Emergency Medicine</i> , <b>2019</b> , 37, 845-850	2.9	8
142	Long term risk of symptomatic recurrent venous thromboembolism after discontinuation of anticoagulant treatment for first unprovoked venous thromboembolism event: systematic review and meta-analysis. <i>BMJ, The</i> , <b>2019</b> , 366, l4363	5.9	83
141	Relationships between the use of pharmacomechanical catheter-directed thrombolysis, sonographic findings, and clinical outcomes in patients with acute proximal DVT: Results from the ATTRACT Multicenter Randomized Trial. <i>Vascular Medicine</i> , <b>2019</b> , 24, 442-451	3.3	18
140	Cost-Effectiveness of Pharmacomechanical Catheter-Directed Thrombolysis Versus Standard Anticoagulation in Patients With Proximal Deep Vein Thrombosis: Results From the ATTRACT Trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2019</b> , 12, e005659	5.8	7
139	Diagnosis of Pulmonary Embolism with d-Dimer Adjusted to Clinical Probability. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 2125-2134	59.2	110

138	Endovascular Thrombus Removal for Acute Iliofemoral Deep Vein Thrombosis. <i>Circulation</i> , <b>2019</b> , 139, 1162-1173	16.7	104
137	Antiphospholipid antibodies and recurrent thrombosis after a first unprovoked venous thromboembolism. <i>Blood</i> , <b>2018</b> , 131, 2151-2160	2.2	38
136	Design of a Randomized Placebo-Controlled Trial to Assess Dabigatran and Omeprazole in Patients with Myocardial Injury after Noncardiac Surgery (MANAGE). <i>Canadian Journal of Cardiology</i> , <b>2018</b> , 34, 295-302	3.8	17
135	Age-adjusted versus clinical probability-adjusted D-dimer to exclude pulmonary embolism. <i>Thrombosis Research</i> , <b>2018</b> , 167, 15-19	8.2	10
134	Dabigatran in patients with myocardial injury after non-cardiac surgery (MANAGE): an international, randomised, placebo-controlled trial. <i>Lancet, The</i> , <b>2018</b> , 391, 2325-2334	40	142
133	Double Blind Randomized Control Trial of Postoperative Low Molecular Weight Heparin Bridging Therapy for Patients Who Are at High Risk for Arterial Thromboembolism (PERIOP 2). <i>Blood</i> , <b>2018</b> , 132, 424-424	2.2	4
132	Long-term risk of recurrence after discontinuing anticoagulants for a first unprovoked venous thromboembolism: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , <b>2017</b> , 7, 16950	3	5
131	Bleeding impacting mortality after noncardiac surgery: a protocol to establish diagnostic criteria, estimate prognostic importance, and develop and validate a prediction guide in an international prospective cohort study. <i>CMAJ Open</i> , <b>2017</b> , 5, E594-E603	2.5	6
130	Pharmacomechanical Catheter-Directed Thrombolysis for Deep-Vein Thrombosis. <i>New England Journal of Medicine</i> , <b>2017</b> , 377, 2240-2252	59.2	363
129	Comparison of clinical probability-adjusted D-dimer and age-adjusted D-dimer interpretation to exclude venous thromboembolism. <i>Thrombosis and Haemostasis</i> , <b>2017</b> , 117, 1937-1943	7	14
128	Validating the HERDOO2 rule to guide treatment duration for women with unprovoked venous thrombosis: multinational prospective cohort management study. <i>BMJ, The</i> , <b>2017</b> , 356, j1065	5.9	112
127	Perioperative Aspirin for Prevention of Venous Thromboembolism: The PeriOperative ISchemia Evaluation-2 Trial and a Pooled Analysis of the Randomized Trials. <i>Anesthesiology</i> , <b>2016</b> , 125, 1121-1129	4.3	16
126	Endovascular therapy for advanced post-thrombotic syndrome: Proceedings from a multidisciplinary consensus panel. <i>Vascular Medicine</i> , <b>2016</b> , 21, 400-7	3.3	35
125	Research Priorities in Submassive Pulmonary Embolism: Proceedings from a Multidisciplinary Research Consensus Panel. <i>Journal of Vascular and Interventional Radiology</i> , <b>2016</b> , 27, 787-94	2.4	19
124	Antithrombotic Therapy for VTE Disease: CHEST Guideline and Expert Panel Report. <i>Chest</i> , <b>2016</b> , 149, 315-352	5.3	3090
123	Prediction of Bleeding Risk in Patients on Extended Oral Anticoagulation for Venous Thromboembolism. <i>Blood</i> , <b>2016</b> , 128, 139-139	2.2	2
122	Do Genetic Contributors to Warfarin Responsiveness or Common Thrombophilias Influence the Risk of Major Bleeding in Patients on Extended Duration Vitamin K Antagonist (VKA) for Venous Thromboembolic Disease?. <i>Blood</i> , <b>2016</b> , 128, 272-272	2.2	
121	Bleeding events with dabigatran or warfarin in patients with venous thromboembolism. <i>Thrombosis and Haemostasis</i> , <b>2016</b> , 115, 291-8	7	18

120	Diagnosis of suspected venous thromboembolism. <i>Hematology American Society of Hematology Education Program</i> , <b>2016</b> , 2016, 397-403	3.1	25
119	Inter-observer reliability of the HERDOO2 clinical decision rule. <i>Thrombosis Research</i> , <b>2016</b> , 141, 136-8	8.2	1
118	D-dimer testing to select patients with a first unprovoked venous thromboembolism who can stop anticoagulant therapy: a cohort study. <i>Annals of Internal Medicine</i> , <b>2015</b> , 162, 27-34	8	96
117	Treatment with dabigatran or warfarin in patients with venous thromboembolism and cancer. <i>Thrombosis and Haemostasis</i> , <b>2015</b> , 114, 150-7	7	112
116	Consensus statements on the risk, prevention, and treatment of venous thromboembolism in inflammatory bowel disease: Canadian Association of Gastroenterology. <i>Gastroenterology</i> , <b>2014</b> , 146, 835-848.e6	13.3	205
115	Clonidine in patients undergoing noncardiac surgery. <i>New England Journal of Medicine</i> , <b>2014</b> , 370, 1504-15	13.2	219
114	Compression stockings to prevent post-thrombotic syndrome: a randomised placebo-controlled trial. <i>Lancet, The</i> , <b>2014</b> , 383, 880-8	40	322
113	Treatment of acute venous thromboembolism with dabigatran or warfarin and pooled analysis. <i>Circulation</i> , <b>2014</b> , 129, 764-72	16.7	678
112	Shorter or longer anticoagulation to prevent recurrent venous thromboembolism: systematic review and meta-analysis. <i>BMJ Open</i> , <b>2014</b> , 4, e005674	3	2
111	Myocardial injury after noncardiac surgery: a large, international, prospective cohort study establishing diagnostic criteria, characteristics, predictors, and 30-day outcomes. <i>Anesthesiology</i> , <b>2014</b> , 120, 564-78	4.3	509
110	Duration of anticoagulant therapy for deep vein thrombosis and pulmonary embolism. <i>Blood</i> , <b>2014</b> , 123, 1794-801	2.2	164
109	Factors that predict thrombosis in relatives of patients with venous thromboembolism. <i>Blood</i> , <b>2014</b> , 124, 2124-30	2.2	43
108	Graduated compression stockings to treat acute leg pain associated with proximal DVT. A randomised controlled trial. <i>Thrombosis and Haemostasis</i> , <b>2014</b> , 112, 1137-41	7	36
107	Uitsluiten van DVT met een klinische beslisregel. <i>Huisarts En Wetenschap</i> , <b>2014</b> , 57, 626-628	0.1	
106	Duration of treatment <b>2014</b> , 162-177		
105	Aspirin in patients undergoing noncardiac surgery. <i>New England Journal of Medicine</i> , <b>2014</b> , 370, 1494-503	39.2	525
104	Selective D-dimer testing for diagnosis of a first suspected episode of deep venous thrombosis: a randomized trial. <i>Annals of Internal Medicine</i> , <b>2013</b> , 158, 93-100	8	60
103	Targeted gene sequencing identifies variants in the protein C and endothelial protein C receptor genes in patients with unprovoked venous thromboembolism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 2674-81	9.4	11

102	Rationale and design of the ATTRACT Study: a multicenter randomized trial to evaluate pharmacomechanical catheter-directed thrombolysis for the prevention of postthrombotic syndrome in patients with proximal deep vein thrombosis. <i>American Heart Journal</i> , <b>2013</b> , 165, 523-530.e3	4.9	140
101	Extended use of dabigatran, warfarin, or placebo in venous thromboembolism. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 709-18	59.2	693
100	Antiphospholipid antibodies and the risk of recurrence after a first episode of venous thromboembolism: a systematic review. <i>Blood</i> , <b>2013</b> , 122, 817-24	2.2	86
99	Response. <i>Chest</i> , <b>2013</b> , 143, 874-875	5.3	
98	Influence Of Concomitant NSAID Or ASA On The Efficacy and Safety Of Dabigatran Versus Warfarin For The Treatment Of Acute Venous Thromboembolism: A Pooled Analysis From RE-Cover and RE-Cover II. <i>Blood</i> , <b>2013</b> , 122, 1136-1136	2.2	4
97	Influence Of Renal Function On The Efficacy and Safety Of Dabigatran Versus Warfarin For The Treatment Of Acute Venous Thromboembolism: A Pooled Analysis From RE-Cover and RE-Cover II. <i>Blood</i> , <b>2013</b> , 122, 212-212	2.2	10
96	Influence Of Age On The Efficacy and Safety Of Dabigatran Versus Warfarin For The Treatment Of Acute Venous Thromboembolism: A Pooled Analysis Of RE-Cover and RE-Cover II. <i>Blood</i> , <b>2013</b> , 122, 2375-2375 <sup>9</sup>	2.2	9
95	Influence Of Active Cancer On The Efficacy and Safety Of Dabigatran Versus Warfarin For The Treatment Of Acute Venous Thromboembolism: A Pooled Analysis From RE-Cover and RE-Cover II. <i>Blood</i> , <b>2013</b> , 122, 582-582	2.2	12
94	Accuracy and safety of (99m)Tc-labeled anti-D-dimer (DI-80B3) FabTfragments (ThromboView <sup>®</sup> ) in the diagnosis of deep vein thrombosis: a phase II study. <i>Thrombosis Research</i> , <b>2012</b> , 130, 381-9	8.2	21
93	Antithrombotic therapy for VTE disease: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. <i>Chest</i> , <b>2012</b> , 141, e419S-e496S	5.3	2575
92	Influence of hereditary or acquired thrombophilias on the treatment of venous thromboembolism. <i>Current Opinion in Hematology</i> , <b>2012</b> , 19, 363-70	3.3	22
91	Diagnosis of DVT: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. <i>Chest</i> , <b>2012</b> , 141, e351S-e418S	5.3	449
90	Benefit of Extended Maintenance Therapy for Venous Thromboembolism with Dabigatran Etexilate Is Maintained Over 1 Year of Post-Treatment Follow-up. <i>Blood</i> , <b>2012</b> , 120, 21-21	2.2	8
89	A Multicenter Randomized Placebo Controlled Trial of Compression Stockings to Prevent the Post-Thrombotic Syndrome After Proximal Deep Venous Thrombosis: The S.O.X. Trial. <i>Blood</i> , <b>2012</b> , 120, 393-393	2.2	4
88	Positive Predictive Value of Progressively Elevated D-Dimer Levels in Patients with a Suspected First Deep Vein Thrombosis.. <i>Blood</i> , <b>2012</b> , 120, 2258-2258	2.2	1
87	Effects of age on the risk of dying from pulmonary embolism or bleeding during treatment of deep vein thrombosis. <i>Journal of Vascular Surgery</i> , <b>2011</b> , 54, 26S-32S	3.5	42
86	Influence of preceding length of anticoagulant treatment and initial presentation of venous thromboembolism on risk of recurrence after stopping treatment: analysis of individual participantsTdata from seven trials. <i>BMJ, The</i> , <b>2011</b> , 342, d3036	5.9	234
85	Extended anticoagulation for unprovoked venous thromboembolism: a majority of patients should be treated. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2011</b> , 31, 295-300	5.1	9

84	Six-month exercise training program to treat post-thrombotic syndrome: a randomized controlled two-centre trial. <i>Cmaj</i> , <b>2011</b> , 183, 37-44	3.5	77
83	The effect of prothrombotic blood abnormalities on risk of deep vein thrombosis in users of hormone replacement therapy: a prospective case-control study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2011</b> , 17, E106-13	3.3	14
82	A Randomized Trial of Dabigatran Versus Warfarin in the Treatment of Acute Venous Thromboembolism (RE-COVER II). <i>Blood</i> , <b>2011</b> , 118, 205-205	2.2	41
81	Graduated compression stockings to prevent venous thromboembolism in hospital: evidence from patients with acute stroke <b>2011</b> , 121, 40-3		3
80	Long-term anticoagulation for venous thromboembolism: duration of treatment and management of warfarin therapy. <i>Clinics in Chest Medicine</i> , <b>2010</b> , 31, 719-30	5.3	6
79	Risk of recurrence after a first episode of symptomatic venous thromboembolism provoked by a transient risk factor: a systematic review. <i>Archives of Internal Medicine</i> , <b>2010</b> , 170, 1710-6		228
78	Predictors of thrombosis in relatives of patients with venous thromboembolism. <i>Current Opinion in Pulmonary Medicine</i> , <b>2010</b> , 16, 453-8	3	7
77	The vexing problem of guidelines and conflict of interest: a potential solution. <i>Annals of Internal Medicine</i> , <b>2010</b> , 152, 738-41	8	184
76	Duration of Anticoagulant Therapy After Venous Thromboembolism <b>2010</b> , 363-385		
75	A Randomized, Controlled Trial of Varying D-Dimer Cutpoints According to Clinical Pretest Probability Compared with a Uniform D-Dimer Cutpoint for Diagnosis of Deep Vein Thrombosis. <i>Blood</i> , <b>2010</b> , 116, 5116-5116	2.2	
74	Factors that predict risk of thrombosis in relatives of patients with unprovoked venous thromboembolism. <i>Chest</i> , <b>2009</b> , 136, 1537-1545	5.3	43
73	Dabigatran versus warfarin in the treatment of acute venous thromboembolism. <i>New England Journal of Medicine</i> , <b>2009</b> , 361, 2342-52	59.2	1914
72	Development of a research agenda for inferior vena cava filters: proceedings from a multidisciplinary research consensus panel. <i>Journal of Vascular and Interventional Radiology</i> , <b>2009</b> , 20, 697-707	2.4	62
71	Oral vitamin K versus placebo to correct excessive anticoagulation in patients receiving warfarin: a randomized trial. <i>Annals of Internal Medicine</i> , <b>2009</b> , 150, 293-300	8	106
70	Dabigatran Etexilate Versus Warfarin in the Treatment of Venous Thromboembolism.. <i>Blood</i> , <b>2009</b> , 114, 1-1	2.2	1
69	A Randomized, Controlled Two-Center Pilot Trial of a 6-Month Exercise Training Program to Treat the Post-Thrombotic Syndrome: The EXPO Pilot Trial.. <i>Blood</i> , <b>2009</b> , 114, 3984-3984	2.2	1
68	Targeted Gene Sequencing to Identify Polymorphisms in the Protein C and EPCR Genes in Patients with Unprovoked Venous Thromboembolism.. <i>Blood</i> , <b>2009</b> , 114, 454-454	2.2	
67	Hemorrhagic complications of anticoagulant and thrombolytic treatment: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). <i>Chest</i> , <b>2008</b> , 133, 257S-298S	5.3	549

66	Antithrombotic therapy for venous thromboembolic disease: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). <i>Chest</i> , <b>2008</b> , 133, 454S-545S	5.3	1562
65	Physical activity in patients with deep venous thrombosis: a systematic review. <i>Thrombosis Research</i> , <b>2008</b> , 122, 763-73	8.2	72
64	Perioperative management of oral anticoagulation. <i>Cardiology Clinics</i> , <b>2008</b> , 26, 299-309, viii	2.5	18
63	Stopping anticoagulant therapy after an unprovoked venous thromboembolism. <i>Cmaj</i> , <b>2008</b> , 179, 401-2	3.5	6
62	Influence of thrombophilia on risk of recurrent venous thromboembolism while on warfarin: results from a randomized trial. <i>Blood</i> , <b>2008</b> , 112, 4432-6	2.2	76
61	Venous Thromboembolism Recurrence after a First Episode of Provoked Venous Thrombosis Due to a Transient Risk Factor. A Systematic Review of the Literature. <i>Blood</i> , <b>2008</b> , 112, 3029-3029	2.2	
60	Fixed-Dose Unfractionated Heparin vs Low-Molecular-Weight Heparin for Venous Thromboembolism Reply. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 297, 261	27.4	0
59	Brief communication: Preoperative anticoagulant activity after bridging low-molecular-weight heparin for temporary interruption of warfarin. <i>Annals of Internal Medicine</i> , <b>2007</b> , 146, 184-7	8	64
58	Subcutaneous unfractionated heparin for the treatment of venous thromboembolism. <i>Current Opinion in Pulmonary Medicine</i> , <b>2007</b> , 13, 398-402	3	5
57	A Negative D-dimer Excludes Recurrent Deep Vein Thrombosis: Results of a Multicentre Management Study.. <i>Blood</i> , <b>2007</b> , 110, 698-698	2.2	8
56	Comparison of fixed-dose weight-adjusted unfractionated heparin and low-molecular-weight heparin for acute treatment of venous thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 296, 935-42	27.4	164
55	Perioperative management of oral anticoagulation. <i>Clinics in Geriatric Medicine</i> , <b>2006</b> , 22, 199-213, xi	3.8	7
54	Effect of patient's sex on risk of recurrent venous thromboembolism: a meta-analysis. <i>Lancet, The</i> , <b>2006</b> , 368, 371-8	40	236
53	Early postoperative anticoagulation after mechanical valve replacement: a systematic review. <i>Annals of Thoracic Surgery</i> , <b>2006</b> , 81, 770-81	2.7	82
52	Interobserver agreement on ultrasound measurements of residual vein diameter, thrombus echogenicity and Doppler venous flow in patients with previous venous thrombosis. <i>Thrombosis Research</i> , <b>2006</b> , 117, 241-7	8.2	66
51	An evaluation of D-dimer in the diagnosis of pulmonary embolism: a randomized trial. <i>Annals of Internal Medicine</i> , <b>2006</b> , 144, 812-21	8	113
50	Deep vein thrombosis. <i>Lancet, The</i> , <b>2005</b> , 366, 118; author reply 119-20	40	2
49	A randomized trial of diagnostic strategies after normal proximal vein ultrasonography for suspected deep venous thrombosis: D-dimer testing compared with repeated ultrasonography. <i>Annals of Internal Medicine</i> , <b>2005</b> , 142, 490-6	8	32

48	Deep venous thrombosis. <i>Hematology American Society of Hematology Education Program</i> , <b>2004</b> , 2004, 439-56	3.1	135
47	Long-term management of patients after venous thromboembolism. <i>Circulation</i> , <b>2004</b> , 110, 110-8	16.7	80
46	Hemorrhagic complications of anticoagulant treatment: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. <i>Chest</i> , <b>2004</b> , 126, 287S-310S	5.3	361
45	Change in thrombus length on venous ultrasound and recurrent deep vein thrombosis. <i>Archives of Internal Medicine</i> , <b>2004</b> , 164, 1793-6		27
44	Fixed-Dose, Weight-Adjusted, Unfractionated Heparin (UFH) Given Subcutaneously (sc) without Laboratory Monitoring for Acute Treatment of Venous Thromboembolism (VTE): Randomized Comparison with Low-Molecular-Weight-Heparin (LMWH).. <i>Blood</i> , <b>2004</b> , 104, 707-707	2.2	2
43	A comparison of two intensities of warfarin for the prevention of recurrent thrombosis in patients with the antiphospholipid antibody syndrome. <i>New England Journal of Medicine</i> , <b>2003</b> , 349, 1133-8	59.2	677
42	Management of anticoagulation in patients who require invasive procedures. <i>Seminars in Vascular Medicine</i> , <b>2003</b> , 3, 285-94		10
41	Reduction of out-of-hospital symptomatic venous thromboembolism by extended thromboprophylaxis with low-molecular-weight heparin following elective hip arthroplasty: a systematic review. <i>Archives of Internal Medicine</i> , <b>2003</b> , 163, 1362-6		62
40	Thrombotic disorders: diagnosis and treatment. <i>Hematology American Society of Hematology Education Program</i> , <b>2003</b> , 2003, 520-39	3.1	41
39	Duration of venous thromboembolism prophylaxis after surgery. <i>Chest</i> , <b>2003</b> , 124, 386S-392S	5.3	94
38	A diagnostic strategy involving a quantitative latex D-dimer assay reliably excludes deep venous thrombosis. <i>Annals of Internal Medicine</i> , <b>2003</b> , 138, 787-94	8	90
37	Natural history of venous thromboembolism. <i>Circulation</i> , <b>2003</b> , 107, 122-30	16.7	653
36	Duration of therapy for acute venous thromboembolism. <i>Clinics in Chest Medicine</i> , <b>2003</b> , 24, 63-72	5.3	17
35	Evaluation of D-dimer in the diagnosis of suspected deep-vein thrombosis. <i>New England Journal of Medicine</i> , <b>2003</b> , 349, 1227-35	59.2	1018
34	Comparison of low-intensity warfarin therapy with conventional-intensity warfarin therapy for long-term prevention of recurrent venous thromboembolism. <i>New England Journal of Medicine</i> , <b>2003</b> , 349, 631-9	59.2	609
33	Diagnosis of pulmonary embolism. <i>Cmaj</i> , <b>2003</b> , 168, 183-94	3.5	36
32	Excluding pulmonary embolism with helical (spiral) computed tomography: Evidence is catching up with enthusiasm. <i>Cmaj</i> , <b>2003</b> , 168, 1430-1	3.5	1
31	Low-dose warfarin in rehabilitating stroke survivors. <i>Thrombosis Research</i> , <b>2002</b> , 107, 287-90	8.2	15

30	Long-term and short-term oral anticoagulation therapies were equivalent for venous thromboembolism. <i>ACP Journal Club</i> , <b>2002</b> , 136, 10		1
29	3 months and 1 year of oral anticoagulant therapy were equivalent for idiopathic proximal deep venous thrombosis. <i>ACP Journal Club</i> , <b>2002</b> , 136, 11		2
28	Magnetic resonance direct thrombus imaging was accurate in suspected deep venous thrombosis. <i>ACP Journal Club</i> , <b>2002</b> , 137, 33		1
27	Magnetic resonance direct thrombus imaging was accurate in suspected deep venous thrombosis. <i>ACP Journal Club</i> , <b>2002</b> , 137, 33		1
26	Management of suspected deep venous thrombosis in outpatients by using clinical assessment and D-dimer testing. <i>Annals of Internal Medicine</i> , <b>2001</b> , 135, 108-11	8	128
25	Low Molecular Weight Heparin Administered once versus twice Daily in Patients with Venous Thromboembolism. <i>Thrombosis and Haemostasis</i> , <b>2001</b> , 86, 980-984	7	48
24	A comparison of three rapid D-dimer methods for the diagnosis of venous thromboembolism. <i>British Journal of Haematology</i> , <b>2001</b> , 115, 140-4	4.5	46
23	Duration of anticoagulation for venous thromboembolism. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2001</b> , 12, 59-65	5.1	11
22	Hemorrhagic complications of anticoagulant treatment. <i>Chest</i> , <b>2001</b> , 119, 108S-121S	5.3	415
21	Noninvasive diagnosis of deep vein thrombosis in postoperative patients. <i>Seminars in Thrombosis and Hemostasis</i> , <b>2001</b> , 27, 3-8	5.3	21
20	Treatment of deep vein thrombosis. <i>Seminars in Vascular Medicine</i> , <b>2001</b> , 1, 43-54		6
19	Natural history of venous thromboembolism. <i>Seminars in Vascular Medicine</i> , <b>2001</b> , 1, 27-37		29
18	Epidemiology of venous thromboembolism. <i>Seminars in Vascular Medicine</i> , <b>2001</b> , 1, 7-26		63
17	Long-term treatment for venous thromboembolism. <i>Current Opinion in Hematology</i> , <b>2000</b> , 7, 302-8	3.3	7
16	Derivation of a Simple Clinical Model to Categorize Patients Probability of Pulmonary Embolism: Increasing the Models Utility with the SimpliRED D-dimer. <i>Thrombosis and Haemostasis</i> , <b>2000</b> , 83, 416-420	7	1098
15	Safety of withholding heparin in pregnant women with a history of venous thromboembolism. Recurrence of Clot in This Pregnancy Study Group. <i>New England Journal of Medicine</i> , <b>2000</b> , 343, 1439-44	59.2	336
14	Optimal dosing of subcutaneous unfractionated heparin for the treatment of deep vein thrombosis. <i>Thrombosis Research</i> , <b>2000</b> , 97, 395-403	8.2	13
13	A comparison of three months of anticoagulation with extended anticoagulation for a first episode of idiopathic venous thromboembolism. <i>New England Journal of Medicine</i> , <b>1999</b> , 340, 901-7	59.2	876

12	A randomized trial comparing 5-mg and 10-mg warfarin loading doses. <i>Archives of Internal Medicine</i> , <b>1999</b> , 159, 46-8		143
11	Recurrent venous thrombosis and heparin therapy: an evaluation of the importance of early activated partial thromboplastin times. <i>Archives of Internal Medicine</i> , <b>1999</b> , 159, 2029-32		60
10	Clinical utility of a rapid whole-blood D-dimer assay in patients with cancer who present with suspected acute deep venous thrombosis. <i>Annals of Internal Medicine</i> , <b>1999</b> , 131, 417-23	8	82
9	The role of venous ultrasonography in the diagnosis of suspected deep venous thrombosis and pulmonary embolism. <i>Annals of Internal Medicine</i> , <b>1998</b> , 129, 1044-9	8	314
8	Hemorrhagic complications of anticoagulant treatment. <i>Chest</i> , <b>1998</b> , 114, 511S-523S	5.3	122
7	Noninvasive diagnosis of deep venous thrombosis. McMaster Diagnostic Imaging Practice Guidelines Initiative. <i>Annals of Internal Medicine</i> , <b>1998</b> , 128, 663-77	8	458
6	Management of anticoagulation before and after elective surgery. <i>New England Journal of Medicine</i> , <b>1997</b> , 336, 1506-11	59.2	655
5	Accuracy of clinical assessment of deep-vein thrombosis. <i>Lancet, The</i> , <b>1995</b> , 345, 1326-30	40	556
4	A novel and rapid whole-blood assay for D-dimer in patients with clinically suspected deep vein thrombosis. <i>Circulation</i> , <b>1995</b> , 91, 2184-7	16.7	152
3	Factors determining pulmonary function in adolescent idiopathic thoracic scoliosis. <i>The American Review of Respiratory Disease</i> , <b>1993</b> , 148, 288-94		101
2	Factors influencing work capacity in adolescent idiopathic thoracic scoliosis. <i>The American Review of Respiratory Disease</i> , <b>1993</b> , 148, 295-303		49
1	Diagnosis of deep vein thrombosis with D-dimer adjusted to clinical probability: prospective diagnostic management study. <i>BMJ, The</i> , e067378	5.9	4