Ann Tabor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1172942/publications.pdf

Version: 2024-02-01

76196 66788 7,141 169 40 78 citations h-index g-index papers 176 176 176 7108 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	RANDOMISED CONTROLLED TRIAL OF GENETIC AMNIOCENTESIS IN 4606 LOW-RISK WOMEN. Lancet, The, 1986, 327, 1287-1293.	6.3	745
2	Vaginal progesterone in women with an asymptomatic sonographic short cervix in the midtrimester decreases preterm delivery and neonatal morbidity: a systematic review and metaanalysis of individual patient data. American Journal of Obstetrics and Gynecology, 2012, 206, 124.e1-124.e19.	0.7	429
3	The World Health Organization Fetal Growth Charts: A Multinational Longitudinal Study of Ultrasound Biometric Measurements and Estimated Fetal Weight. PLoS Medicine, 2017, 14, e1002220.	3.9	396
4	Update on Procedure-Related Risks for Prenatal Diagnosis Techniques. Fetal Diagnosis and Therapy, 2010, 27, 1-7.	0.6	341
5	Randomised clinical trials of fish oil supplementation in high risk pregnancies. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 382-395.	1.1	298
6	Validity of Preeclampsia-related Diagnoses Recorded in a National Hospital Registry and in a Postpartum Interview of the Women. American Journal of Epidemiology, 2007, 166, 117-124.	1.6	200
7	Impact of a new national screening policy for Down's syndrome in Denmark: population based cohort study. BMJ: British Medical Journal, 2008, 337, a2547-a2547.	2.4	197
8	MRI, PET/CT and ultrasound in the preoperative staging of endometrial cancer â€" A multicenter prospective comparative study. Gynecologic Oncology, 2013, 128, 300-308.	0.6	183
9	Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 1088-1098.	1.1	164
10	Endometrial thickness as a test for endometrial cancer in women with postmenopausal vaginal bleeding. Obstetrics and Gynecology, 2002, 99, 663-670.	1.2	137
11	International Multispecialty Consensus on How to Evaluate Ultrasound Competence: A Delphi Consensus Survey. PLoS ONE, 2013, 8, e57687.	1.1	131
12	Depth of Cervical Cone Removed by Loop Electrosurgical Excision Procedure and Subsequent Risk of Spontaneous Preterm Delivery. Obstetrics and Gynecology, 2009, 114, 1232-1238.	1.2	128
13	Reduction of the Disintegrin and Metalloprotease ADAM12 in Preeclampsia. Obstetrics and Gynecology, 2005, 106, 144-149.	1.2	115
14	Obesity-Related Complications in Danish Single Cephalic Term Pregnancies. Obstetrics and Gynecology, 2005, 105, 537-542.	1.2	110
15	Sexuality after total vs. subtotal hysterectomy. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 191-196.	1.3	109
16	Maternal serum markers in screening for Down syndrome. Clinical Genetics, 1990, 37, 35-43.	1.0	108
17	Association Between Maternal Weight Gain and Birth Weight. Obstetrics and Gynecology, 2007, 109, 1309-1315.	1.2	99
18	Loop electrosurgical excision of the cervix and subsequent risk for spontaneous preterm delivery: a population-based study of singleton deliveries during a 9-year period. American Journal of Obstetrics and Gynecology, 2009, 201, 33.e1-33.e6.	0.7	82

#	Article	IF	CITATIONS
19	Hysterectomy on benign indication in Denmark 1988–1998. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 267-267.	1.3	76
20	Systematic review of progesterone for the prevention of preterm birth in singleton pregnancies. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 1180-1189.	1.3	68
21	High levels of fetal DNA are associated with increased risk of spontaneous preterm delivery. Prenatal Diagnosis, 2012, 32, 840-845.	1.1	64
22	Prevalence of experienced abuse in healthcare and associated obstetric characteristics in six European countries. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 508-517.	1.3	63
23	Twin births: cesarean section or vaginal delivery?. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 463-469.	1.3	61
24	Explaining variation in Down's syndrome screening uptake: comparing the Netherlands with England and Denmark using documentary analysis and expert stakeholder interviews. BMC Health Services Research, 2014, 14, 437.	0.9	61
25	<scp>HE</scp> 4 and <scp>CA</scp> 125 levels in the preoperative assessment of endometrial cancer patients: a prospective multicenter study (<scp>ENDOMET</scp>). Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 1313-1322.	1.3	60
26	The effect of dyad versus individual simulationâ€based ultrasound training on skills transfer. Medical Education, 2015, 49, 286-295.	1.1	60
27	Interstitial deletion in the ?critical region? of the long arm of the X chromosome in a mentally retarded boy and his normal mother. Human Genetics, 1983, 64, 196-199.	1.8	56
28	A nationwide study of serous "borderline―ovarian tumors in Denmark 1978–2002: Centralized pathology review and overall survival compared with the general population. Gynecologic Oncology, 2014, 134, 267-273.	0.6	56
29	Feto-maternal haemorrhage associated with genetic amniocentesis: results of a randomized trial. BJOG: an International Journal of Obstetrics and Gynaecology, 1987, 94, 528-534.	1.1	55
30	Increased risk of abortion after genetic amniocentesis in twin pregnancies. Prenatal Diagnosis, 1983, 3, 83-89.	1,1	53
31	Prevalence of emotional, physical and sexual abuse among pregnant women in six European countries. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 669-677.	1.3	53
32	Loop electrosurgical excision of the cervix and the subsequent risk of preterm delivery. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 596-603.	1.3	52
33	Early Fetal Size and Growth as Predictors of Adverse Outcome. Obstetrics and Gynecology, 2008, 112, 765-771.	1.2	52
34	The Danish Fetal Medicine Database: establishment, organization and quality assessment of the first trimester screening program for trisomy 21 in Denmark 2008–2012. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 577-583.	1.3	52
35	The Effects of Simulation-based Transvaginal Ultrasound Training on Quality and Efficiency of Care. Annals of Surgery, 2017, 265, 630-637.	2.1	50
36	SUVmax of 18FDG PET/CT as a predictor of high-risk endometrial cancer patients. Gynecologic Oncology, 2013, 129, 298-303.	0.6	47

#	Article	IF	CITATIONS
37	Imperfect practice makes perfect: error management training improves transfer of learning. Medical Education, 2017, 51, 196-206.	1.1	47
38	Hysterectomy on benign indication in Denmark 1988-1998. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 267-272.	1.3	44
39	First trimester prenatal screening among women pregnant after IVF/ICSI. Human Reproduction Update, 2012, 18, 350-359.	5.2	43
40	Prenatal detection of congenital heart disease in a low risk population undergoing first and second trimester screening. Prenatal Diagnosis, 2015, 35, 325-330.	1.1	43
41	Linking quality of care and training costs: costâ€effectiveness in health professions education. Medical Education, 2015, 49, 1263-1271.	1.1	41
42	Management of ovarian cysts. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 1012-1021.	1.3	40
43	A History of Abuse and Operative Delivery – Results from a European Multi-Country Cohort Study. PLoS ONE, 2014, 9, e87579.	1.1	39
44	Pre-Analytical Conditions in Non-Invasive Prenatal Testing of Cell-Free Fetal RHD. PLoS ONE, 2013, 8, e76990.	1.1	38
45	The Danish Fetal Medicine Database. Clinical Epidemiology, 2016, Volume 8, 479-483.	1.5	37
46	The impact of restricted gestational weight gain by dietary intervention on fetal growth in women with gestational diabetes mellitus. Diabetologia, 2018, 61, 2528-2538.	2.9	37
47	Incidence of ovarian cancer after hysterectomy: a nationwide controlled follow up. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 1296-1301.	1.1	36
48	Do pregnant women and their partners make an informed choice about first trimester risk assessment for Down syndrome, and are they satisfied with the choice?. Prenatal Diagnosis, 2013, 33, 146-152.	1.1	36
49	Screening for Down's syndrome using an iso-risk curve based on maternal age and serum alpha-fetoprotein level. BJOG: an International Journal of Obstetrics and Gynaecology, 1987, 94, 636-642.	1.1	33
50	Polymorphisms in the tumor necrosis factor alpha and interleukin 1-beta promoters with possible gene regulatory functions increase the risk of preterm birth. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1285-1290.	1.3	33
51	Anti-M \tilde{A}^{1} /Allerian hormone in pregnant women in relation to other hormones, fetal sex and in circulation of second trimester fetuses. Reproductive BioMedicine Online, 2009, 18, 694-699.	1.1	33
52	Copenhagen Baby Heart Study: a population study of newborns with prenatal inclusion. European Journal of Epidemiology, 2019, 34, 79-90.	2.5	32
53	Feasibility Study of a Randomised Trial of Ovarian Cancer Screening. Journal of Medical Screening, 1994, 1, 215-219.	1.1	31
54	Lower urinary tract symptoms after total and subtotal hysterectomy: results of a randomized controlled trial. International Urogynecology Journal, 2005, 16, 257-262.	0.7	31

#	Article	IF	CITATIONS
55	Compliance with national recommendations for exercise during early pregnancy in a Danish cohort. BMC Pregnancy and Childbirth, 2015, 15, 317.	0.9	31
56	Twin pregnancy: the role of ultrasound in management. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 287-299.	1.3	30
57	The effects of an unsupervised water exercise program on low back pain and sick leave among healthy pregnant women – A randomised controlled trial. PLoS ONE, 2017, 12, e0182114.	1.1	30
58	Free leptin index and PAPPâ€A: a first trimester maternal serum screening test for preâ€eclampsia. Prenatal Diagnosis, 2010, 30, 103-109.	1.1	29
59	Fetal Growth in Pregnancies Conceived after Gastric Bypass Surgery in Relation to Surgery-to-Conception Interval: A Danish National Cohort Study. PLoS ONE, 2014, 9, e90317.	1.1	29
60	Obstetric and gynecologic ultrasound curriculum and competency assessment in residency training programs: consensus report. American Journal of Obstetrics and Gynecology, 2018, 218, 29-67.	0.7	29
61	Gender impact on first trimester markers in Down syndrome screening. Prenatal Diagnosis, 2002, 22, 1207-1208.	1.1	28
62	Obstetric and Gynecologic Ultrasound Curriculum and Competency Assessment in Residency Training Programs: Consensus Report. Journal of Ultrasound in Medicine, 2018, 37, 19-50.	0.8	28
63	Psychological impact of amniocentesis on low-risk women. Prenatal Diagnosis, 1987, 7, 443-449.	1.1	27
64	Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 1088-98.	1.1	27
65	The prevalence of sick leave: Reasons and associated predictors – A survey among employed pregnant women. Sexual and Reproductive Healthcare, 2018, 15, 54-61.	0.5	26
66	LOW MATERNAL SERUM AFP AND DOWN SYNDROME. Lancet, The, 1984, 324, 161-162.	6.3	25
67	Subtotal versus total abdominal hysterectomy: randomized clinical trial with 14-year questionnaire follow-up. American Journal of Obstetrics and Gynecology, 2015, 212, 758.e1-758.e54.	0.7	25
68	Thyroid function and autoimmunity in Danish pregnant women after an iodine fortification program and associations with obstetric outcomes. European Journal of Endocrinology, 2015, 173, 709-718.	1.9	25
69	Alcohol consumption and binge drinking in early pregnancy. A cross-sectional study with data from the Copenhagen Pregnancy Cohort. BMC Pregnancy and Childbirth, 2015, 15, 327.	0.9	24
70	The Role of Serum Tetranectin, CA 125, and a Combined Index as Tumor Markers in Women with Pelvic Tumors. Gynecologic Oncology, 1995, 56, 22-28.	0.6	23
71	Danish gynecologists' opinion about hysterectomy on benign indication: results of a survey. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 1123-1131.	1.3	23
72	Nuchal translucency measurements are highly correlated in both mono- and dichorionic twin pairs. Prenatal Diagnosis, 2006, 26, 218-220.	1.1	23

#	Article	IF	CITATIONS
73	Trends in incidence of borderline ovarian tumors in Denmark 1978–2006. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 305-312.	1.3	23
74	Identifying mild and severe preeclampsia in asymptomatic pregnant women by levels of cellâ€free fetal <scp>DNA</scp> . Transfusion, 2013, 53, 1956-1964.	0.8	23
75	WHO multicentre study for the development of growth standards from fetal life to childhood: the fetal component. BMC Pregnancy and Childbirth, 2014, 14, 157.	0.9	23
76	High risk—What's next? A survey study on decisional conflict, regret, and satisfaction among highâ€risk pregnant women making choices about further prenatal testing for fetal aneuploidy. Prenatal Diagnosis, 2019, 39, 635-642.	1.1	21
77	Short―and longâ€ŧerm perinatal outcome in twin pregnancies affected by weight discordance. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 233-242.	1.3	20
78	Lipoprotein(a) Levels at Birth and in Early Childhood: The COMPARE Study. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 324-335.	1.8	20
79	Loop Electrosurgical Excision of the Cervix and Risk for Spontaneous Preterm Delivery in Twin Pregnancies. Obstetrics and Gynecology, 2009, 114, 511-515.	1.2	19
80	Prevention of preterm delivery in twin pregnancy. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2014, 28, 273-283.	1.4	19
81	A culture vessel for amniotic fluid cells allowing faster preparation of chromosome slides. Prenatal Diagnosis, 1984, 4, 451-455.	1.1	18
82	Diagnostic criteria and reporting procedures for pre-eclampsia: A national survey among obstetrical departments in Denmark. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 123, 41-45.	0.5	18
83	Physical and sexual lifetime violence: prevalence and influence on fear of childbirth before, during and after delivery. Journal of Psychosomatic Obstetrics and Gynaecology, 2011, 32, 19-26.	1.1	18
84	Open source nonâ€invasive prenatal testing platform and its performance in a public health laboratory. Prenatal Diagnosis, 2016, 36, 530-536.	1.1	18
85	Increase in thyroglobulin antibody and thyroid peroxidase antibody levels, but not preterm birth-rate, in pregnant Danish women upon iodine fortification. European Journal of Endocrinology, 2017, 176, 603-612.	1.9	18
86	Longitudinal Brain and Body Growth in Fetuses With and Without Transposition of the Great Arteries. Circulation, 2018, 138, 1368-1370.	1.6	18
87	Ultrasound in Prenatal Diagnostics and Its Impact on the Epidemiology of Spina Bifida in a National Cohort from Denmark with a Comparison to Sweden. BioMed Research International, 2018, 2018, 1-8.	0.9	18
88	Placental protein-13 (PP13) in combination with PAPP-A and free leptin index (fLI) in first trimester maternal serum screening for severe and early preeclampsia. Clinical Chemistry and Laboratory Medicine, 2017, 56, 65-74.	1.4	17
89	Discordance between prenatal cytogenetic diagnosis and outcome of pregnancy. Prenatal Diagnosis, 1984, 4, 51-59.	1.1	16
90	Maternal Serum Resistin Is Reduced in First Trimester Preeclampsia Pregnancies and Is a Marker of Clinical Severity. Hypertension in Pregnancy, 2015, 34, 422-433.	0.5	16

#	Article	IF	CITATIONS
91	Cytokines and the Risk of Preterm Delivery in Twin Pregnancies. Obstetrics and Gynecology, 2012, 120, 60-68.	1.2	15
92	Positive view and increased likely uptake of followâ€up testing with analysis of cellâ€free fetal <scp>DNA</scp> as alternative to invasive testing among Danish pregnant women. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 577-586.	1.3	15
93	Long-Term Neurodevelopmental Outcome of Monochorionic Twins after Laser Therapy or Umbilical Cord Occlusion for Twin-Twin Transfusion Syndrome. Fetal Diagnosis and Therapy, 2019, 46, 20-27.	0.6	15
94	The Predictive Value of Ultrasound Learning Curves Across Simulated and Clinical Settings. Journal of Ultrasound in Medicine, 2017, 36, 201-208.	0.8	15
95	Incidence of fetal chromosome abnormalities in 2264 low-risk women. Prenatal Diagnosis, 1987, 7, 355-362.	1.1	14
96	NEEDLE SIZE AND RISK OF MISCARRIAGE AFTER AMNIOCENTESIS. Lancet, The, 1988, 331, 183-184.	6.3	14
97	Invasive prenatal diagnostic practice in Denmark 1996 to 2006. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 362-365.	1.3	14
98	Implications of a first trimester Down syndrome screening program on timing of malformation detection. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 728-736.	1.3	14
99	Progestogens to prevent preterm birth in twin pregnancies: an individual participant data meta-analysis of randomized trials. BMC Pregnancy and Childbirth, 2012, 12, 13.	0.9	14
100	45,X karyotype: May the diagnosis be suspected on ultrasonic examination in the second trimester of pregnancy?. Prenatal Diagnosis, 1981, 1, 281-283.	1.1	13
101	Screening for congenital malformations by ultrasonography in the general population of pregnant women: factors affecting the efficacy. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 1092-1098.	1.3	13
102	Prevalence of polyhydramnios at a Danish hospital – a population-based study. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 1427-1431.	1.3	13
103	Linkage between the Danish National Health Service Prescription Database, the Danish Fetal Medicine Database, and other Danish registries as a tool for the study of drug safety in pregnancy. Clinical Epidemiology, 2016, 8, 91.	1.5	13
104	Nuchal translucency distributions for different chromosomal anomalies in a large unselected population cohort. Prenatal Diagnosis, 2016, 36, 49-55.	1.1	13
105	Anti-Mýllerian hormone levels and fecundability in women with a natural conception. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 217, 44-52.	0.5	13
106	Population-Based Screening for Trisomies and Atypical Chromosomal Abnormalities: Improving Efficacy using the Combined First Trimester Screening Algorithm as well as Individual Risk Parameters. Fetal Diagnosis and Therapy, 2019, 45, 424-429.	0.6	13
107	Fetal sonographic characteristics associated with shoulder dystocia in pregnancies of women with type 1 diabetes. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1105-1111.	1.3	12
108	Parental Decisions about Prenatal Screening and Diagnosis among Infants with Trisomy 21 in a National Cohort with High Uptake of Combined First-Trimester Screening. Fetal Diagnosis and Therapy, 2017, 41, 209-214.	0.6	12

#	Article	IF	CITATIONS
109	Effect of supervised exercise in groups on psychological well-being among pregnant women at risk of depression (the EWE Study): study protocol for a randomized controlled trial. Trials, 2017, 18, 210.	0.7	12
110	ADAM12 in first trimester maternal serum from pregnancies conceived by assisted reproduction techniques (ART). Prenatal Diagnosis, 2009, 29, 628-629.	1.1	11
111	Can a 15-mm Cervical Length Cutoff Discriminate between Low and High Risk of Preterm Delivery in Women with Threatened Preterm Labor?. Fetal Diagnosis and Therapy, 2011, 29, 216-223.	0.6	11
112	National data on the early clinical use of nonâ€invasive prenatal testing in public and private healthcare in Denmark 2013–2017. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 884-892.	1.3	11
113	Effect of supervised group exercise on psychological wellâ€being among pregnant women with or at high risk of depression (the EWE Study): A randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 129-138.	1.3	11
114	Simulation-Based Ultrasound Training in Obstetrics and Gynecology: A Systematic Review and Meta-Analysis. Ultraschall in Der Medizin, 2021, 42, e42-e54.	0.8	11
115	Fetal chromosome analysis: Screening for chromosome disease?. Prenatal Diagnosis, 1983, 3, 209-218.	1.1	10
116	Prevention of Breast Pain and Milk Secretion with Bromocriptine After Second-Trimester Abortion. Acta Obstetricia Et Gynecologica Scandinavica, 1990, 69, 235-238.	1.3	10
117	Randomized clinical trial of total vs. subtotal hysterectomy: validity of the trial questionnaire. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 968-974.	1.3	10
118	Total versus subtotal hysterectomy: An observational study with one-year follow-up. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2005, 45, 64-67.	0.4	10
119	Pregnancy Loss Rates After Midtrimester Amniocentesis. Obstetrics and Gynecology, 2007, 109, 1203-1204.	1.2	10
120	Cesarean Section for the Second Twin: A Populationâ€Based Study of Occurrence and Outcome. Birth, 2013, 40, 10-16.	1.1	10
121	Low back pain intensity among childbearing women and associated predictors. A cohort study. Women and Birth, 2019, 32, e467-e476.	0.9	10
122	Cell-Free Fetal DNA in the Early and Late First Trimester. Fetal Diagnosis and Therapy, 2020, 47, 228-236.	0.6	10
123	Degree of pregnancy planning and recommended pregnancy planning behavior among women with and without chronic medical conditions – A large hospitalâ€based crossâ€sectional study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1051-1060.	1.3	10
124	Combined first- and second-trimester screening for Down syndrome: an evaluation of proMBP as a marker. Prenatal Diagnosis, 2003, 23, 593-598.	1.1	9
125	A standardised individual unsupervised water exercise intervention for healthy pregnant women. A qualitative feasibility study. Sexual and Reproductive Healthcare, 2014, 5, 176-181.	0.5	9
126	When Are Trainees Ready to Perform Transvaginal Ultrasound? AnÂObservational Study. Ultraschall in Der Medizin, 2019, 40, 366-373.	0.8	9

#	Article	IF	CITATIONS
127	Multivitamin use and risk of preeclampsia in a high-income population: A cohort study. Sexual and Reproductive Healthcare, 2020, 24, 100500.	0.5	9
128	Prenatally detected isolated ventricular septum defects and the association with chromosomal aberrations—A nationwide registerâ€based study from Denmark. Prenatal Diagnosis, 2021, 41, 347-353.	1.1	8
129	<i>Amniocentesis and chorionic villus sampling</i> ., 2000, , 470-516.		8
130	Radiology, histology and shortâ€ŧerm outcome of asymptomatic congenital thoracic malformations. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 155-158.	0.7	7
131	Risk of miscarriage in women conceiving after medically assisted reproduction with an ultrasound-verified viable pregnancy at 6–8 weeks' gestation. Reproductive BioMedicine Online, 2019, 39, 819-826.	1.1	7
132	Safety of amniocentesis. Prenatal Diagnosis, 1988, 8, 167-168.	1.1	6
133	Oophorectomy in the prevention of ovarran cancer. Acta Obstetricia Et Gynecologica Scandinavica, 1993, 72, 599-600.	1.3	6
134	Ultrasound-Guided Bipolar Umbilical Cord Occlusion in Complicated Monochorionic Pregnancies: Is There a Learning Curve. Fetal Diagnosis and Therapy, 2018, 44, 65-71.	0.6	6
135	Efficacy of a midwife-coordinated, individualized, and specialized maternity care intervention (ChroPreg) in addition to standard care in pregnant women with chronic disease: protocol for a parallel randomized controlled trial. Trials, 2019, 20, 291.	0.7	6
136	Why we succeed and fail in detecting fetal growth restriction: A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 893-899.	1.3	6
137	Effects of a Midwife-Coordinated Maternity Care Intervention (ChroPreg) vs. Standard Care in Pregnant Women with Chronic Medical Conditions: Results from a Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 7875.	1.2	6
138	Pre-eclampsia is associated with increased neurodevelopmental disorders in children with congenital heart disease. European Heart Journal Open, 2022, 2, .	0.9	6
139	ADAM $12\hat{a} \in S$ in first trimester: fetal gender, smoking and maternal age influence the maternal serum concentration. Prenatal Diagnosis, 2009, 29, 525-527.	1.1	5
140	Prenatal aneuploidy screening using cell free DNA. American Journal of Obstetrics and Gynecology, 2015, 213, 596-597.	0.7	5
141	Up or down? A randomized trial comparing image orientations during transvaginal ultrasound training. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 1455-1462.	1.3	5
142	International Society of Ultrasound in Obstetrics and Gynecology (ISUOG) - the propagation of knowledge in ultrasound for the improvement of OB/GYN care worldwide: experience of basic ultrasound training in Oman. BMC Medical Education, 2019, 19, 434.	1.0	5
143	Experiences of participation in supervised group exercise among pregnant women with depression or low psychological well-being: A qualitative descriptive study. Midwifery, 2020, 85, 102664.	1.0	5
144	Worries among pregnant Danish women with chronic medical conditions – A cross sectional study with data from the Copenhagen pregnancy cohort. Sexual and Reproductive Healthcare, 2021, 29, 100623.	0.5	5

#	Article	IF	CITATIONS
145	Randomised controlled trial of total versus subtotal hysterectomy with one-year follow up results. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 760-761.	1.1	4
146	Changes in the pattern of paracetamol use in the periconception period in a Danish cohort. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 898-903.	1.3	4
147	Plasma progesterone, estradiol, and unconjugated estriol concentrations in twin pregnancies: Relation with cervical length and preterm delivery. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 86-94.	1.3	4
148	Management of ovarian cysts. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 1012-1021.	1.3	4
149	Stable fetal hemodynamics measured by Doppler flow after initiation of anti-hypertensive treatment with methyldopa in pregnant women with diabetes. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 550-553.	0.7	3
150	Performance of first trimester screening for Trisomy 21 in twin pregnancies. Prenatal Diagnosis, 2021, 41, 210-217.	1.1	3
151	Are the Danish stillbirth rates still record low? A nationwide ecological study. BMJ Open, 2020, 10, e040716.	0.8	3
152	Neonatal complications and neurophysiological development in twins – a long-term follow-up study. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 372-378.	0.7	3
153	Evaluation of the Effect of Supervised Group Exercise on Self-Reported Sleep Quality in Pregnant Women with or at High Risk of Depression: A Secondary Analysis of a Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 5954.	1.2	3
154	Incidence of fetal chromosome abnormalities in insulin dependent diabetic women. Acta Obstetricia Et Gynecologica Scandinavica, 1991, 70, 295-297.	1.3	2
155	Antibiotic prophylaxis before amniocentesis. Prenatal Diagnosis, 2011, 31, 1213-1214.	1.1	2
156	Autocorrelation and cross-correlation between hCG \hat{I}^2 and PAPP-A in repeated sampling during first trimester of pregnancy. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1781-8.	1.4	2
157	Alcohol Intake in Early Pregnancy and Spontaneous Preterm Birth: A Cohort Study. Alcoholism: Clinical and Experimental Research, 2020, 44, 511-521.	1.4	2
158	SCREENING FOR DOWN SYNDROME. Lancet, The, 1987, 330, 1083-1084.	6.3	1
159	Magnetic Resonance Imaging: A New Tool to Optimize the Prediction of Fetal Anemia?. Fetal Diagnosis and Therapy, 2019, 46, 257-265.	0.6	1
160	Short-Term Flow Changes in Monochorionic Survivor Twins after Ultrasound-Guided Umbilical Cord Occlusion. Fetal Diagnosis and Therapy, 2020, 47, 45-53.	0.6	1
161	Placental Growth Factor and Adverse Obstetric Outcomes in a Mixed-Risk Cohort of Women Screened for Preeclampsia in the First Trimester of Pregnancy. Fetal Diagnosis and Therapy, 2021, 48, 304-312.	0.6	1
162	Sexuality after total vs. subtotal hysterectomy. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 191-196.	1.3	1

Ann Tabor

#	Article	IF	CITATIONS
163	Second-trimester cardiovascular biometry in growth-restricted fetuses; a multicenter cohort study. American Journal of Obstetrics and Gynecology, 2022, 227, 81.e1-81.e13.	0.7	1
164	DOSE OF RHESUS IMMUNOPROPHYLAXIS. Lancet, The, 1983, 321, 121.	6.3	0
165	Incidence of Rhesus Immunisation after Genetic Amniocentesis. Obstetrical and Gynecological Survey, 1987, 42, 165-166.	0.2	0
166	Cold-Knife and Laser Conization for Cervical Intraepithelial Neoplasia. Obstetrical and Gynecological Survey, 1991, 46, 103.	0.2	0
167	Endometrial biopsy is an accurate diagnostic test for endometrial cancer in women with abnormal uterine bleeding – meta-analysis. Evidence-Based Obstetrics and Gynecology, 2002, 4, 207-208.	0.3	0
168	Women with chromosomally normal male fetuses are at increased risk of being referred for invasive testing following firstâ€trimester risk assessment. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 1446-1449.	1.3	0
169	The impact of antiâ€hypertensive treatment on foetal growth and haemodynamics in pregnant women with preâ€existing diabetes – An explorative study. Diabetic Medicine, 2021, , e14722.	1.2	0