

Ming Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1173178/publications.pdf>

Version: 2024-02-01

66
papers

3,233
citations

147726

31
h-index

155592

55
g-index

69
all docs

69
docs citations

69
times ranked

4464
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasmon-enhanced optical sensors: a review. <i>Analyst</i> , 2015, 140, 386-406.	1.7	784
2	Intelligent Image-Activated Cell Sorting. <i>Cell</i> , 2018, 175, 266-276.e13.	13.5	395
3	A review of microfabrication techniques and dielectrophoretic microdevices for particle manipulation and separation. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 063001.	1.3	174
4	Particle inertial focusing and its mechanism in a serpentine microchannel. <i>Microfluidics and Nanofluidics</i> , 2014, 17, 305-316.	1.0	114
5	High-throughput imaging flow cytometry by optofluidic time-stretch microscopy. <i>Nature Protocols</i> , 2018, 13, 1603-1631.	5.5	112
6	Reagent- and separation-free measurements of urine creatinine concentration using stamping surface enhanced Raman scattering (S-SERS). <i>Biomedical Optics Express</i> , 2015, 6, 849.	1.5	81
7	Microfluidic surface-enhanced Raman scattering sensor with monolithically integrated nanoporous gold disk arrays for rapid and label-free biomolecular detection. <i>Journal of Biomedical Optics</i> , 2014, 19, 111611.	1.4	77
8	Focusing of sub-micrometer particles in microfluidic devices. <i>Lab on A Chip</i> , 2020, 20, 35-53.	3.1	77
9	Shape-based separation of microalga <i>Euglena gracilis</i> using inertial microfluidics. <i>Scientific Reports</i> , 2017, 7, 10802.	1.6	70
10	Laser rapid thermal annealing enables tunable plasmonics in nanoporous gold nanoparticles. <i>Nanoscale</i> , 2014, 6, 12470-12475.	2.8	62
11	Size-based sorting of hydrogel droplets using inertial microfluidics. <i>Lab on A Chip</i> , 2018, 18, 2575-2582.	3.1	60
12	Inertial focusing in a straight channel with asymmetrical expansion-contraction cavity arrays using two secondary flows. <i>Journal of Micromechanics and Microengineering</i> , 2013, 23, 085023.	1.5	57
13	Morphological control and plasmonic tuning of nanoporous gold disks by surface modifications. <i>Journal of Materials Chemistry C</i> , 2015, 3, 247-252.	2.7	55
14	A Gelatin Microdroplet Platform for High-Throughput Sorting of Hyperproducing Single-Cell-Derived Microalgal Clones. <i>Small</i> , 2018, 14, e1803315.	5.2	52
15	Glass based micro total analysis systems: Materials, fabrication methods, and applications. <i>Sensors and Actuators B: Chemical</i> , 2021, 339, 129859.	4.0	49
16	Stamping surface-enhanced Raman spectroscopy for label-free, multiplexed, molecular sensing and imaging. <i>Journal of Biomedical Optics</i> , 2014, 19, 050501.	1.4	48
17	A simple and cost-effective method for fabrication of integrated electronic-microfluidic devices using a laser-patterned PDMS layer. <i>Microfluidics and Nanofluidics</i> , 2012, 12, 751-760.	1.0	47
18	A novel method to construct 3D electrodes at the sidewall of microfluidic channel. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 499-508.	1.0	47

#	ARTICLE	IF	CITATIONS
19	Mechanical properties of single cells: Measurement methods and applications. <i>Biotechnology Advances</i> , 2020, 45, 107648.	6.0	47
20	On-chip high-throughput manipulation of particles in a dielectrophoresis-active hydrophoretic focuser. <i>Scientific Reports</i> , 2014, 4, 5060.	1.6	46
21	Label-free, zeptomole cancer biomarker detection by surface-enhanced fluorescence on nanoporous gold disk plasmonic nanoparticles. <i>Journal of Biophotonics</i> , 2015, 8, 855-863.	1.1	44
22	Inertial focusing of ellipsoidal <i>Euglena gracilis</i> cells in a stepped microchannel. <i>Lab on A Chip</i> , 2016, 16, 4458-4465.	3.1	43
23	Sheathless separation of microalgae from bacteria using a simple straight channel based on viscoelastic microfluidics. <i>Lab on A Chip</i> , 2019, 19, 2811-2821.	3.1	42
24	Improved concentration and separation of particles in a 3D dielectrophoretic chip integrating focusing, aligning and trapping. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 527-539.	1.0	41
25	Continuous manipulation and separation of particles using combined obstacle- and curvature-induced direct current dielectrophoresis. <i>Electrophoresis</i> , 2013, 34, 952-960.	1.3	40
26	Droplet flow cytometry for single-cell analysis. <i>RSC Advances</i> , 2021, 11, 20944-20960.	1.7	40
27	Continuous particle focusing in a waved microchannel using negative dc dielectrophoresis. <i>Journal of Micromechanics and Microengineering</i> , 2012, 22, 095001.	1.5	39
28	Optofluidic time-stretch quantitative phase microscopy. <i>Methods</i> , 2018, 136, 116-125.	1.9	35
29	Separation and Enrichment of Yeast <i>Saccharomyces cerevisiae</i> by Shape Using Viscoelastic Microfluidics. <i>Analytical Chemistry</i> , 2021, 93, 1586-1595.	3.2	35
30	High-throughput particle manipulation by hydrodynamic, electrokinetic, and dielectrophoretic effects in an integrated microfluidic chip. <i>Biomicrofluidics</i> , 2013, 7, 024106.	1.2	34
31	Dean-flow-coupled elasto-inertial particle and cell focusing in symmetric serpentine microchannels. <i>Microfluidics and Nanofluidics</i> , 2019, 23, 1.	1.0	33
32	High-Throughput, Off-Chip Microdroplet Generator Enabled by a Spinning Conical Frustum. <i>Analytical Chemistry</i> , 2019, 91, 3725-3732.	3.2	27
33	Microscopic impedance cytometry for quantifying single cell shape. <i>Biosensors and Bioelectronics</i> , 2021, 193, 113521.	5.3	27
34	Improving Single-Cell Encapsulation Efficiency and Reliability through Neutral Buoyancy of Suspension. <i>Micromachines</i> , 2020, 11, 94.	1.4	24
35	Rotation of Biological Cells: Fundamentals and Applications. <i>Engineering</i> , 2022, 10, 110-126.	3.2	22
36	Effects of Flow-Induced Microfluidic Chip Wall Deformation on Imaging Flow Cytometry. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020, 97, 909-920.	1.1	20

#	ARTICLE	IF	CITATIONS
37	Recent advances in microfluidic devices for single-cell cultivation: methods and applications. <i>Lab on A Chip</i> , 2022, 22, 1438-1468.	3.1	20
38	Single-Cell Analysis of Morphological and Metabolic Heterogeneity in <i>Euglena gracilis</i> by Fluorescence-Imaging Flow Cytometry. <i>Analytical Chemistry</i> , 2018, 90, 11280-11289.	3.2	18
39	Rapid, Simple, and Inexpensive Spatial Patterning of Wettability in Microfluidic Devices for Double Emulsion Generation. <i>Analytical Chemistry</i> , 2021, 93, 10955-10965.	3.2	18
40	Length-based separation of <i>Bacillus subtilis</i> bacterial populations by viscoelastic microfluidics. <i>Microsystems and Nanoengineering</i> , 2022, 8, 7.	3.4	18
41	Microdroplet enabled cultivation of single yeast cells correlates with bulk growth and reveals subpopulation phenomena. <i>Biotechnology and Bioengineering</i> , 2021, 118, 647-658.	1.7	16
42	Real-time quantitative monitoring of <i>in vitro</i> nasal drug delivery by a nasal epithelial mucosa-on-a-chip model. <i>Expert Opinion on Drug Delivery</i> , 2021, 18, 803-818.	2.4	15
43	Shape-based separation of drug-treated <i>Escherichia coli</i> using viscoelastic microfluidics. <i>Lab on A Chip</i> , 2022, 22, 2801-2809.	3.1	15
44	Recent advances in magnetic digital microfluidic platforms. <i>Electrophoresis</i> , 2021, 42, 2329-2346.	1.3	14
45	Dual-frequency impedance assays for intracellular components in microalgal cells. <i>Lab on A Chip</i> , 2022, 22, 550-559.	3.1	13
46	Modular off-chip emulsion generator enabled by a revolving needle. <i>Lab on A Chip</i> , 2020, 20, 4592-4599.	3.1	11
47	Automatic Morphology Control of Liquid Metal using a Combined Electrochemical and Feedback Control Approach. <i>Micromachines</i> , 2019, 10, 209.	1.4	10
48	Modelling and Simulation of Flow and Heat Transfer of Ferrofluid under Magnetic Field of Neodymium Block Magnet. <i>Applied Mathematical Modelling</i> , 2022, 103, 238-260.	2.2	10
49	Impedance-based tracking of the loss of intracellular components in microalgae cells. <i>Sensors and Actuators B: Chemical</i> , 2022, 358, 131514.	4.0	10
50	Continuous Sorting of Microparticles Using Dielectrophoresis. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 3035-3039.	0.9	9
51	Understanding the effects of aerodynamic and hydrodynamic shear forces on <i>Pseudomonas aeruginosa</i> biofilm growth. <i>Biotechnology and Bioengineering</i> , 2022, 119, 1483-1497.	1.7	9
52	Hydrodynamic particle focusing enhanced by femtosecond laser deep grooving at low Reynolds numbers. <i>Scientific Reports</i> , 2021, 11, 1652.	1.6	8
53	Assessment of the electrical penetration of cell membranes using four-frequency impedance cytometry. <i>Microsystems and Nanoengineering</i> , 2022, 8, .	3.4	7
54	Focusing of Particles in a Microchannel with Laser Engraved Groove Arrays. <i>Biosensors</i> , 2021, 11, 263.	2.3	6

#	ARTICLE	IF	CITATIONS
55	Continuous particle manipulation and separation in a hurdle-combined curved microchannel using DC dielectrophoresis. AIP Conference Proceedings, 2013, , .	0.3	3
56	Investigation of trapping process in "Centrifuge-on-a-chip", 2013, , .		1
57	Intelligent Cell Search Engine. SSRN Electronic Journal, 0, , .	0.4	1
58	On-chip integration of ultra-thin glass cantilever for physical property measurement activated by femtosecond laser impulse. , 2020, , .		1
59	Fabrication of arc-shaped 3D electrodes for biomedical devices. , 2013, , .		0
60	Dielectrophoretic manipulation and separation of particles in an S-shaped microchannel with hurdles. , 2013, , .		0
61	Stamping SERS for creatinine sensing. Proceedings of SPIE, 2015, , .	0.8	0
62	Monolithically integrated microfluidic nanoporous gold disk (NPGD) surface-enhanced Raman scattering (SERS) sensor for rapid and label-free biomolecular detection. , 2015, , .		0
63	Label-free, multiplexed, molecular sensing and imaging by stamping SERS. , 2015, , .		0
64	Photothermal generation of microbubbles on plasmonic nanostructures inside microfluidic channels. Proceedings of SPIE, 2016, , .	0.8	0
65	Raman and surface-enhanced Raman spectroscopy for renal condition monitoring. Proceedings of SPIE, 2016, , .	0.8	0
66	Single-Cell Cultivation Utilizing Microfluidic Systems. , 2020, , 1-24.		0