

Conor T. Buckley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1174058/conor-t-buckley-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,470
citations

32
h-index

48
g-index

77
ext. papers

2,800
ext. citations

4.6
avg, IF

5.29
L-index

#	Paper	IF	Citations
70	Multi-Factorial Nerve Guidance Conduit Engineering Improves Outcomes in Inflammation, Angiogenesis and Large Defect Nerve Repair.. <i>Matrix Biology</i> , 2022 , 106, 34-34	11.4	2
69	Effects of Growth Factor Combinations TGFβ, GDF5 and GDF6 on the Matrix Synthesis of Nucleus Pulposus and Nasoseptal Chondrocyte Self-Assembled Microtissues. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1453	2.6	1
68	Consolidating and re-evaluating the human disc nutrient microenvironment.. <i>JOR Spine</i> , 2022 , 5, e1192	3.7	1
67	Investigating the physiological relevance of ex vivo disc organ culture nutrient microenvironments using in silico modeling and experimental validation. <i>JOR Spine</i> , 2021 , 4, e1141	3.7	3
66	Measuring and Modeling Oxygen Transport and Consumption in 3D Hydrogels Containing Chondrocytes and Stem Cells of Different Tissue Origins. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 591126	5.8	2
65	Injectable Disc-Derived ECM Hydrogel Functionalised with Chondroitin Sulfate for Intervertebral Disc Regeneration. <i>Acta Biomaterialia</i> , 2020 , 117, 142-155	10.8	12
64	Synergistic Effects of Acidic pH and Pro-Inflammatory Cytokines IL-1β and TNF-α for Cell-Based Intervertebral Disc Regeneration. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 9009	2.6	3
63	Glyoxal cross-linking of solubilized extracellular matrix to produce highly porous, elastic, and chondro-permissive scaffolds for orthopedic tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2019 , 107, 2222-2234	5.4	17
62	Priming and cryopreservation of microencapsulated marrow stromal cells as a strategy for intervertebral disc regeneration. <i>Biomedical Materials (Bristol)</i> , 2018 , 13, 034106	3.5	6
61	Chondrocyte-based intraoperative processing strategies for the biological augmentation of a polyurethane meniscus replacement. <i>Connective Tissue Research</i> , 2018 , 59, 381-392	3.3	4
60	Incorporation of Collagen and Hyaluronic Acid to Enhance the Bioactivity of Fibrin-Based Hydrogels for Nucleus Pulposus Regeneration. <i>Journal of Functional Biomaterials</i> , 2018 , 9,	4.8	6
59	Critical aspects and challenges for intervertebral disc repair and regeneration-Harnessing advances in tissue engineering. <i>JOR Spine</i> , 2018 , 1, e1029	3.7	42
58	Influence of key processing parameters and seeding density effects of microencapsulated chondrocytes fabricated using electrohydrodynamic spraying. <i>Biofabrication</i> , 2018 , 10, 035011	10.5	11
57	Biomechanical properties of feline ventral abdominal wall and celiotomy closure techniques. <i>Veterinary Surgery</i> , 2018 , 47, 193-203	1.7	5
56	Advancing cell therapies for intervertebral disc regeneration from the lab to the clinic: Recommendations of the ORS spine section. <i>JOR Spine</i> , 2018 , 1, e1036	3.7	45
55	Engineering zonal cartilaginous tissue by modulating oxygen levels and mechanical cues through the depth of infrapatellar fat pad stem cell laden hydrogels. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 2613-2628	4.4	11
54	Cell-based therapies for intervertebral disc and cartilage regeneration- Current concepts, parallels, and perspectives. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 8-22	3.8	27

53	Engineering cartilaginous grafts using chondrocyte-laden hydrogels supported by a superficial layer of stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 1343-1353	4.4	15
52	Development of magnetically active scaffolds as intrinsically-deformable bioreactors. <i>MRS Communications</i> , 2017 , 7, 367-374	2.7	3
51	Rapid Chondrocyte Isolation for Tissue Engineering Applications: The Effect of Enzyme Concentration and Temporal Exposure on the Matrix Forming Capacity of Nasal Derived Chondrocytes. <i>BioMed Research International</i> , 2017 , 2017, 2395138	3	17
50	Anisotropic Shape-Memory Alginate Scaffolds Functionalized with Either Type I or Type II Collagen for Cartilage Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2017 , 23, 55-68	3.9	45
49	Cyclic Tensile Strain Can Play a Role in Directing both Intramembranous and Endochondral Ossification of Mesenchymal Stem Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2017 , 5, 73	5.8	21
48	Living Cell Factories - Electrospayed Microcapsules and Microcarriers for Minimally Invasive Delivery. <i>Advanced Materials</i> , 2016 , 28, 5662-71	24	42
47	Bone Marrow Stem Cells in Response to Intervertebral Disc-Like Matrix Acidity and Oxygen Concentration: Implications for Cell-based Regenerative Therapy. <i>Spine</i> , 2016 , 41, 743-50	3.3	20
46	Extracellular matrix production by nucleus pulposus and bone marrow stem cells in response to altered oxygen and glucose microenvironments. <i>Journal of Anatomy</i> , 2015 , 227, 757-66	2.9	32
45	Tissue Engineering Whole Bones Through Endochondral Ossification: Regenerating the Distal Phalanx. <i>BioResearch Open Access</i> , 2015 , 4, 229-41	2.4	32
44	Decellularized grafts with axially aligned channels for peripheral nerve regeneration. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 41, 124-35	4.1	46
43	Mechanical comparison of loop and crimp configurations for extracapsular stabilization of the cranial cruciate ligament-deficient stifle. <i>Veterinary Surgery</i> , 2015 , 44, 50-8	1.7	4
42	Knot Security of 5 Metric (USP 2) Sutures: Influence of Knotting Technique, Suture Material, and Incubation Time for 14 and 28 Days in Phosphate Buffered Saline and Inflamed Equine Peritoneal Fluid. <i>Veterinary Surgery</i> , 2015 , 44, 723-30	1.7	7
41	Coupling Freshly Isolated CD44(+) Infrapatellar Fat Pad-Derived Stromal Cells with a TGF- β Eluting Cartilage ECM-Derived Scaffold as a Single-Stage Strategy for Promoting Chondrogenesis. <i>Advanced Healthcare Materials</i> , 2015 , 4, 1043-53	10.1	61
40	The effects of dynamic compression on the development of cartilage grafts engineered using bone marrow and infrapatellar fat pad derived stem cells. <i>Biomedical Materials (Bristol)</i> , 2015 , 10, 055011	3.5	25
39	Engineering articular cartilage-like grafts by self-assembly of infrapatellar fat pad-derived stem cells. <i>Biotechnology and Bioengineering</i> , 2014 , 111, 1686-98	4.9	11
38	Intrinsic multipotential mesenchymal stromal cell activity in gelatinous Heberden's nodes in osteoarthritis at clinical presentation. <i>Arthritis Research and Therapy</i> , 2014 , 16, R119	5.7	10
37	Cyclic hydrostatic pressure promotes a stable cartilage phenotype and enhances the functional development of cartilaginous grafts engineered using multipotent stromal cells isolated from bone marrow and infrapatellar fat pad. <i>Journal of Biomechanics</i> , 2014 , 47, 2115-21	2.9	57
36	Controlled release of transforming growth factor- β from cartilage-extra-cellular-matrix-derived scaffolds to promote chondrogenesis of human-joint-tissue-derived stem cells. <i>Acta Biomaterialia</i> , 2014 , 10, 4400-9	10.8	74

35	Altering the architecture of tissue engineered hypertrophic cartilaginous grafts facilitates vascularisation and accelerates mineralisation. <i>PLoS ONE</i> , 2014 , 9, e90716	3.7	26
34	A comparison of self-assembly and hydrogel encapsulation as a means to engineer functional cartilaginous grafts using culture expanded chondrocytes. <i>Tissue Engineering - Part C: Methods</i> , 2014 , 20, 52-63	2.9	25
33	Shape-memory porous alginate scaffolds for regeneration of the annulus fibrosus: effect of TGF- β supplementation and oxygen culture conditions. <i>Acta Biomaterialia</i> , 2014 , 10, 1985-95	10.8	48
32	Scaffold architecture determines chondrocyte response to externally applied dynamic compression. <i>Biomechanics and Modeling in Mechanobiology</i> , 2013 , 12, 889-99	3.8	13
31	Combining BMP-6, TGF- β and hydrostatic pressure stimulation enhances the functional development of cartilage tissues engineered using human infrapatellar fat pad derived stem cells. <i>Biomaterials Science</i> , 2013 , 1, 745-752	7.4	11
30	Engineering osteochondral constructs through spatial regulation of endochondral ossification. <i>Acta Biomaterialia</i> , 2013 , 9, 5484-92	10.8	91
29	Recapitulating aspects of the oxygen and substrate environment of the damaged joint milieu for stem cell-based cartilage tissue engineering. <i>Tissue Engineering - Part C: Methods</i> , 2013 , 19, 117-27	2.9	13
28	Expansion in the presence of FGF-2 enhances the functional development of cartilaginous tissues engineered using infrapatellar fat pad derived MSCs. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 11, 102-11	4.1	55
27	The role of environmental factors in regulating the development of cartilaginous grafts engineered using osteoarthritic human infrapatellar fat pad-derived stem cells. <i>Tissue Engineering - Part A</i> , 2012 , 18, 1531-41	3.9	28
26	European Society of Biomechanics S.M. Perren Award 2012: the external mechanical environment can override the influence of local substrate in determining stem cell fate. <i>Journal of Biomechanics</i> , 2012 , 45, 2483-92	2.9	41
25	Oxygen tension regulates the osteogenic, chondrogenic and endochondral phenotype of bone marrow derived mesenchymal stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 417, 305-10	3.4	109
24	High abundance of CD271(+) multipotential stromal cells (MSCs) in intramedullary cavities of long bones. <i>Bone</i> , 2012 , 50, 510-7	4.7	40
23	A comparison of the functionality and in vivo phenotypic stability of cartilaginous tissues engineered from different stem cell sources. <i>Tissue Engineering - Part A</i> , 2012 , 18, 1161-70	3.9	132
22	The application of plastic compression to modulate fibrin hydrogel mechanical properties. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 16, 66-72	4.1	15
21	Cell-matrix interactions regulate mesenchymal stem cell response to hydrostatic pressure. <i>Acta Biomaterialia</i> , 2012 , 8, 2153-9	10.8	67
20	The influence of construct scale on the composition and functional properties of cartilaginous tissues engineered using bone marrow-derived mesenchymal stem cells. <i>Tissue Engineering - Part A</i> , 2012 , 18, 382-96	3.9	32
19	Hydrostatic pressure acts to stabilise a chondrogenic phenotype in porcine joint tissue derived stem cells. <i>European Cells and Materials</i> , 2012 , 23, 121-32; discussion 133-4	4.3	58
18	The effect of cyclic hydrostatic pressure on the functional development of cartilaginous tissues engineered using bone marrow derived mesenchymal stem cells. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011 , 4, 1257-65	4.1	54

17	Composition-function relations of cartilaginous tissues engineered from chondrocytes and mesenchymal stem cells isolated from bone marrow and infrapatellar fat pad. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2011 , 5, 673-83	4.4	41
16	Chondrocytes and bone marrow-derived mesenchymal stem cells undergoing chondrogenesis in agarose hydrogels of solid and channelled architectures respond differentially to dynamic culture conditions. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2011 , 5, 747-58	4.4	37
15	A growth factor delivery system for chondrogenic induction of infrapatellar fat pad-derived stem cells in fibrin hydrogels. <i>Biotechnology and Applied Biochemistry</i> , 2011 , 58, 345-52	2.8	37
14	Can Dynamic Compression in the Absence of Growth Factors Induce Chondrogenic Differentiation of Bone Marrow Derived MSCs Encapsulated in Agarose Hydrogels?. <i>IFMBE Proceedings</i> , 2011 , 43-46	0.2	
13	The use of the reamer-irrigator-aspirator to harvest mesenchymal stem cells. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011 , 93, 517-24		44
12	The response of bone marrow-derived mesenchymal stem cells to dynamic compression following TGF-beta3 induced chondrogenic differentiation. <i>Annals of Biomedical Engineering</i> , 2010 , 38, 2896-909	4.7	140
11	Maintaining cell depth viability: on the efficacy of a trimodal scaffold pore architecture and dynamic rotational culturing. <i>Journal of Materials Science: Materials in Medicine</i> , 2010 , 21, 1731-8	4.5	9
10	Oxygen tension differentially regulates the functional properties of cartilaginous tissues engineered from infrapatellar fat pad derived MSCs and articular chondrocytes. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1345-54	6.2	83
9	Fabrication and characterization of a porous multidomain hydroxyapatite scaffold for bone tissue engineering investigations. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010 , 93, 459-67	3.5	22
8	Functional properties of cartilaginous tissues engineered from infrapatellar fat pad-derived mesenchymal stem cells. <i>Journal of Biomechanics</i> , 2010 , 43, 920-6	2.9	95
7	Low oxygen tension is a more potent promoter of chondrogenic differentiation than dynamic compression. <i>Journal of Biomechanics</i> , 2010 , 43, 2516-23	2.9	83
6	Biomechanical evaluation of different numbers, sizes and placement configurations of ligaclips required to secure cellophane bands. <i>Veterinary Surgery</i> , 2010 , 39, 59-64	1.7	14
5	Chondrogenesis and integration of mesenchymal stem cells within an in vitro cartilage defect repair model. <i>Annals of Biomedical Engineering</i> , 2009 , 37, 2556-65	4.7	53
4	The effect of concentration, thermal history and cell seeding density on the initial mechanical properties of agarose hydrogels. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2009 , 2, 512-21	4.1	103
3	Engineering of large cartilaginous tissues through the use of microchanneled hydrogels and rotational culture. <i>Tissue Engineering - Part A</i> , 2009 , 15, 3213-20	3.9	32
2	Dynamic compression can inhibit chondrogenesis of mesenchymal stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 377, 458-462	3.4	91
1	Development of a Hydroxyapatite Bone Tissue Engineering Scaffold with a Trimodal Pore Structure. <i>Key Engineering Materials</i> , 2007 , 361-363, 931-934	0.4	2