

# Souvik Sengupta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1174312/publications.pdf>

Version: 2024-02-01

22  
papers

703  
citations

687363

13  
h-index

713466

21  
g-index

22  
all docs

22  
docs citations

22  
times ranked

1262  
citing authors

#	ARTICLE	IF	CITATIONS
1	ZnO nanoparticles-associated mitochondrial stress-induced apoptosis and G2/M arrest in HaCaT cells: a mechanistic approach. <i>Mutagenesis</i> , 2019, 34, 265-277.	2.6	17
2	A novel nanoliposomal formulation of the FDA approved drug Halofantrine causes cell death of <i>Leishmania donovani</i> promastigotes in vitro. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 582, 123852.	4.7	7
3	Anti-leishmanial Nanotherapeutics: A Current Perspective. <i>Current Drug Metabolism</i> , 2019, 20, 473-482.	1.2	11
4	Neutral Porphyrin Derivative Exerts Anticancer Activity by Targeting Cellular Topoisomerase I (Top1) and Promotes Apoptotic Cell Death without Stabilizing Top1-DNA Cleavage Complexes. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 804-817.	6.4	28
5	DNA Damage, Repair, and Maintenance of Telomere Length. , 2018, , 287-307.		3
6	Poly(ADP-ribose) polymers regulate DNA topoisomerase I (Top1) nuclear dynamics and camptothecin sensitivity in living cells. <i>Nucleic Acids Research</i> , 2016, 44, 8363-8375.	14.5	49
7	Disuccinyl Betulin Triggers Metacaspase-Dependent Endonuclease G-Mediated Cell Death in Unicellular Protozoan Parasite <i>Leishmania donovani</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 2186-2201.	3.2	40
8	Flavone-resistant <i>Leishmania donovani</i> Overexpresses LdMRP2 Transporter in the Parasite and Activates Host MRP2 on Macrophages to Circumvent the Flavone-mediated Cell Death. <i>Journal of Biological Chemistry</i> , 2014, 289, 16129-16147.	3.4	6
9	PARP1â€“TDP1 coupling for the repair of topoisomerase Iâ€“induced DNA damage. <i>Nucleic Acids Research</i> , 2014, 42, 4435-4449.	14.5	163
10	MRX protects fork integrity at proteinâ€“DNA barriers, and its absence causes checkpoint activation dependent on chromatin context. <i>Nucleic Acids Research</i> , 2013, 41, 3173-3189.	14.5	17
11	The lignan niranthin poisons <i>Leishmania donovani</i> topoisomerase IB and favours a Th1 immune response in mice. <i>EMBO Molecular Medicine</i> , 2012, 4, 1126-1143.	6.9	55
12	Novel Betulin Derivatives as Antileishmanial Agents with Mode of Action Targeting Type IB DNA Topoisomerase. <i>Molecular Pharmacology</i> , 2011, 80, 694-703.	2.3	56
13	ATP independent type IB topoisomerase of <i>Leishmania donovani</i> is stimulated by ATP: an insight into the functional mechanism. <i>Nucleic Acids Research</i> , 2011, 39, 3295-3309.	14.5	6
14	Development of Derivatives of 3, 3â€“Diindolylmethane as Potent <i>Leishmania donovani</i> Bi-Subunit Topoisomerase IB Poisons. <i>PLoS ONE</i> , 2011, 6, e28493.	2.5	19
15	Conjugated Eicosapentaenoic Acid (cEPA) Inhibits <i>L. donovani</i> Topoisomerase I and has an Antiproliferative Activity Against <i>L. donovani</i> Promastigotes. <i>The Open Antimicrobial Agents Journal</i> , 2011, 3, 23-29.	0.2	6
16	Cryptolepine-Induced Cell Death of <i>Leishmania donovani</i> Promastigotes Is Augmented by Inhibition of Autophagy. <i>Molecular Biology International</i> , 2011, 2011, 1-12.	1.7	29
17	16â€“Hydroxycyclohexa-1,3,13 (14)Zâ€“dienâ€“15,16â€“lide from <i>Polyalthia longifolia</i> : a safe and orally active antileishmanial agent. <i>British Journal of Pharmacology</i> , 2010, 159, 1143-1150.	5.4	65
18	Mutational studies reveal lysine 352 on the large subunit is indispensable for catalytic activity of bi-subunit topoisomerase I from <i>Leishmania donovani</i> . <i>Molecular and Biochemical Parasitology</i> , 2009, 165, 57-66.	1.1	5

#	ARTICLE	IF	CITATIONS
19	The caspase-independent algorithm of programmed cell death in Leishmania induced by baicalein: the role of LdEndoG, LdFEN-1 and LdTatD as a DNA $\gamma$ -degradosome <sup>TM</sup> . Cell Death and Differentiation, 2008, 15, 1629-1640.	11.2	61
20	Antileishmanial activity mediated by apoptosis and structure-based target study of peganine hydrochloride dihydrate: an approach for rational drug design. Journal of Antimicrobial Chemotherapy, 2008, 62, 998-1002.	3.0	40
21	Amino acids 39-456 of the large subunit and 210-262 of the small subunit constitute the minimal functionally interacting fragments of the unusual heterodimeric topoisomerase IB of <i>Leishmania</i> . Biochemical Journal, 2008, 409, 481-489.	3.7	10
22	<i>Leishmania donovani</i> : Dyskinetoplastid cells survive and proliferate in the presence of pyruvate and uridine but do not undergo apoptosis after treatment with camptothecin. Experimental Parasitology, 2007, 115, 215-219.	1.2	10