

Michele Tansella

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11743646/michele-tansella-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

5,781
citations

43
h-index

71
g-index

154
ext. papers

6,413
ext. citations

4.8
avg, IF

5.28
L-index

#	Paper	IF	Citations
143	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015 , 230, 742-3	9.9	2
142	Neurological soft signs and prepulse inhibition of the startle reflex in psychosis: A pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 276-84	2.4	
141	First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , 2014 , 205, 127-34	5.4	40
140	Lessons from community mental health to drive implementation in health care systems for people with long-term conditions. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 4714-28	4.6	11
139	Positive symptoms in first-episode psychosis patients experiencing low maternal care and stressful life events: a pilot study to explore the role of the COMT gene. <i>Stress</i> , 2014 , 17, 410-5	3	15
138	Community mental health care in the future: nine proposals. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 507-12	1.8	14
137	Cost-effectiveness of adherence therapy versus health education for people with schizophrenia: randomised controlled trial in four European countries. <i>Cost Effectiveness and Resource Allocation</i> , 2013 , 11, 12	2.4	7
136	The impact of cannabis use on age of onset and clinical characteristics in first-episode psychotic patients. Data from the Psychosis Incident Cohort Outcome Study (PICOS). <i>Journal of Psychiatric Research</i> , 2013 , 47, 438-44	5.2	54
135	Schizophrenia severity, social functioning and hippocampal neuroanatomy: three-dimensional mapping study. <i>British Journal of Psychiatry</i> , 2013 , 202, 50-5	5.4	41
134	Prediction of community mental health service utilization by individual and ecological level socio-economic factors. <i>Psychiatry Research</i> , 2013 , 209, 691-8	9.9	20
133	Thalamic-insular dysconnectivity in schizophrenia: evidence from structural equation modeling. <i>Human Brain Mapping</i> , 2012 , 33, 740-52	5.9	35
132	Adverse effects of antipsychotic drugs: survey of doctors versus patients perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 157-64	4.5	15
131	Enlarged hypothalamic volumes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 204, 75-81	2.9	23
130	Burnout, compassion fatigue, and compassion satisfaction among staff in community-based mental health services. <i>Psychiatry Research</i> , 2012 , 200, 933-8	9.9	97
129	Biomarker Evaluation by Multiple Kernel Learning for Schizophrenia Detection 2012 ,		1
128	State of psychiatry in Italy 35 years after psychiatric reform. A critical appraisal of national and local data. <i>International Review of Psychiatry</i> , 2012 , 24, 314-20	3.6	26
127	Is neuregulin 1 involved in determining cerebral volumes in schizophrenia? Preliminary results showing a decrease in superior temporal gyrus volume. <i>Neuropsychobiology</i> , 2012 , 65, 119-25	4	22

126	White matter microstructure alterations in bipolar disorder. <i>Functional Neurology</i> , 2012 , 27, 29-34	2.2	14
125	A Localized MKL Method for Brain Classification with Known Intra-class Variability. <i>Lecture Notes in Computer Science</i> , 2012 , 152-159	0.9	1
124	Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011 , 495, 17-21	3.3	29
123	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia in routine clinical care: a randomized, controlled trial. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 266-73	1.7	28
122	The impact of schizophrenia on frontal perfusion parameters: a DSC-MRI study. <i>Journal of Neural Transmission</i> , 2011 , 118, 563-70	4.3	12
121	Dissimilarity-based detection of schizophrenia. <i>International Journal of Imaging Systems and Technology</i> , 2011 , 21, 179-192	2.5	17
120	Heat Diffusion Based Dissimilarity Analysis for Schizophrenia Classification. <i>Lecture Notes in Computer Science</i> , 2011 , 306-317	0.9	0
119	Mortality among people with mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 1-3		5
118	Acute in-patient care in modern, community-based mental health services. Where and how?. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 275-281	5.1	8
117	Laterality effects in schizophrenia and bipolar disorder. <i>Experimental Brain Research</i> , 2010 , 201, 339-44	2.3	17
116	Comparison of patient and clinician perspectives in the assessment of antipsychotic medication adherence. <i>Psychopathology</i> , 2009 , 42, 311-7	3.4	22
115	Influence of perceived organisational factors on job burnout: survey of community mental health staff. <i>British Journal of Psychiatry</i> , 2009 , 195, 537-44	5.4	113
114	Information systems for mental health. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 1-4		18
113	An empirical method to identify patterns in the course of psychotic episodes of people with schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 265-78	4.3	3
112	Implications of long-term conditions for both mental and physical health: comparison of rheumatoid arthritis and schizophrenia. <i>Quality of Life Research</i> , 2009 , 18, 699-707	3.7	10
111	Rationale and design of an independent randomised controlled trial evaluating the effectiveness of aripiprazole or haloperidol in combination with clozapine for treatment-resistant schizophrenia. <i>Trials</i> , 2009 , 10, 31	2.8	20
110	Brain structural changes associated with chronicity and antipsychotic treatment in schizophrenia. <i>European Neuropsychopharmacology</i> , 2009 , 19, 835-40	1.2	53
109	Course of adherence to medication and quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2009 , 165, 224-33	9.9	21

108	Caring for people with depression or with schizophrenia: are the consequences different? <i>Psychiatry Research</i> , 2009 , 169, 62-9	9.9	37
107	DTI studies of corpus callosum in bipolar disorder. <i>Biochemical Society Transactions</i> , 2009 , 37, 1096-8	5.1	62
106	Long-term monitoring and evaluation of a new system of community-based psychiatric care. Integrating research, teaching and practice at the University of Verona. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2009 , 45, 43-53	1.6	10
105	Decreased entorhinal cortex volumes in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 102, 171-80	3.6	57
104	What happens to patients seen only once by psychiatric services? Findings from a follow-up study. <i>Psychiatry Research</i> , 2008 , 157, 53-65	9.9	18
103	Understanding antipsychotic non-classical prescriptions: a quantitative and qualitative approach. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 236-41		5
102	Case management or assertive community treatment: are they really alternative approaches? <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 93-98		9
101	Steps, challenges and lessons in developing community mental health care. <i>World Psychiatry</i> , 2008 , 7, 87-92	14.4	34
100	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages? <i>International Clinical Psychopharmacology</i> , 2008 , 23, 287-90	2.2	62
99	Assessment of medication adherence in patients with schizophrenia: the Achilles heel of adherence research. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 274-81	1.8	41
98	The role of white matter for the pathophysiology of schizophrenia. <i>International Review of Psychiatry</i> , 2007 , 19, 459-68	3.6	23
97	Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 647-59	3.5	43
96	Cerebral atrophy and white matter disruption in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 3-11	5.1	30
95	Heterogeneity of the Departments of Mental Health in the Veneto Region ten years after the National Plan 1994-96 for Mental Health. Which implication for clinical practice? Findings from the PICOS Project. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 59-70		12
94	Proposal for a new funding system for mental health departments. Results from an evaluative multicentre Italian study (I-psycost). <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 295-306	5.1	7
93	Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 276-283	5.1	14
92	Antidepressant and antipsychotic drug prescribing in Lombardy. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 59-70		7
91	Seven criteria for improving effectiveness trials in psychiatry. <i>Psychological Medicine</i> , 2006 , 36, 711-20	6.9	27

90	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 355-62	2.2	70
89	Adherence therapy for people with schizophrenia. European multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 508-14	5.4	132
88	Factors associated with clinicians' dispositions in an out-patient psychiatric department. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 832-40	4.5	3
87	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. <i>Schizophrenia Research</i> , 2005 , 75, 107-17	3.6	67
86	Investigation of corpus callosum in schizophrenia with diffusion imaging. <i>Schizophrenia Research</i> , 2005 , 79, 201-10	3.6	63
85	Sex differences in the subjective tolerability of antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 521-6	1.7	51
84	Changes and predictors of change in objective and subjective quality of life: multiwave follow-up study in community psychiatric practice. <i>British Journal of Psychiatry</i> , 2005 , 187, 121-30	5.4	92
83	A census-based socio-economic status (SES) index as a tool to examine the relationship between mental health services use and deprivation. <i>Social Science and Medicine</i> , 2005 , 61, 2096-105	5.1	36
82	Development of a registry for monitoring psychotropic drug prescriptions: aims, methods and implications for ordinary practice and research. <i>International Journal of Methods in Psychiatric Research</i> , 2005 , 14, 151-7	4.3	7
81	Determinants of once-only contact in a community-based psychiatric service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 50-6	4.5	14
80	Drug treatment modalities in psychiatric inpatient practice: a 20-year comparison. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 136-42	5.1	10
79	Does additional care provided by a consumer self-help group improve psychiatric outcome? A study in an Italian community-based psychiatric service. <i>Community Mental Health Journal</i> , 2005 , 41, 705-20	2.1	29
78	Listening to patients' needs to improve their subjective quality of life. <i>Psychological Medicine</i> , 2005 , 35, 1655-65	6.9	86
77	Growing recognition of the importance of service user involvement in mental health service planning and evaluation. <i>Epidemiologia E Psichiatria Sociale</i> , 2005 , 14, 1-3		132
76	Psychiatric out-patients seen once only in South Verona and Western Australia: a comparative case-register study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 414-22	2.6	7
75	Heterogeneity of outcomes in schizophrenia. 3-year follow-up of treated prevalent cases. <i>British Journal of Psychiatry</i> , 2004 , 184, 48-57	5.4	34
74	Does meeting needs improve quality of life?. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 183-9	9.4	105
73	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. The South Verona Outcome Project 8. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 60-8	4.5	38

72	Needs for care of patients with schizophrenia and the consequences for their informal caregivers- results from the EPSILON multi centre study on schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 251-8	4.5	20
71	Effect of second-generation antipsychotics on employment and productivity in individuals with schizophrenia: an economic perspective. <i>Pharmacoeconomics</i> , 2004 , 22, 701-18	4.4	27
70	The personal impact of schizophrenia in Europe. <i>Schizophrenia Research</i> , 2004 , 69, 125-32	3.6	147
69	The reliability of the Mini-International Neuropsychiatric Interview--Italian version. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 561-3	1.7	60
68	Components of a modern mental health service: a pragmatic balance of community and hospital care: overview of systematic evidence. <i>British Journal of Psychiatry</i> , 2004 , 185, 283-90	5.4	283
67	Satisfaction with mental health services among people with schizophrenia in five European sites: results from the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 229-45	1.3	74
66	People with schizophrenia in five countries: conceptual similarities and intercultural differences in family caregiving. <i>Schizophrenia Bulletin</i> , 2003 , 29, 573-86	1.3	66
65	Clinical interventions for treatment non-adherence in psychosis: meta-analysis. <i>British Journal of Psychiatry</i> , 2003 , 183, 197-206	5.4	127
64	Describing, explaining or predicting mental health care costs: a guide to regression models. Methodological review. <i>British Journal of Psychiatry</i> , 2003 , 183, 398-404	5.4	70
63	Integrating evaluative research and community-based mental health care in Verona, Italy. <i>British Journal of Psychiatry</i> , 2003 , 183, 167-9	5.4	51
62	Varying and "atypical" indications for atypical antipsychotics. <i>Psychopharmacology</i> , 2003 , 169, 205-6	4.7	21
61	The implications of epidemiology for service planning in schizophrenia 2002 , 411-426		
60	Identification of depression by medical and surgical general hospital physicians. <i>General Hospital Psychiatry</i> , 2002 , 24, 4-11	5.6	34
59	Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenie in fünf europäischen Zentren. <i>Zeitschrift Für Gesundheitswissenschaften</i> , 2002 , 10, 72-94	1.4	
58	Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 42-54	6.5	89
57	The conduct of successful multi-site EU collaborative research: the Epsilon Study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 2-5		1
56	Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. <i>British Journal of Psychiatry</i> , 2002 , 181, 331-8	5.4	76
55	Does community care decrease length of stay and risk of rehospitalization in new patients with schizophrenia disorders? A comparative case register study in Groningen, The Netherlands; Victoria, Australia; and South-Verona, Italy. <i>Schizophrenia Bulletin</i> , 2002 , 28, 273-81	1.3	42

54	To what extent do mental health services meet patients' needs and provide satisfactory care?. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 193-199	4.9	11
53	Gender differences in living with schizophrenia. A cross-sectional European multi-site study. <i>Schizophrenia Research</i> , 2002 , 57, 191-200	3.6	35
52	The EPSILON Study - a study of care for people with schizophrenia in five European centres. <i>World Psychiatry</i> , 2002 , 1, 45-7	14.4	7
51	Balancing community-based and hospital-based mental health care. <i>World Psychiatry</i> , 2002 , 1, 84-90	14.4	62
50	A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 370-9	6.5	68
49	The psychiatrist as archaeologist and architect. <i>Advances in Psychiatric Treatment</i> , 2001 , 7, 81-82		
48	Aims, outcome measures, study sites and patient sample. EPSILON Study 1. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s1-7	5.4	28
47	Development, internal consistency and reliability of the Verona Service Satisfaction Scale--European Version. EPSILON Study 7. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s41-8	5.4	77
46	Using health production functions to evaluate treatment effectiveness: an application to a community mental health service. <i>Health Economics (United Kingdom)</i> , 2000 , 9, 373-83	2.4	10
45	Definition and prevalence of severe and persistent mental illness. <i>British Journal of Psychiatry</i> , 2000 , 177, 149-55	5.4	312
44	Detection and management of mental distress and psychiatric disorders in primary care settings. <i>Epidemiologia E Psichiatria Sociale</i> , 1999 , 8, 92-104		5
43	Prevalence and 12-month outcome of threshold and subthreshold mental disorders in primary care. <i>Journal of Affective Disorders</i> , 1999 , 56, 37-48	6.6	70
42	Translating ethical principles into outcome measures for mental health service research. <i>Psychological Medicine</i> , 1999 , 29, 761-7	6.9	30
41	The EPSILON study of schizophrenia in five European countries. Design and methodology for standardising outcome measures and comparing patterns of care and service costs. <i>British Journal of Psychiatry</i> , 1999 , 175, 514-21	5.4	63
40	The Mental Health Matrix: A Manual to Improve Services 1999 ,		110
39	Multidimensional assessment of outcome in psychiatry: the use of graphical displays. The South-Verona Project 2. <i>International Journal of Methods in Psychiatric Research</i> , 1998 , 7, 186-198	4.3	5
38	The history and development of community psychiatry. <i>European Psychiatry</i> , 1998 , 13, 179s-179s	6	1
37	A conceptual framework for mental health services: the matrix model. <i>Psychological Medicine</i> , 1998 , 28, 503-8	6.9	83

36	Psychiatric case registers for monitoring service utilisation and evaluating its costs. <i>Epidemiologia E Psichiatria Sociale Monograph Supplement</i> , 1997 , 6, 177-98		4
35	Identification of psychiatric distress by primary care physicians. <i>General Hospital Psychiatry</i> , 1997 , 19, 411-8	5.6	28
34	ICAP. An interview for collecting data for the evaluation of psychiatric care costs. <i>Epidemiologia E Psichiatria Sociale</i> , 1996 , 5, 201-205		5
33	Episodes of care for first-ever psychiatric patients. A long-term case-register evaluation in a mainly urban area. <i>British Journal of Psychiatry</i> , 1995 , 167, 220-7	5.4	57
32	Mortality among patients with psychiatric illness. A ten-year case register study in an area with a community-based system of care. <i>British Journal of Psychiatry</i> , 1995 , 166, 783-8	5.4	68
31	A comparison of community-based care for schizophrenia in south Verona and south Manchester. <i>British Journal of Psychiatry</i> , 1995 , 166, 344-52	5.4	28
30	Lo studio internazionale multicentrico dell'Organizzazione Mondiale della Sanità sui disturbi psichici nella medicina generale: risultati relativi all'area di Verona. <i>Epidemiologia E Psichiatria Sociale</i> , 1995 , 4, 27-50		6
29	Evaluating costs of mental illness in Italy. The development of a methodology and possible applications. <i>Epidemiologia E Psichiatria Sociale</i> , 1995 , 4, 145-162		8
28	Comprehensive community care without long stay beds in mental hospitals: trends from an Italian good practice area. <i>Canadian Journal of Psychiatry</i> , 1993 , 38, 187-94	4.8	12
27	Urban-rural differences in the associations between social deprivation and psychiatric service utilization in schizophrenia and all diagnoses: a case-register study in Northern Italy. <i>Psychological Medicine</i> , 1993 , 23, 487-96	6.9	89
26	Validity and test-retest reliability of the Italian version of the 12-item General Health Questionnaire in general practice: a comparison between three scoring methods. <i>Comprehensive Psychiatry</i> , 1993 , 34, 198-205	7.3	191
25	Confronti e prospettive nella utilizzazione dei Registri Psichiatrici dei Casi. <i>Epidemiologia E Psichiatria Sociale</i> , 1992 , 1, 133-148		6
24	Stagionalità, condizioni lavorative e suicidio in Italia. Una rassegna delle ricerche epidemiologiche più recenti. <i>Epidemiologia E Psichiatria Sociale</i> , 1992 , 1, 191-197		
23	Patterns of care for chronic patients after the Italian psychiatric reform. A longitudinal case register study. <i>Social Science and Medicine</i> , 1990 , 31, 815-22	5.1	18
22	Excess mortality by natural causes of Italian schizophrenic patients. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1990 , 239, 361-5		26
21	Measuring the treatment environment of a psychiatric ward and a community mental health center after the Italian reform. <i>Community Mental Health Journal</i> , 1990 , 26, 193-204	2.1	8
20	Italian Psychiatric Care. <i>Journal of the Royal Society of Medicine</i> , 1990 , 83, 476-477	2.3	1
19	Psychiatric Reform in Italy: Implications for the Treatment of Long-Term Schizophrenic Patients. <i>International Perspectives Series: Psychiatry, Psychology, and Neurosciences</i> , 1990 , 315-329		1

18	Mobility of schizophrenic patients, non-psychotic patients and the general population in a case register area. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1989 , 24, 271-4	4.5	21
17	The demand for extramural psychiatric intervention in a community-based service. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1989 , 238, 220-4		10
16	The spectrum of psychiatric morbidity in a defined geographical area. <i>Psychological Medicine</i> , 1989 , 19, 765-70	6.9	28
15	Seasonal variation in suicide: is there a sex difference?. <i>Psychological Medicine</i> , 1989 , 19, 199-203	6.9	72
14	Long-stay and long-term psychiatric patients in an area with a community-based system of care. A register follow-up study. <i>International Journal of Social Psychiatry</i> , 1987 , 33, 251-62	8.5	29
13	The Italian experience and its implications. <i>Psychological Medicine</i> , 1987 , 17, 283-9	6.9	97
12	Suicide and the Italian psychiatric reform: an appraisal of two data collection systems. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1987 , 236, 237-40		23
11	Psychotropic drug use in Italy: national trends and regional differences. <i>Psychological Medicine</i> , 1986 , 16, 841-50	6.9	18
10	Beginning the journey:1-4		
9	Mental health of the population and care in the community5-18		
8	The historical context19-30		
7	The ethical base for mental health care31-48		
6	The evidence base for mental health care49-70		
5	The geographical dimension:111-120		
4	The time dimension:129-140		
3	The time dimension:141-152		
2	Community psychiatry and service delivery models498-514		
1	Psychiatric Out-Patients Seen Once Only in South Verona and Western Australia: A Comparative Case-Register Study		2

