Cdric Delporte

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1174673/cedric-delporte-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54	1,215 citations	19	34
papers		h-index	g-index
58	1,501 ext. citations	4.7	4.3
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
54	Unexpected Role of MPO-Oxidized LDLs in Atherosclerosis: In between Inflammation and Its Resolution. <i>Antioxidants</i> , 2022 , 11, 874	7.1	1
53	Targeted and Untargeted Mass Spectrometry-Based Metabolomics for Chemical Profiling of Three Coffee Species. <i>Molecules</i> , 2022 , 27, 3152	4.8	0
52	Development of Neutralizing Multimeric Nanobody Constructs Directed against IL-13: From Immunization to Lead Optimization. <i>Journal of Immunology</i> , 2021 , 207, 2608-2620	5.3	O
51	Effects of hyperoxia and cardiovascular risk factors on myocardial ischaemia-reperfusion injury: a randomized, sham-controlled parallel study. <i>Experimental Physiology</i> , 2021 , 106, 1249-1262	2.4	0
50	Evaluation of Cocoa Bean Shell Antimicrobial Activity: A Tentative Assay Using a Metabolomic Approach for Active Compound Identification. <i>Planta Medica</i> , 2021 , 87, 841-849	3.1	O
49	Untargeted metabolomics approach to discriminate mistletoe commercial products. <i>Scientific Reports</i> , 2021 , 11, 14205	4.9	4
48	Analysis of Glycoproteins by ATR-FTIR Spectroscopy: Comparative Assessment. <i>Methods in Molecular Biology</i> , 2021 , 2271, 361-374	1.4	
47	Fc Glycosylation Characterization of Human Immunoglobulins G Using Immunocapture and LC-MS. <i>Methods in Molecular Biology</i> , 2021 , 2271, 57-71	1.4	1
46	Mass Spectrometry for the Monitoring of Lipoprotein Oxidations by Myeloperoxidase in Cardiovascular Diseases. <i>Molecules</i> , 2021 , 26,	4.8	1
45	Acute effects of hypouricemia on endothelium, oxidative stress, and arterial stiffness: A randomized, double-blind, crossover study. <i>Physiological Reports</i> , 2021 , 9, e15018	2.6	0
44	Coffee Leaves: An Upcoming Novel Food?. <i>Planta Medica</i> , 2021 , 87, 949-963	3.1	3
43	M2 Monocyte Polarization in Dialyzed Patients Is Associated with Increased Levels of M-CSF and Myeloperoxidase-Associated Oxidative Stress: Preliminary Results. <i>Biomedicines</i> , 2021 , 9,	4.8	1
42	FTIR spectroscopy as an analytical tool to compare glycosylation in therapeutic monoclonal antibodies. <i>Analytica Chimica Acta</i> , 2020 , 1112, 62-71	6.6	17
41	A new potential anti-cancer beta-carboline derivative decreases the expression levels of key proteins involved in glioma aggressiveness: A proteomic investigation. <i>Drug Development Research</i> , 2020 , 81, 32-42	5.1	4
40	Polyphenolic and Methylxanthine Bioaccessibility of Cocoa Bean Shell Functional Biscuits: Metabolomics Approach and Intestinal Permeability through Caco-2 Cell Models. <i>Antioxidants</i> , 2020 , 9,	7.1	6
39	Dysregulation of Macropinocytosis Processes in Glioblastomas May Be Exploited to Increase Intracellular Anti-Cancer Drug Levels: The Example of Temozolomide. <i>Cancers</i> , 2019 , 11,	6.6	16
38	Severe Hypouricemia Impairs Endothelium-Dependent Vasodilatation and Reduces Blood Pressure in Healthy Young Men: A Randomized, Placebo-Controlled, and Crossover Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e013130	6	18

(2016-2019)

37	Validation of a LC/MSMS method for simultaneous quantification of 9 nucleotides in biological matrices. <i>Talanta</i> , 2019 , 193, 206-214	6.2	12
36	Myeloperoxidase-catalyzed oxidation of cyanide to cyanate: A potential carbamylation route involved in the formation of atherosclerotic plaques?. <i>Journal of Biological Chemistry</i> , 2018 , 293, 6374-	63 ⁵⁸ 6	26
35	The other myeloperoxidase: Emerging functions. Archives of Biochemistry and Biophysics, 2018, 649, 1-	144.1	25
34	Data on myeloperoxidase-oxidized low-density lipoproteins stimulation of cells to induce release of resolvin-D1. <i>Data in Brief</i> , 2018 , 18, 1160-1171	1.2	1
33	Native and myeloperoxidase-oxidized low-density lipoproteins act in synergy to induce release of resolvin-D1 from endothelial cells. <i>Atherosclerosis</i> , 2018 , 272, 108-117	3.1	16
32	Identification of coffee leaves using FT-NIR spectroscopy and SIMCA. <i>Talanta</i> , 2018 , 177, 4-11	6.2	48
31	Metabolomics fingerprint of coffee species determined by untargeted-profiling study using LC-HRMS. <i>Food Chemistry</i> , 2018 , 245, 603-612	8.5	41
30	Differential Effects of E-Cigarette on Microvascular Endothelial Function, Arterial Stiffness and Oxidative Stress: A Randomized Crossover Trial. <i>Scientific Reports</i> , 2018 , 8, 10378	4.9	79
29	Myeloperoxidase promotes tube formation, triggers ERK1/2 and Akt pathways and is expressed endogenously in endothelial cells. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 654, 55-69	4.1	12
28	Electrochemical Studies of Ethoxyquin and its Determination in Salmon Samples by Flow Injection Analysis with an Amperometric Dual Detector. <i>Electroanalysis</i> , 2018 , 30, 1293-1302	3	6
27	Determination of Three Main Chlorogenic Acids in Water Extracts of Coffee Leaves by Liquid Chromatography Coupled to an Electrochemical Detector. <i>Antioxidants</i> , 2018 , 7,	7.1	9
26	LC-MS analysis combined with principal component analysis and soft independent modelling by class analogy for a better detection of changes in N-glycosylation profiles of therapeutic glycoproteins. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 477-485	4.4	13
25	Batch-to-batch N-glycosylation study of infliximab, trastuzumab and bevacizumab, and stability study of bevacizumab. <i>European Journal of Hospital Pharmacy</i> , 2017 , 24, 286-292	1.6	19
24	The presence of modified nucleosides in extracellular fluids leads to the specific incorporation of 5-chlorocytidine into RNA and modulates the transcription and translation. <i>Molecular and Cellular Biochemistry</i> , 2017 , 429, 59-71	4.2	5
23	The waste of saffron crop, a cheap source of bioactive compounds. <i>Journal of Functional Foods</i> , 2017 , 35, 341-351	5.1	20
23		5.1 6.8	20
	2017, 35, 341-351 Novel bis-arylalkylamines as myeloperoxidase inhibitors: Design, synthesis, and structure-activity		

Phosphatidylethanolamine Is a Key Regulator of Membrane Fluidity in Eukaryotic Cells. <i>Journal of Biological Chemistry</i> , 2016 , 291, 3658-67	5.4	170
Methylprednisolone-Induced Lymphocytosis in Patients with Immune-Mediated Inflammatory Disorders. <i>American Journal of Medicine</i> , 2016 , 129, 746-752.e3	2.4	6
Liquid chromatography-quadrupole time of flight tandem mass spectrometry-based targeted metabolomic study for varietal discrimination of grapes according to plant sterols content. <i>Journal of Chromatography A</i> , 2016 , 1454, 67-77	4.5	21
Validation of a sensitive LC/MSMS method for chloronucleoside analysis in biological matrixes and its applications. <i>Talanta</i> , 2016 , 154, 322-8	6.2	7
Glycan characterization of biopharmaceuticals: Updates and perspectives. <i>Analytica Chimica Acta</i> , 2016 , 921, 13-27	6.6	53
Comparative analysis of monoclonal antibody N-glycosylation using stable isotope labelling and UPLC-fluorescence-MS. <i>Analyst, The</i> , 2015 , 140, 1442-7	5	18
Multidomain human peroxidasin 1 is a highly glycosylated and stable homotrimeric high spin ferric peroxidase. <i>Journal of Biological Chemistry</i> , 2015 , 290, 10876-90	5.4	19
Advancement in stationary phase for peptide separation helps in protein identification: application to atheroma plaque proteomics using nano-chip liquid chromatography and mass spectrometry. Journal of Chromatography A, 2015, 1385, 116-23	4.5	11
Hybrid molecules inhibiting myeloperoxidase activity and serotonin reuptake: a possible new approach of major depressive disorders with inflammatory syndrome. <i>Journal of Pharmacy and Pharmacology</i> , 2014 , 66, 1122-32	4.8	12
Myeloperoxidase and its products in synovial fluid of patients with treated or untreated rheumatoid arthritis. <i>Free Radical Research</i> , 2014 , 48, 461-5	4	29
Impact of myeloperoxidase-LDL interactions on enzyme activity and subsequent posttranslational oxidative modifications of apoB-100. <i>Journal of Lipid Research</i> , 2014 , 55, 747-57	6.3	47
	6.3	47 58
oxidative modifications of apoB-100. <i>Journal of Lipid Research</i> , 2014 , 55, 747-57 Low-density lipoprotein modified by myeloperoxidase in inflammatory pathways and clinical		
oxidative modifications of apoB-100. <i>Journal of Lipid Research</i> , 2014 , 55, 747-57 Low-density lipoprotein modified by myeloperoxidase in inflammatory pathways and clinical studies. <i>Mediators of Inflammation</i> , 2013 , 2013, 971579 Myeloperoxidase-dependent LDL modifications in bloodstream are mainly predicted by angiotensin II, adiponectin, and myeloperoxidase activity: a cross-sectional study in men. <i>Mediators of</i>	4.3	58
oxidative modifications of apoB-100. <i>Journal of Lipid Research</i> , 2014 , 55, 747-57 Low-density lipoprotein modified by myeloperoxidase in inflammatory pathways and clinical studies. <i>Mediators of Inflammation</i> , 2013 , 2013, 971579 Myeloperoxidase-dependent LDL modifications in bloodstream are mainly predicted by angiotensin II, adiponectin, and myeloperoxidase activity: a cross-sectional study in men. <i>Mediators of Inflammation</i> , 2013 , 2013, 750742 Ophiobolin A, a sesterterpenoid fungal phytotoxin, displays higher in vitro growth-inhibitory effects in mammalian than in plant cells and displays in vivo antitumor activity. <i>International Journal</i>	4.3	58 7
oxidative modifications of apoB-100. <i>Journal of Lipid Research</i> , 2014 , 55, 747-57 Low-density lipoprotein modified by myeloperoxidase in inflammatory pathways and clinical studies. <i>Mediators of Inflammation</i> , 2013 , 2013, 971579 Myeloperoxidase-dependent LDL modifications in bloodstream are mainly predicted by angiotensin II, adiponectin, and myeloperoxidase activity: a cross-sectional study in men. <i>Mediators of Inflammation</i> , 2013 , 2013, 750742 Ophiobolin A, a sesterterpenoid fungal phytotoxin, displays higher in vitro growth-inhibitory effects in mammalian than in plant cells and displays in vivo antitumor activity. <i>International Journal of Oncology</i> , 2013 , 43, 575-85 Simultaneous measurement of protein-bound 3-chlorotyrosine and homocitrulline by LC-MS/MS after hydrolysis assisted by microwave: application to the study of myeloperoxidase activity during	4·3 4·3 4·4	58 7 29
oxidative modifications of apoB-100. Journal of Lipid Research, 2014, 55, 747-57 Low-density lipoprotein modified by myeloperoxidase in inflammatory pathways and clinical studies. Mediators of Inflammation, 2013, 2013, 971579 Myeloperoxidase-dependent LDL modifications in bloodstream are mainly predicted by angiotensin II, adiponectin, and myeloperoxidase activity: a cross-sectional study in men. Mediators of Inflammation, 2013, 2013, 750742 Ophiobolin A, a sesterterpenoid fungal phytotoxin, displays higher in vitro growth-inhibitory effects in mammalian than in plant cells and displays in vivo antitumor activity. International Journal of Oncology, 2013, 43, 575-85 Simultaneous measurement of protein-bound 3-chlorotyrosine and homocitrulline by LC-MS/MS after hydrolysis assisted by microwave: application to the study of myeloperoxidase activity during hemodialysis. Talanta, 2012, 99, 603-9 N-(2-{3-[3,5-bis(trifluoromethyl)phenyl]ureido}ethyl)-glycyrrhetinamide (6b): a novel anticancer glycyrrhetinic acid derivative that targets the proteasome and displays anti-kinase activity. Journal	4·3 4·3 4·4 6.2	58 7 29 22
	Liquid chromatography-quadrupole time of flight tandem mass spectrometry-based targeted metabolomic study for varietal discrimination of grapes according to plant sterols content. <i>Journal of Chromatography A</i> , 2016 , 1454, 67-77 Validation of a sensitive LC/MSMS method for chloronucleoside analysis in biological matrixes and its applications. <i>Talanta</i> , 2016 , 154, 322-8 Glycan characterization of biopharmaceuticals: Updates and perspectives. <i>Analytica Chimica Acta</i> , 2016 , 921, 13-27 Comparative analysis of monoclonal antibody N-glycosylation using stable isotope labelling and UPLC-fluorescence-MS. <i>Analyst, The</i> , 2015 , 140, 1442-7 Multidomain human peroxidasin 1 is a highly glycosylated and stable homotrimeric high spin ferric peroxidase. <i>Journal of Biological Chemistry</i> , 2015 , 290, 10876-90 Advancement in stationary phase for peptide separation helps in protein identification: application to atheroma plaque proteomics using nano-chip liquid chromatography and mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1385, 116-23 Hybrid molecules inhibiting myeloperoxidase activity and serotonin reuptake: a possible new approach of major depressive disorders with inflammatory syndrome. <i>Journal of Pharmacy and Pharmacology</i> , 2014 , 66, 1122-32 Myeloperoxidase and its products in synovial fluid of patients with treated or untreated	Liquid chromatography-quadrupole time of flight tandem mass spectrometry-based targeted metabolomic study for varietal discrimination of grapes according to plant sterols content. Journal of Chromatography A, 2016, 1454, 67-77 Validation of a sensitive LC/MSMS method for chloronucleoside analysis in biological matrixes and its applications. Talanta, 2016, 154, 322-8 Glycan characterization of biopharmaceuticals: Updates and perspectives. Analytica Chimica Acta, 2016, 921, 13-27 Comparative analysis of monoclonal antibody N-glycosylation using stable isotope labelling and UPLC-fluorescence-MS. Analyst, The, 2015, 140, 1442-7 Multidomain human peroxidasin 1 is a highly glycosylated and stable homotrimeric high spin ferric peroxidase. Journal of Biological Chemistry, 2015, 290, 10876-90 Advancement in stationary phase for peptide separation helps in protein identification: application to atheroma plaque proteomics using nano-chip liquid chromatography and mass spectrometry. Journal of Chromatography A, 2015, 1385, 116-23 Hybrid molecules inhibiting myeloperoxidase activity and serotonin reuptake: a possible new approach of major depressive disorders with inflammatory syndrome. Journal of Pharmacy and Pharmacology, 2014, 66, 1122-32 Myeloperoxidase and its products in synovial fluid of patients with treated or untreated

Copper and myeloperoxidase-modified LDLs activate Nrf2 through different pathways of ROS production in macrophages. *Antioxidants and Redox Signaling*, **2010**, 13, 1491-502

8.4 24