
Paul Devroey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11749656/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High fertilization and implantation rates after intracytoplasmic sperm injection. Human Reproduction, 1993, 8, 1061-1066.	0.4	1,136
2	Primary ovarian insufficiency. Lancet, The, 2010, 376, 911-921.	6.3	569
3	Higher success rate by intracytoplasmic sperm injection than by subzonal insemination. Report of a second series of 300 consecutive treatment cycles. Human Reproduction, 1993, 8, 1055-1060.	0.4	534
4	Infertility and the provision of infertility medical services in developing countries. Human Reproduction Update, 2008, 14, 605-621.	5.2	499
5	Neonatal data on a cohort of 2889 infants born after ICSI (1991-1999) and of 2995 infants born after IVF (1983-1999). Human Reproduction, 2002, 17, 671-694.	0.4	485
6	Comparison of blastocyst transfer with or without preimplantation genetic diagnosis for aneuploidy screening in couples with advanced maternal age: a prospective randomized controlled trial. Human Reproduction, 2004, 19, 2849-2858.	0.4	485
7	An OHSS-Free Clinic by segmentation of IVF treatment. Human Reproduction, 2011, 26, 2593-2597.	0.4	428
8	Sperm characteristics and outcome of human assisted fertilization by subzonal insemination and intracytoplasmic sperm injection. Fertility and Sterility, 1993, 59, 826-835.	0.5	373
9	Andrology: Conventional in-vitro fertilization versus intracytoplasmic sperm injection for patients requiring microsurgical sperm aspiration. Human Reproduction, 1994, 9, 1705-1709.	0.4	367
10	Prenatal testing in ICSI pregnancies: incidence of chromosomal anomalies in 1586 karyotypes and relation to sperm parameters. Human Reproduction, 2002, 17, 2600-2614.	0.4	366
11	Multiple birth resulting from ovarian stimulation for subfertility treatment. Lancet, The, 2005, 365, 1807-1816.	6.3	361
12	In Vitro Fertilization with Single Blastocyst-Stage versus Single Cleavage-Stage Embryos. New England Journal of Medicine, 2006, 354, 1139-1146.	13.9	356
13	Microsurgical epididymal sperm aspiration and intracytoplasmic sperm injection: a new effective approach to infertility as a result of congenital bilateral absence of the vas deferens. Fertility and Sterility, 1994, 61, 1045-1051.	0.5	327
14	Effect of ovarian stimulation with recombinant follicle-stimulating hormone, gonadotropin releasing hormone antagonists, and human chorionic gonadotropin on endometrial maturation on the day of oocyte pick-up. Fertility and Sterility, 2002, 78, 1025-1029.	0.5	323
15	Using ejaculated, fresh, and frozen-thawed epididymal and testicular spermatozoa gives rise to comparable results after intracytoplasmic sperm injection. Fertility and Sterility, 1995, 63, 808-815.	0.5	315
16	Normal fertilization of human oocytes after testicular sperm extraction and intracytoplasmic sperm injection. Fertility and Sterility, 1994, 62, 639-641.	0.5	298
17	Incidence and prediction of ovarian hyperstimulation syndrome in women undergoing gonadotropin-releasing hormone antagonist in vitro fertilization cycles. Fertility and Sterility, 2006, 85, 112-120.	0.5	298
18	The endometrium in stimulated cycles for IVF. Human Reproduction Update, 2003, 9, 515-522.	5.2	292

#	Article	IF	CITATIONS
19	Clinical outcome following stimulation with highly purified hMG or recombinant FSH in patients undergoing IVF: a randomized assessor-blind controlled trial. Human Reproduction, 2006, 21, 3217-3227.	0.4	274
20	Live birth rates after transfer of equal number of blastocysts or cleavage-stage embryos in IVF. A systematic review and meta-analysis. Human Reproduction, 2008, 23, 91-99.	0.4	255
21	Comparison of different doses of gonadotropin-releasing hormone antagonist Cetrorelix during controlled ovarian hyperstimulation. Fertility and Sterility, 1997, 67, 917-922.	0.5	233
22	Genetics: The use of epididymal and testicular spermatozoa for intracytoplasmic sperm injection: the genetic implications for male infertility. Human Reproduction, 1995, 10, 2031-2043.	0.4	230
23	Reproductive biology and IVF: ovarian stimulation and luteal phase consequences. Trends in Endocrinology and Metabolism, 2003, 14, 236-242.	3.1	223
24	Influence of individual sperm morphology on fertilization, embryo morphology, and pregnancy outcome of intracytoplasmic sperm injection. Fertility and Sterility, 2003, 79, 42-48.	0.5	220
25	Seven years of intracytoplasmic sperm injection and follow-up of 1987 subsequent children. Human Reproduction, 1999, 14, 243-264.	0.4	218
26	Genetics: Testicular sperm recovery in nine 47,XXY Klinefelter patients. Human Reproduction, 1996, 11, 1644-1649.	0.4	217
27	Reproductive biology and IVF: ovarian stimulation and endometrial receptivity. Trends in Endocrinology and Metabolism, 2004, 15, 84-90.	3.1	217
28	Minimal ovarian stimulation for IVF: appraisal of potential benefits and drawbacks. Human Reproduction, 1999, 14, 2681-2686.	0.4	211
29	Forty years of IVF. Fertility and Sterility, 2018, 110, 185-324.e5.	0.5	211
30	Endometrial evaluation by aspiration biopsy on the day of oocyte retrieval in the embryo transfer cycles in patients with serum progesterone rise during the follicular phase. Fertility and Sterility, 1997, 67, 521-526.	0.5	208
31	Normal pregnancies resulting from testicular sperm extraction and intracytoplasmic sperm injection for azoospermia due to maturation arrest. Fertility and Sterility, 1996, 66, 110-117.	0.5	207
32	Thyroid Dysfunction and Autoimmunity in Infertile Women. Thyroid, 2002, 12, 997-1001.	2.4	202
33	A systematic review of randomized trials forÂtheÂtreatment of poor ovarian responders: isÂthereÂany light at the end of the tunnel?. Fertility and Sterility, 2011, 96, 1058-1061.e7.	0.5	195
34	Live birth rate is significantly higher after blastocyst transfer than after cleavage-stage embryo transfer when at least four embryos are available on day 3 of embryo culture. A randomized prospective study. Human Reproduction, 2005, 20, 3198-3203.	0.4	188
35	Diagnostic efficiency, embryonic development and clinical outcome after the biopsy of one or two blastomeres for preimplantation genetic diagnosis. Human Reproduction, 2008, 23, 481-492.	0.4	181
36	The relationship between embryo quality and the occurrence of multiple pregnancies. Fertility and Sterility, 1992, 57, 626-630.	0.5	178

#	Article	IF	CITATIONS
37	Severe ovarian hyperstimulation syndrome after gonadotropin-releasing hormone (GnRH) agonist trigger and "freeze-all―approach in GnRH antagonist protocol. Fertility and Sterility, 2014, 101, 1008-1011.	0.5	159
38	Exposure to high levels of luteinizing hormone and estradiol in the early follicular phase of gonadotropin-releasing hormone antagonist cycles is associated with a reduced chance of pregnancy. Fertility and Sterility, 2003, 79, 873-880.	0.5	156
39	Preserving the reproductive potential of men and boys with cancer: current concepts and future prospects. Human Reproduction Update, 2004, 10, 525-532.	5.2	155
40	The impact of chronic endometritis on reproductive outcome. Fertility and Sterility, 2011, 96, 1451-1456.	0.5	151
41	Blastocyst formation in in vitro fertilization versus intracytoplasmic sperm injection cycles: Influence of the fertilization procedure. Fertility and Sterility, 2005, 83, 1397-1403.	0.5	150
42	Infertility therapy-associated multiple pregnancies (births): an ongoing epidemic. Reproductive BioMedicine Online, 2003, 7, 515-542.	1.1	149
43	Pregnancy and birth after intracytoplasmic sperm injection of in vitro matured germinal-vesicle stage oocytes: case report**Supported by grants by the Belgian Fund for Medical Research, Brussels, Belgium. Fertility and Sterility, 1996, 65, 1047-1050.	0.5	145
44	Andrology: Successful fertilization and establishment of pregnancies after intracytoplasmic sperm injection in patients with globozoospermia. Human Reproduction, 1995, 10, 626-629.	0.4	143
45	Early and late ovarian hyperstimulation syndrome: early pregnancy outcome and profile. Human Reproduction, 2005, 20, 636-641.	0.4	140
46	Prolongation of the follicular phase in in vitro fertilization results in a lower ongoing pregnancy rate in cycles stimulated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone antagonists. Fertility and Sterility, 2004, 82, 102-107.	0.5	137
47	Progesterone rise on the day of human chorionic gonadotropin administration impairs pregnancy outcome in day 3 single-embryo transfer, while has no effect on day 5 single blastocyst transfer. Fertility and Sterility, 2009, 91, 949-952.	0.5	136
48	Assisted Reproduction and Thyroid Autoimmunity: An Unfortunate Combination?. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 4149-4152.	1.8	135
49	Cryopreserved-thawed human embryo transfer: spontaneous natural cycle is superior to human chorionic gonadotropin–induced natural cycle. Fertility and Sterility, 2010, 94, 2054-2058.	0.5	134
50	Preimplantation genetic diagnosis for aneuploidy screening in patients with unexplained recurrent miscarriages. Fertility and Sterility, 2005, 83, 393-397.	0.5	130
51	Fertilization and early embryology: Ongoing pregnancies and birth after intracytoplasmic sperm injection with frozen—thawed epididymal spermatozoa. Human Reproduction, 1995, 10, 903-906.	0.4	128
52	Steroid receptor expression in late follicular phase endometrium in GnRH antagonist IVF cycles is already altered, indicating initiation of early luteal phase transformation in the absence of secretory changes. Human Reproduction, 2005, 20, 1541-1547.	0.4	126
53	Premature luteinization in in vitro fertilization cycles using gonadotropin-releasing hormone agonist (GnRH-a) and recombinant follicle-stimulating hormone (FSH) and GnRH-a and urinary FSH. Fertility and Sterility, 1996, 66, 275-280.	0.5	125
54	Sertoli cell only revisited. Human Reproduction, 1995, 10, 1031-1032.	0.4	124

#	Article	IF	CITATIONS
55	No differences in outcome after intracytoplasmic sperm injection with fresh or with frozenthawed epididymal spermatozoa. Human Reproduction, 1999, 14, 90-95.	0.4	120
56	Improving the patient's experience of IVF/ICSI: a proposal for an ovarian stimulation protocol with GnRH antagonist co-treatment. Human Reproduction, 2008, 24, 764-774.	0.4	119
57	Intracytoplasmic sperm injection with testicular spermatozoa is less successful in men with nonobstructive azoospermia than in men with obstructive azoospermia. Fertility and Sterility, 2003, 79, 529-533.	0.5	114
58	A randomized assessor-blind trial comparing highly purified hMG andÂrecombinant FSH in a GnRH antagonist cycle with compulsory single-blastocyst transfer. Fertility and Sterility, 2012, 97, 561-571.	0.5	113
59	Results from the International Consensus Conference on Myo-inositol and d-chiro-inositol in Obstetrics and Gynecology: the link between metabolic syndrome and PCOS. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 195, 72-76.	0.5	108
60	Intracytoplasmic sperm injection versus in vitro fertilization: a randomized controlled trial and a meta-analysis of the literature. Fertility and Sterility, 2002, 78, 1030-1037.	0.5	106
61	Live delivery rates in subfertile women with Asherman's syndrome after hysteroscopic adhesiolysis using the resectoscope or the Versapoint system. Reproductive BioMedicine Online, 2004, 8, 720-725.	1.1	106
62	The luteal phase of nonsupplemented cycles after ovarian superovulation with human menopausal gonadotropin and the gonadotropin-releasing hormone antagonist Cetrorelixâ^—. Fertility and Sterility, 1998, 70, 357-359.	0.5	103
63	PREGNANCY AFTER TRANSLAPAROSCOPIC ZYGOTE INTRAFALLOPIAN TRANSFER IN A PATIENT WITH SPERM ANTIBODIES. Lancet, The, 1986, 327, 1329.	6.3	102
64	Prospectively randomized controlled trial of PGS in IVF/ICSI patients with poor implantation. Reproductive BioMedicine Online, 2008, 17, 848-854.	1.1	102
65	Impact of Ovarian Hyperstimulation on Thyroid Function in Women with and without Thyroid Autoimmunity. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 3808-3812.	1.8	101
66	A novel method of luteal supplementation with recombinant luteinizing hormone when a gonadotropin-releasing hormone agonist is used instead of human chorionic gonadotropin for ovulation triggering: a randomized prospective proof of concept study. Fertility and Sterility, 2011, 95, 1174-1177.	0.5	101
67	Performance of different embryo transfer catheters in a human in vitro fertilization program*. Fertility and Sterility, 1989, 52, 79-84.	0.5	99
68	The luteal phase after ovarian stimulation. Reproductive BioMedicine Online, 2002, 5, 26-35.	1.1	98
69	The use of testicular sperm for intracytoplasmic sperm injection in patients with necrozoospermia**Supported by grants from the Belgian Fund for Medical Research, Brussels, Belgium Fertility and Sterility, 1996, 66, 331-334.	0.5	96
70	Abnormal endometrial development occurs during the luteal phase of nonsupplemented donor cycles treated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone antagonists. Fertility and Sterility, 2003, 80, 464-466.	0.5	95
71	An improved treatment procedure for testicular biopsy specimens offers more efficient sperm recovery: Case series. Fertility and Sterility, 1997, 68, 376-379.	0.5	94
72	Human Oocytes Reversibly Arrested in Prophase I by Phosphodiesterase Type 3 Inhibitor In Vitro1. Biology of Reproduction, 2003, 69, 1042-1052.	1.2	92

#	Article	IF	CITATIONS
73	Effect of oral contraceptive pill pretreatment on ongoing pregnancy rates in patients stimulated with GnRH antagonists and recombinant FSH for IVF. A randomized controlled trial. Human Reproduction, 2006, 21, 352-357.	0.4	89
74	Cumulative delivery rates after intracytoplasmic sperm injection: 5 year follow-up of 498 patients. Human Reproduction, 1999, 14, 2651-2655.	0.4	86
75	Endocrinology: Subtle progesterone rise after the administration of the gonadotrophin-releasing hormone antagonist Cetrorelix in intracytoplasmic sperm injection cycles. Human Reproduction, 1996, 11, 1405-1407.	0.4	84
76	Association of estradiol levels on the day of hCG administration and pregnancy achievement in IVF: a systematic review. Human Reproduction, 2004, 19, 2446-2453.	0.4	84
77	Human chorionic gonadotropin administration vs. luteinizing monitoring for intrauterine insemination timing, after administration of clomiphene citrate: a meta-analysis. Fertility and Sterility, 2007, 87, 607-612.	0.5	84
78	The four blastomeres of a 4-cell stage human embryo are able to develop individually into blastocysts with inner cell mass and trophectoderm. Human Reproduction, 2008, 23, 1742-1747.	0.4	84
79	In GnRH antagonist/rec-FSH stimulated cycles, advanced endometrial maturation on the day of oocyte retrieval correlates with altered gene expression. Human Reproduction, 2009, 24, 1085-1091.	0.4	84
80	Obstetric outcome of pregnancies after the transfer of cryopreserved and fresh embryos obtained by conventional in-vitro fertilization and intracytoplasmic sperm injection. Human Reproduction, 1999, 14, 2619-2624.	0.4	83
81	Preimplantation genetic diagnosis for aneuploidy screening in women older than 37 years. Fertility and Sterility, 2005, 84, 319-324.	0.5	83
82	Similar ovulation rates, but different follicular development with highly purified menotrophin compared with recombinant FSH in WHO Group II anovulatory infertility: a randomized controlled study. Human Reproduction, 2006, 21, 1798-1804.	0.4	82
83	Comparison of LH concentrations in the early and mid-luteal phase in IVF cycles after treatment with HMG alone or in association with the GnRH antagonist Cetrorelix. Human Reproduction, 2001, 16, 663-667.	0.4	80
84	Cryopreservation of supernumerary multicellular human embryos obtained after intracytoplasmic sperm injection. Fertility and Sterility, 1994, 62, 775-780.	0.5	79
85	Prolongation of follicular phase by delaying hCG administration results in a higher incidence of endometrial advancement on the day of oocyte retrieval in GnRH antagonist cycles. Human Reproduction, 2005, 20, 2453-2456.	0.4	79
86	Getting pregnant after tubal sterilization: surgical reversal or IVF?. Human Reproduction, 2007, 22, 2660-2664.	0.4	79
87	Andrology: Intracytoplasmic sperm injection does not require special treatment pf the spermatozoa. Human Reproduction, 1994, 9, 1127-1130.	0.4	77
88	Human embryonic stem cell lines derived from single blastomeres of two 4-cell stage embryos. Human Reproduction, 2009, 24, 2709-2717.	0.4	77
89	Human trophectoderm cells are not yet committed. Human Reproduction, 2013, 28, 740-749.	0.4	75
90	Comparison of in-vitro fertilization in male and tubal infertility: a 3 year survey*. Human Reproduction, 1992, 7, 218-222.	0.4	73

#	Article	IF	CITATIONS
91	Modified natural cycle for IVF does not offer a realistic chance of parenthood in poor responders with high day 3 FSH levels, as a last resort prior to oocyte donation. Human Reproduction, 2004, 19, 2545-2549.	0.4	73
92	HLA-G Expression in Human Embryonic Stem Cells and Preimplantation Embryos. Journal of Immunology, 2011, 186, 2663-2671.	0.4	73
93	Prediction of Ovarian Hyperstimulation Syndrome in Patients Treated with Corifollitropin alfa or rFSH in a GnRH Antagonist Protocol. PLoS ONE, 2016, 11, e0149615.	1.1	73
94	Monozygotic twinning is not increased after single blastocyst transfer compared with single cleavage-stage embryo transfer. Fertility and Sterility, 2010, 93, 592-597.	0.5	72
95	Endometrial hormone receptors and proliferation index in the periovulatory phase of stimulated embryo transfer cycles in comparison with natural cycles and relation to clinical pregnancy outcome. Fertility and Sterility, 2002, 78, 237-244.	0.5	68
96	Why is the clinical acceptance of gonadotropin-releasing hormone antagonist cotreatment during ovarian hyperstimulation for in vitro fertilization so slow?. Fertility and Sterility, 2005, 83, 1607-1611.	0.5	68
97	New candidate genes to predict pregnancy outcome in single embryo transfer cycles when using cumulus cell gene expression. Fertility and Sterility, 2012, 98, 432-439.e4.	0.5	68
98	Results from the International Consensus Conference on myo-inositol and D-chiro-inositol in Obstetrics and Gynecology – assisted reproduction technology. Gynecological Endocrinology, 2015, 31, 441-446.	0.7	66
99	Aromatase inhibitors in ovarian stimulation for IVF/ICSI: a pilot study. Reproductive BioMedicine Online, 2006, 13, 166-172.	1.1	63
100	Developmental stage on day-5 and fragmentation rate on day-3 can influence the implantation potential of top-quality blastocysts in IVF cycles with single embryo transfer. Reproductive Biology and Endocrinology, 2007, 5, 2.	1.4	63
101	In vitro fertilization techniques with frozen-thawed sperm: a method for preserving the progenitive potential of Hodgkin patients. Fertility and Sterility, 1991, 55, 443-445.	0.5	59
102	Initiation of Gonadotropin-Releasing Hormone Antagonist on Day 1 as Compared to Day 6 of Stimulation: Effect on Hormonal Levels and Follicular Development inin VitroFertilization Cycles. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 5632-5637.	1.8	59
103	Exogenous luteinizing hormone activity may influence the treatment outcome in in vitro fertilization but not in intracytoplasmic sperm injection cycles. Fertility and Sterility, 2004, 81, 1401-1404.	0.5	59
104	Alternative approaches in IVF. Human Reproduction Update, 2002, 8, 1-9.	5.2	57
105	Pentoxifylline is not useful in enhancing sperm function in cases with previous in vitro fertilization failure. Fertility and Sterility, 1993, 59, 210-215.	0.5	56
106	Pregnancy: Analysis of the risk factors with regard to the occurrence of ectopic pregnancy after medically assisted procreation. Human Reproduction, 1993, 8, 1284-1287.	0.4	56
107	Triggering final oocyte maturation using different doses of human chorionic gonadotropin: a randomized pilot study in patients with polycystic ovary syndrome treated with gonadotropin-releasing hormone antagonists and recombinant follicle-stimulating hormone. Fertility and Sterility. 2007. 88, 1382-1388.	0.5	56
108	First live birth after ovarian stimulation using a chimeric long-acting human recombinant follicle-stimulating hormone (FSH) agonist (recFSH-CTP) for in vitro fertilization. Fertility and Sterility, 2003, 79, 621-623.	0.5	55

#	Article	IF	CITATIONS
109	The experience of two European preimplantation genetic diagnosis centres on human leukocyte antigen typing. Human Reproduction, 2008, 24, 732-740.	0.4	55
110	Ovulation Induction Disrupts Luteal Phase Function. Annals of the New York Academy of Sciences, 2001, 943, 55-63.	1.8	54
111	Intracytoplasmic sperm injection. Bailliere's Clinical Obstetrics and Gynaecology, 1994, 8, 85-93.	0.6	53
112	Outcome of pregnancies after intracytoplasmic sperm injection and the effect of sperm origin and quality on this outcome. Fertility and Sterility, 1998, 70, 500-505.	0.5	53
113	Clinical validation of a closed vitrification system in an oocyte-donation programme. Reproductive BioMedicine Online, 2012, 24, 180-185.	1.1	53
114	Bilateral salpingectomy does not compromise ovarian stimulation in an in-vitro fertilization/embryo transfer programme. Human Reproduction, 1994, 9, 624-628.	0.4	52
115	Luteal hormonal profile of oocyte donors stimulated with a GnRH antagonist compared with natural cycles. Reproductive BioMedicine Online, 2006, 13, 326-330.	1.1	52
116	Human embryo viability after freezing with dimethylsulfoxide as a cryoprotectant. Fertility and Sterility, 1989, 51, 460-465.	0.5	51
117	Assisted fertilization: Use of assisted fertilization. Human Reproduction, 1993, 8, 1784-1785.	0.4	50
118	Effect of human chorionic gonadotropin on luteal luteinizing hormone concentrations in natural cycles. Fertility and Sterility, 2003, 80, 654-655.	0.5	50
119	Early pregnancy loss is significantly higher after day 3 single embryo transfer than after day 5 single blastocyst transfer in GnRH antagonist stimulated IVF cycles. Reproductive BioMedicine Online, 2006, 12, 60-65.	1.1	50
120	Is earlier administration of human chorionic gonadotropin (hCG) associated with the probability ofÂpregnancy in cycles stimulated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone (GnRH) antagonists? A prospective randomized trial. Fertility and Sterility, 2011, 96, 1112-1115.	0.5	49
121	Zygote intrafallopian transfer as a successful treatment for unexplained infertility**Supported by grant 3.0036.85 from the Belgian Fund for Medical Scientific Research Fertility and Sterility, 1989, 52, 246-249.	0.5	48
122	Cumulative delivery rates in different age groups after artificial insemination with donor sperm. Human Reproduction, 2009, 24, 1891-1899.	0.4	48
123	Prospective, auto-controlled study on reinsemination of failed-fertilized oocytes by intracytoplasmic sperm injection. Fertility and Sterility, 1995, 64, 1130-1135.	0.5	47
124	Vaginal progesterone supplementation has no effect on ongoing pregnancy rate in hCG-induced natural frozen–thawed embryo transfer cycles. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 150, 175-179.	0.5	47
125	Time of insemination and its effect on in-vitro fertilization, cleavage and pregnancy rates in GnRH agonist/HMG-stimulated cycles. Human Reproduction, 1989, 4, 921-926.	0.4	46
126	An open, randomized single-centre study to compare the efficacy and convenience of follitropin beta administered by a pen device with follitropin alpha administered by a conventional syringe in women undergoing ovarian stimulation for IVF/ICSI. Human Reproduction, 2003, 18, 1200-1204.	0.4	46

#	Article	IF	CITATIONS
127	Spontaneous pregnancies in couples who discontinued intracytoplasmic sperm injection treatment: a 5-year follow-up study. Fertility and Sterility, 2002, 78, 550-556.	0.5	45
128	Slow controlled-rate freezing of sequentially cultured human blastocysts: an evaluation of two freezing strategies. Human Reproduction, 2005, 20, 2939-2945.	0.4	45
129	Treatment of infertility because of oligoasthenoteratospermia by transcervical intrauterine insemination of motile spermatozoa. Fertility and Sterility, 1986, 45, 388-391.	0.5	43
130	Pregnancy: Effect of pentoxifylline on implantation and post-implantation development of mouse embryos in vitro. Human Reproduction, 1993, 8, 1948-1954.	0.4	43
131	Effect of clomiphene citrate on follicular and luteal phase luteinizing hormone concentrations in in vitro fertilization cycles stimulated with gonadotropins and gonadotropin-releasing hormone antagonist. Fertility and Sterility, 2002, 77, 733-737.	0.5	42
132	Highly purified FSH is as efficacious as recombinant FSH for ovulation induction in women with WHO Group II anovulatory infertility: a randomized controlled non-inferiority trial. Human Reproduction, 2007, 22, 1816-1823.	0.4	41
133	Corifollitropin alfa followed by rFSH in a GnRH antagonist protocol for poor ovarian responder patients: anÂobservational pilot study. Fertility and Sterility, 2013, 99, 422-426.	0.5	41
134	Fertilization and early embryology: Effects of pentoxifylline on in-vitro development of preimplantation mouse embryos. Human Reproduction, 1993, 8, 1475-1480.	0.4	40
135	Corifollitropin alfa doses based on body weight: clinical overview of drug exposure and ovarian response. Reproductive BioMedicine Online, 2011, 23, 150-159.	1.1	40
136	Protect us from poor-quality medical research. Human Reproduction, 2018, 33, 770-776.	0.4	40
137	Embryo reduction in triplet pregnancies after assisted procreation: a comparative study**Supported by grants from the Belgian Fund for Medical Scientific Research, Brussels, Belgium Fertility and Sterility, 1993, 60, 504-509.	0.5	39
138	Prospective randomized study on the cryopreservation of human embryos with dimethylsulfoxide or 1,2-propanediol protocols. Fertility and Sterility, 1995, 63, 92-100.	0.5	38
139	Blastocyst culture: facts and fictions. Reproductive BioMedicine Online, 2002, 5, 285-293.	1.1	38
140	Effects and clinical significance of GnRH antagonist administration for IUI timing in FSH superovulated cycles: a meta-analysis. Fertility and Sterility, 2008, 90, 367-372.	0.5	38
141	Oestradiol valerate pretreatment in GnRH-antagonist cycles: a randomized controlled trial. Reproductive BioMedicine Online, 2012, 24, 272-280.	1.1	38
142	The incidence of multiple pregnancy after in vitro fertilization and embryo transfer, gamete, or zygote intrafallopian transfer. Fertility and Sterility, 1991, 55, 314-318.	0.5	37
143	Amplification of X-and Y-chromosome-specific regions from single human blastomeres by polymerase chain reaction for sexing of preimplantation embryos. Human Reproduction, 1994, 9, 716-720.	0.4	37
144	Cumulative delivery rates after ICSI treatment cycles with freshly retrieved testicular sperm: a 7-year follow-up study. Human Reproduction, 2003, 18, 1836-1840.	0.4	37

#	Article	IF	CITATIONS
145	GnRH antagonists in IVF. Reproductive BioMedicine Online, 2005, 10, 705-712.	1.1	37
146	Zygote intrafallopian transfer or in vitro fertilization and embryo transfer for the treatment of male-factor infertility: a prospective randomized trial. Fertility and Sterility, 1992, 58, 344-350.	0.5	36
147	Failure of fertilization after intracytoplasmic sperm injection in a patient with Kartagener's syndrome and totally immotile spermatozoa: Case Report. Human Reproduction, 1999, 14, 2517-2518.	0.4	35
148	Mild ovarian stimulation with clomiphene citrate launch is a realistic option for inÂvitro fertilization. Fertility and Sterility, 2015, 104, 333-338.	0.5	35
149	Seminoma discovered in two males undergoing successful testicular sperm extraction for intracytoplasmic sperm injection. Fertility and Sterility, 1996, 65, 1051-1054.	0.5	34
150	Cumulative delivery rates after ICSI in women aged >37 years. Human Reproduction, 2002, 17, 940-944.	0.4	33
151	Effect of repeated assisted reproductive technology cycles on ovarian response. Fertility and Sterility, 2002, 77, 967-970.	0.5	33
152	Ex-vivo oocyte retrieval for fertility preservation. Fertility and Sterility, 2011, 95, 1787.e15-1787.e17.	0.5	33
153	Spontaneous triggering of ovulation versus HCG administration in patients undergoing IUI: a prospective randomized study. Reproductive BioMedicine Online, 2012, 25, 278-283.	1.1	33
154	Polymerase chain reaction analysis of the cystic fibrosis ΔF508 mutation in human blastomeres following oocyte injection of a single sperm from a carrier. Prenatal Diagnosis, 1993, 13, 873-880.	1.1	32
155	The luteal phase of recombinant follicle-stimulating hormone/gonadotropin-releasing hormone antagonist in vitro fertilization cycles during supplementation with progesterone or progesterone and estradiol. Fertility and Sterility, 2007, 87, 504-508.	0.5	32
156	Pregnancy Prediction in Single Embryo Transfer Cycles after ICSI Using QPCR: Validation in Oocytes from the Same Cohort. PLoS ONE, 2013, 8, e54226.	1.1	32
157	Avoidance of multiple pregnancies after ovulation induction by supernumerary preovulatory follicular reduction. Fertility and Sterility, 2001, 76, 820-822.	0.5	31
158	Estrogen and folliculogenesis: is one necessary for the other?. Current Opinion in Obstetrics and Gynecology, 2005, 17, 249-253.	0.9	31
159	Human serum albumin versus serum: a comparative study on embryo transfer medium*â€*Presented in part at the 45th Annual Meeting of The American Fertility Society, San Francisco, California, November 13 to 16, 1989.â€Supported by grant 3.0036.85 from the Belgian Fund for Medical Scientific Research, Brussels. Belgium Fertility and Sterility. 1991. 56. 98-101.	0.5	30
160	In vitro fertilization in couples with previous fertilization failure using sperm incubated with pentoxifylline and 2-deoxyadenosine. Fertility and Sterility, 1994, 62, 574-579.	0.5	29
161	High exposure to progesterone between the end of menstruation and the day of triggering final oocyte maturation is associated with a decreased probability of pregnancy in patients treated by inÂvitro fertilization and intracytoplasmic sperm injection. Fertility and Sterility, 2011, 96, 884-888.	0.5	29
162	Follicular Phase Endocrine Characteristics during Ovarian Stimulation and GnRH Antagonist Cotreatment for IVF: RCT Comparing recFSH Initiated on Cycle Day 2 or 5. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 1122-1128.	1.8	29

#	Article	IF	CITATIONS
163	Efficiency of polymerase chain reaction assay for cystic fibrosis in single human blastomeres according to the presence or absence of nuclei. Fertility and Sterility, 1993, 59, 815-819.	0.5	28
164	Andrology: An indiscriminate use of pentoxifylline does not improve in-vitro fertilization in poor fertilizers. Human Reproduction, 1994, 9, 1289-1292.	0.4	28
165	Mouse in vitro fertilization using sperm treated with pentoxifylline and 2-deoxyadenosine. Fertility and Sterility, 1994, 62, 644-647.	0.5	28
166	Highly purified HMG versus recombinant FSH for ovarian stimulation in IVF cycles. Reproductive BioMedicine Online, 2008, 17, 190-198.	1.1	28
167	Impact of the Ovarian Hyperstimulation Syndrome on Thyroid Function. Thyroid, 2008, 18, 801-802.	2.4	28
168	Large prospective, pregnancy and infant follow-up trial assures the health of 1000 fetuses conceived after treatment with the GnRH antagonist ganirelix during controlled ovarian stimulation. Human Reproduction, 2010, 25, 1433-1440.	0.4	28
169	Assisted procreation in the presence of a positive direct mixed antiglobulin reaction test. Fertility and Sterility, 1989, 52, 645-649.	0.5	27
170	The early luteal phase administration of estrogen and progesterone does not induce premature luteolysis in normo-ovulatory women. European Journal of Endocrinology, 2006, 155, 355-363.	1.9	27
171	Subsidized in-vitro fertilization treatment and the effect on the number of egg sharers. Reproductive BioMedicine Online, 2006, 13, 8-10.	1.1	26
172	Histologic and Functional Aspects of the Endometrium in the Implantatory Phase. Gynecologic and Obstetric Investigation, 2007, 64, 131-133.	0.7	25
173	Reproductive outcome of polycystic ovarian syndrome patients treated with GnRH antagonists and recombinant FSH for IVF/ICSI. Reproductive BioMedicine Online, 2003, 7, 313-318.	1.1	24
174	Predicting the FSH threshold dose in women with WHO Group II anovulatory infertility failing to ovulate or conceive on clomiphene citrate. Human Reproduction, 2008, 23, 1424-1430.	0.4	24
175	Corifollitropin alfa in a long GnRH agonist protocol: proof of concept trial. Fertility and Sterility, 2010, 94, 1922-1924.	0.5	24
176	Sex Steroid Hormones and Reproductive Disorders. Reproductive Sciences, 2011, 18, 702-712.	1.1	24
177	Does the time interval between antimüllerian hormone serum sampling and initiation of ovarianÂstimulation affect its predictive ability in inÂvitro fertilization–intracytoplasmic spermÂinjection cycles with a gonadotropin-releasing hormone antagonist? A retrospective single-center study. Fertility and Sterility. 2013. 100. 438-444.	0.5	24
178	Duration of gonadotropin-releasing hormone antagonist administration does not affect the outcome of subsequent frozen-thawed cycles. Fertility and Sterility, 2004, 81, 473-475.	0.5	22
179	LH concentrations do not correlate with pregnancy in rFSH/GnRH antagonist cycles. Reproductive BioMedicine Online, 2010, 20, 565-567.	1.1	22
180	Administration of a gonadotropin-releasing hormone antagonist during the 3 days before the initiation of the in vitro fertilization/intracytoplasmic sperm injection treatment cycle: impact on ovarian stimulation. A pilot study. Fertility and Sterility, 2011, 95, 1714-1719.e2.	0.5	22

#	Article	IF	CITATIONS
181	No association between endogenous LH and pregnancy in a GnRH antagonist protocol: part I, corifollitropin alfa. Reproductive BioMedicine Online, 2011, 23, 449-456.	1.1	22
182	Pentoxifylline in idiopathic male-factor infertility: a review of its therapeutic efficacy after oral administration. Human Reproduction, 1994, 9, 996-1000.	0.4	21
183	The influence of pentoxifylline on motility and viability of spermatozoa from normozoospermic semen samples. Journal of Developmental and Physical Disabilities, 1994, 17, 1-8.	3.6	21
184	A comparison of live birth rates and cumulative ongoing pregnancy rates between Europe and North America after ovarian stimulation with corifollitropin alfa or recombinant follicle-stimulating hormone. Fertility and Sterility, 2012, 97, 1351-1358.	0.5	21
185	Administration of gonadotropin-releasing hormone antagonist from day 1 of stimulation in in vitro fertilization. Fertility and Sterility, 2004, 82, 223-226.	0.5	20
186	First singleton term birth after ovarian superovulation with rhFSH. Lancet, The, 1992, 340, 1108-1109.	6.3	19
187	Children Born After Assisted Reproductive Technology. American Journal of Perinatology, 2002, 19, 059-066.	0.6	19
188	The impact of LH serum concentration on the clinical outcome of IVF cycles in patients receiving two regimens of clomiphene citrate/gonadotrophin/0.25 mg cetrorelix. Reproductive BioMedicine Online, 2003, 6, 421-426.	1.1	19
189	Emerging drugs in assisted reproduction. Expert Opinion on Emerging Drugs, 2005, 10, 425-440.	1.0	19
190	Preimplantation genetic diagnosis for myotonic dystrophy type 1: upon request to child. European Journal of Human Genetics, 2009, 17, 1403-1410.	1.4	19
191	Success rate in gamete intrafallopian transfer using low and high concentrations of washed spermatozoa*â€. Fertility and Sterility, 1988, 50, 922-927.	0.5	18
192	In-vitro fertilization, gamete- or zygote intra-Fallopian transfer for the treatment of male infertility. Human Reproduction, 1991, 6, 263-266.	0.4	18
193	Rescue IVF and coasting with the use of a GnRH antagonist after ovulation induction. Reproductive BioMedicine Online, 2002, 5, 273-275.	1.1	17
194	Endometrial integrin expression in the early luteal phase in natural and stimulated cycles for in vitro fertilization. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 108, 67-71.	0.5	17
195	Gene expression during successful implantation in a natural cycle. Fertility and Sterility, 2010, 93, 268.e15-268.e18.	0.5	16
196	Outcome for donors and recipients in two egg-sharing policies. Fertility and Sterility, 2003, 79, 69-73.	0.5	15
197	Hysteroscopic septum resection using the Versapoint system in subfertile women. Reproductive BioMedicine Online, 2003, 7, 365-367.	1.1	15
198	Higher birth rate after recombinant hCG triggering compared with urinary-derived hCG in single-blastocyst IVF antagonist cycles: a randomized controlled trial. Fertility and Sterility, 2010, 94, 2902-2904.	0.5	15

#	Article	IF	CITATIONS
199	Fertilization and early embryology: The effect of pentoxifylline on mouse in-vitro fertilization and early embryonic development. Human Reproduction, 1994, 9, 1903-1908.	0.4	14
200	GnRH antagonists. Fertility and Sterility, 2000, 73, 15-17.	0.5	14
201	Conadotropin-releasing hormone antagonist: how good is the new hope?. Current Opinion in Obstetrics and Gynecology, 2001, 13, 257-262.	0.9	14
202	PGD for aneuploidy screening: an expensive hoax?. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2007, 21, 157-168.	1.4	14
203	Gene expression profile in the endometrium on the day of oocyte retrieval after ovarian stimulation with low-dose hCG in the follicular phase. Molecular Human Reproduction, 2011, 17, 33-41.	1.3	14
204	Significantly lower ectopic pregnancy rates after frozen embryo transfer: implications toward segmentation of inÂvitro fertilization treatment. Fertility and Sterility, 2012, 98, 1419-1420.	0.5	14
205	Preimplantation aneuploidy screening: a research tool for now. Lancet, The, 2007, 370, 1985-1986.	6.3	13
206	Elective single embryo transfer. The Obstetrician and Gynaecologist, 2008, 10, 163-169.	0.2	13
207	The reproductive outcome of female patients with myotonic dystrophy type 1 (DM1) undergoing PGD is not affected by the size of the expanded CTG repeat tract. Journal of Assisted Reproduction and Genetics, 2010, 27, 327-333.	1.2	13
208	In vitro fertilization pregnancy in a patient with proven chronic endometritis. Fertility and Sterility, 2009, 91, 1293.e9-1293.e11.	0.5	12
209	Transfer of cryopreserved - thawed embryos in hCG induced natural or clomiphene citrate cycles yields similar live birth rates in normo-ovulatory women. Journal of Assisted Reproduction and Genetics, 2010, 27, 683-689.	1.2	12
210	Administration of GnRH Antagonists in Case of Elevated Progesterone at Initiation of the Cycle: A Prospective Cohort Study. Current Pharmaceutical Biotechnology, 2011, 12, 423-428.	0.9	12
211	Should a single blastocyst transfer policy be a clinical decision or should it depend on the embryological evaluation on day 3?. Reproductive Biology and Endocrinology, 2011, 9, 60.	1.4	12
212	Semen Cryobanking for Men With Cancer. Fertility and Sterility, 1993, 60, 197-198.	0.5	11
213	Effect of transuterine puncture during transvaginal oocyte retrieval on the results of human in-vitro fertilization. Human Reproduction, 1989, 4, 790-793.	0.4	10
214	7 Cryopreservation of human embryos. Bailliere's Clinical Obstetrics and Gynaecology, 1992, 6, 313-325.	0.6	10
215	Amplification of exon 11 of the gene for the α-chain of ß-N-acetylhexosaminidase in single human blastomeres*â€. Fertility and Sterility, 1995, 63, 407-409.	0.5	10
216	Relationship between LH and oestradiol in IVF cycles before GnRH antagonist initiation. Reproductive BioMedicine Online, 2003, 7, 190-193.	1,1	10

#	Article	IF	CITATIONS
217	GnRH antagonists in poor responders. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 1216-1217.	1.3	10
218	Cumulative live birth rates after transfer of cryopreserved ICSI embryos. Reproductive BioMedicine Online, 2004, 8, 344-348.	1.1	9
219	The effect of pneumoperitoneum gases on fertilization, cleavage and pregnancy in human in-vitro fertilization and gamete intra-Fallopian transfer. Human Reproduction, 1989, 4, 323-326.	0.4	8
220	Is there any need for diagnostic laparoscopy in couples undergoing intracytoplasmic sperm injection for severe male-factor infertility?. Journal of Assisted Reproduction and Genetics, 1998, 15, 79-83.	1.2	8
221	No relationship between the type of pituitary suppression for IVF and chromosomal abnormality rates of blastomeres: an observational study. Fertility and Sterility, 2011, 95, 563-567.	0.5	8
222	Comparison of transfers to Fallopian tubes or uterus after ICSI. Reproductive BioMedicine Online, 2003, 7, 82-85.	1.1	7
223	Corifollitropin alfa or rFSH treatment flexibility options for controlled ovarian stimulation: a post hoc analysis of the Engage trial. Reproductive Biology and Endocrinology, 2013, 11, 52.	1.4	7
224	Low tolerance for complications. Fertility and Sterility, 2013, 100, 299-301.	0.5	7
225	GnRH antagonists in poor responders. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 1216-1217.	1.3	7
226	Cyclooxygenase-2 network as predictive molecular marker for clinical pregnancy in in vitro fertilization. Fertility and Sterility, 2011, 95, 448-451.e2.	0.5	6
227	Prospective follow-up of 838 fetuses conceived after ovarian stimulation with corifollitropin alfa: comparative and overall neonatal outcome. Human Reproduction, 2012, 27, 2177-2185.	0.4	5
228	Prenatal genetic testing by amniocentesis appears to result in a lower risk of fetal loss than chorionic villus sampling in singleton pregnancies achieved by intracytoplasmic sperm injection. Fertility and Sterility, 2003, 79, 374-378.	0.5	4
229	Menstruation-free interval and ongoing pregnancy in IVF using GnRH antagonists. Human Reproduction, 2006, 21, 1012-1017.	0.4	4
230	The effect of pentoxifylline on in-vitro fertilization in the presence of anti-sperm antibodies. Journal of Reproductive Immunology, 1994, 27, 187-197.	0.8	3
231	AMH for predicting poor ovarian responders in GnRH antagonist cycles. Human Reproduction, 2012, 27, 1876-1877.	0.4	3
232	Follicular and endocrine profiles associated with different GnRH-antagonist regimens: a randomized controlled trial. Reproductive BioMedicine Online, 2012, 24, 153-162.	1.1	3
233	Effect of pentoxifylline on mouse embryos. Human Reproduction, 1994, 9, 566-566.	0.4	2
234	Reply: Comparing highly purified hMG and rFSH in patients undergoing IVF. Human Reproduction, 2007, 22, 1798-1800.	0.4	2

#	Article	IF	CITATIONS
235	No need for luteal phase support in IVF cycles after mild stimulation: proof-of-concept study. Reproductive BioMedicine Online, 2017, 34, 162-165.	1.1	2
236	Do the risks of preimplantation genetic testing for aneuploidy outbalance the benefits?. Der Gynakologe, 2019, 52, 667-672.	1.0	2
237	Replacing HMG/FSH by low-dose HCG to complete corifollitropin alfa stimulation reduces cost per clinical pregnancy: a randomized pragmatic trial. Reproductive BioMedicine Online, 2020, 40, 468-474.	1.1	2
238	Limits of agreement?. Fertility and Sterility, 2004, 82, 1475-1476.	0.5	1
239	Long-acting FSH analogue: Corifollitropin- \hat{l} ± to sustain multifollicular growth during controlled ovarian stimulation. Expert Review of Obstetrics and Gynecology, 2009, 4, 601-605.	0.4	1
240	Prognostic factors for delivery in patients undergoing repeated preimplantation genetic aneuploidy screening. Fertility and Sterility, 2010, 94, 2362-2364.	0.5	1
241	In Vitro Fertilization and Preimplantation Diagnosis. , 1991, , 155-164.		1
242	Reply: Modified natural cycle IVF for poor responders. Human Reproduction, 2005, 20, 2661-2662.	0.4	0
243	The Future of Assisted Reproduction. , 0, , 747-758.		0
244	Arguments against preimplantation aneuploidy screening. Expert Review of Obstetrics and Gynecology, 2009, 4, 115-118.	0.4	0
245	The current status of preimplantation genetic screening. Middle East Fertility Society Journal, 2010, 15, 68-69.	0.5	0
246	Ovulation Induction and Assisted Reproduction. , 2010, , 2407-2416.		0
247	Reply of the Authors: Cryopreserved-thawed human embryo transfer: spontaneous natural cycle is superior to human chorionic gonadotropin-induced natural cycle. Fertility and Sterility, 2010, 94, e34-e34.	0.5	0
248	Pregnancy after intracytoplasmic spermatozoon injection. , 0, , 93-107.		0
249	Should PGD be performed in RPL?. Series in Maternal-fetal Medicine, 2007, , 49-54.	0.1	0
250	The luteal phase. Reproductive Medicine and Assisted Reproductive Techniques Series, 2008, , 297-308.	0.1	0
251	Genetic Problems and Congenital Malformations in 1987 ICSI Children. , 1999, , 282-297.		Ο