Charles Steenbergen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11761718/charles-steenbergen-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers10,588
citations55
h-index101
g-index138
ext. papers11,583
ext. citations8
avg, IF6.19
L-index

#	Paper	IF	Citations
132	Mitochondrial Creatine Kinase Attenuates Pathologic Remodeling in Heart Failure <i>Circulation Research</i> , 2022 , CIRCRESAHA121319648	15.7	1
131	Increased Interleukin 18-Dependent Immune Responses Are Associated With Myopericarditis After COVID-19 mRNA Vaccination <i>Frontiers in Immunology</i> , 2022 , 13, 851620	8.4	2
130	Degradation of Premature-miR-181b by the Translin/Trax RNase Increases Vascular Smooth Muscle Cell Stiffness. <i>Hypertension</i> , 2021 , 78, 831-839	8.5	1
129	Regulation of Mitochondrial Ca Uptake. Annual Review of Physiology, 2021, 83, 107-126	23.1	6
128	Pathology Residency Program Special Expertise Tracks Meet the Needs of an Evolving Field. <i>Academic Pathology</i> , 2021 , 8, 23742895211037034	1.3	О
127	Role of miR-181c in Diet-induced obesity through regulation of lipid synthesis in liver. <i>PLoS ONE</i> , 2021 , 16, e0256973	3.7	1
126	Nuclear-mitochondrial communication involving miR-181c plays an important role in cardiac dysfunction during obesity. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 144, 87-96	5.8	5
125	Endomyocardial Biopsy Characterization of Heart Failure With Preserved Ejection Fraction and Prevalence of Cardiac Amyloidosis. <i>JACC: Heart Failure</i> , 2020 , 8, 712-724	7.9	58
124	Deletion of the microRNA-degrading nuclease, translin/trax, prevents pathogenic vascular stiffness. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H1116-H1124	5.2	8
123	miR-181c Activates Mitochondrial Calcium Uptake by Regulating MICU1 in the Heart. <i>Journal of the American Heart Association</i> , 2019 , 8, e012919	6	15
122	Does p53 Inhibition Suppress Myocardial Ischemia-Reperfusion Injury?. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2018 , 23, 350-357	2.6	13
121	In Vivo Nanovector Delivery of a Heart-specific MicroRNA-sponge. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	3
120	Baseline Characteristics Predict the Presence of Amyloid on Endomyocardial Biopsy. <i>Journal of Cardiac Failure</i> , 2017 , 23, 340-344	3.3	8
119	Divergent Effects of miR-181 Family Members on Myocardial Function Through Protective Cytosolic and Detrimental Mitochondrial microRNA Targets. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	52
118	Exosomal MicroRNA-15a Transfer from the Pancreas Augments Diabetic Complications by Inducing Oxidative Stress. <i>Antioxidants and Redox Signaling</i> , 2017 , 27, 913-930	8.4	80
117	Genetic testing improves identification of transthyretin amyloid (ATTR) subtype in cardiac amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017 , 24, 92-95	2.7	13
116	miR-181b regulates vascular stiffness age dependently in part by regulating TGF-弘ignaling. <i>PLoS ONE</i> , 2017 , 12, e0174108	3.7	46

115	Adenosine A1 receptor activation increases myocardial protein S-nitrosothiols and elicits protection from ischemia-reperfusion injury in male and female hearts. <i>PLoS ONE</i> , 2017 , 12, e0177315	3.7	14
114	Lack of Relationship Between Serum Cardiac Troponin I Level and Giant Cell Myocarditis Diagnosis and Outcomes. <i>Journal of Cardiac Failure</i> , 2016 , 22, 583-5	3.3	15
113	Characterization of the sex-dependent myocardial S-nitrosothiol proteome. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H505-15	5.2	28
112	Additive cardioprotection by pharmacological postconditioning with hydrogen sulfide and nitric oxide donors in mouse heart: S-sulfhydration vs. S-nitrosylation. <i>Cardiovascular Research</i> , 2016 , 110, 96-	-108	40
111	Molecular Signature of Nitroso-Redox Balance in Idiopathic Dilated Cardiomyopathies. <i>Journal of the American Heart Association</i> , 2015 , 4, e002251	6	11
110	ErbB2 overexpression upregulates antioxidant enzymes, reduces basal levels of reactive oxygen species, and protects against doxorubicin cardiotoxicity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H1271-80	5.2	67
109	Sildenafil treatment attenuates ventricular remodeling in an experimental model of aortic regurgitation. <i>SpringerPlus</i> , 2015 , 4, 592		8
108	The NHLBI-sponsored Consortium for preclinicAl assESsment of cARdioprotective therapies (CAESAR): a new paradigm for rigorous, accurate, and reproducible evaluation of putative infarct-sparing interventions in mice, rabbits, and pigs. <i>Circulation Research</i> , 2015 , 116, 572-86	15.7	111
107	Ischaemic preconditioning preferentially increases protein S-nitrosylation in subsarcolemmal mitochondria. <i>Cardiovascular Research</i> , 2015 , 106, 227-36	9.9	63
106	Signaling by S-nitrosylation in the heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 73, 18-25	5.8	57
105	Hydrogen sulfide [corrected] increases survival during sepsis: protective effect of CHOP inhibition. <i>Journal of Immunology</i> , 2014 , 192, 1806-14	5.3	54
104	Postconditioning leads to an increase in protein S-nitrosylation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H825-32	5.2	44
103	Estrogen regulation of protein expression and signaling pathways in the heart. <i>Biology of Sex Differences</i> , 2014 , 5, 6	9.3	28
102	Pivotal role of mTORC2 and involvement of ribosomal protein S6 in cardioprotective signaling. <i>Circulation Research</i> , 2014 , 114, 1268-80	15.7	44
101	miR-181c regulates the mitochondrial genome, bioenergetics, and propensity for heart failure in vivo. <i>PLoS ONE</i> , 2014 , 9, e96820	3.7	104
100	Strengthening the skin with topical delivery of keratinocyte growth factor-1 using a novel DNA plasmid. <i>Molecular Therapy</i> , 2014 , 22, 752-61	11.7	23
99	S-nitrosylation of TRIM72 at cysteine 144 is critical for protection against oxidation-induced protein degradation and cell death. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 69, 67-74	5.8	51
98	Skeletal muscle ATP kinetics are impaired in frail mice. <i>Age</i> , 2014 , 36, 21-30		45

97	Glyceraldehyde-3-phosphate dehydrogenase acts as a mitochondrial trans-S-nitrosylase in the heart. <i>PLoS ONE</i> , 2014 , 9, e111448	3.7	28
96	Sodium Nitrite Fails to Limit Myocardial Infarct Size: Results from the CAESAR Cardioprotection Consortium (LB645). <i>FASEB Journal</i> , 2014 , 28, LB645	0.9	16
95	Administration of Sildenafil at Reperfusion Fails to Reduce Infarct Size: Results from the CAESAR Cardioprotection Consortium (LB650). <i>FASEB Journal</i> , 2014 , 28, LB650	0.9	13
94	Cardioprotection and myocardial reperfusion: pitfalls to clinical application. <i>Circulation Research</i> , 2013 , 113, 464-77	15.7	84
93	Essential role of nitric oxide in acute ischemic preconditioning: S-nitros(yl)ation versus sGC/cGMP/PKG signaling?. <i>Free Radical Biology and Medicine</i> , 2013 , 54, 105-12	7.8	53
92	Did a classic preconditioning study provide a clue to the identity of the mitochondrial permeability transition pore?. <i>Circulation Research</i> , 2013 , 113, 852-5	15.7	5
91	Cyclophilin D modulates mitochondrial acetylome. Circulation Research, 2013, 113, 1308-19	15.7	48
90	Integration and regression of implanted engineered human vascular networks during deep wound healing. Stem Cells Translational Medicine, 2013 , 2, 297-306	6.9	37
89	Creatine kinase-overexpression improves myocardial energetics, contractile dysfunction and survival in murine doxorubicin cardiotoxicity. <i>PLoS ONE</i> , 2013 , 8, e74675	3.7	38
88	Nuclear miRNA regulates the mitochondrial genome in the heart. Circulation Research, 2012, 110, 1596	- 610 ;37	243
87	S-nitrosylation: a radical way to protect the heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 52, 568-77	5.8	79
86	Mitochondrial adenine nucleotide transport and cardioprotection. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 52, 448-53	5.8	14
85	Does the voltage dependent anion channel modulate cardiac ischemia-reperfusion injury?. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 1451-6	3.8	22
84	Creatine kinase overexpression improves ATP kinetics and contractile function in postischemic myocardium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 303, H844-52	5.2	26
83	2011 consensus statement on endomyocardial biopsy from the Association for European		
	Cardiovascular Pathology and the Society for Cardiovascular Pathology. <i>Cardiovascular Pathology</i> , 2012 , 21, 245-74	3.8	321
82	Cardiovascular Pathology and the Society for Cardiovascular Pathology. Cardiovascular Pathology,	3.8	321 61
82	Cardiovascular Pathology and the Society for Cardiovascular Pathology. <i>Cardiovascular Pathology</i> , 2012 , 21, 245-74 Mitochondrial permeability transition pore and calcium handling. <i>Methods in Molecular Biology</i> ,		

(2009-2012)

79	Measurement of S-nitrosylation occupancy in the myocardium with cysteine-reactive tandem mass tags: short communication. <i>Circulation Research</i> , 2012 , 111, 1308-12	15.7	63
78	Creatine kinase-mediated improvement of function in failing mouse hearts provides causal evidence the failing heart is energy starved. <i>Journal of Clinical Investigation</i> , 2012 , 122, 291-302	15.9	108
77	Intramyocardial injection of autologous cardiospheres or cardiosphere-derived cells preserves function and minimizes adverse ventricular remodeling in pigs with heart failure post-myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 455-65	15.1	187
76	Characterization of potential S-nitrosylation sites in the myocardium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 300, H1327-35	5.2	107
75	What makes the mitochondria a killer? Can we condition them to be less destructive?. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011 , 1813, 1302-8	4.9	44
74	Dextran hydrogel scaffolds enhance angiogenic responses and promote complete skin regeneration during burn wound healing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 20976-81	11.5	366
73	Mechanism of cardioprotection: what can we learn from females?. <i>Pediatric Cardiology</i> , 2011 , 32, 354-9	2.1	25
72	Simultaneous measurement of protein oxidation and S-nitrosylation during preconditioning and ischemia/reperfusion injury with resin-assisted capture. <i>Circulation Research</i> , 2011 , 108, 418-26	15.7	129
71	Cysteine 203 of cyclophilin D is critical for cyclophilin D activation of the mitochondrial permeability transition pore. <i>Journal of Biological Chemistry</i> , 2011 , 286, 40184-92	5.4	138
70	Ischemic preconditioning attenuates mitochondrial localization of PTEN induced by ischemia-reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 300, H217	7 7-8 6	32
69	S-nitrosylation of cyclophilin D alters mitochondrial permeability transition pore. <i>FASEB Journal</i> , 2011 , 25, 1033.1	0.9	2
68	Identification of potential S-nitrosylation sites in the myocardium. <i>FASEB Journal</i> , 2011 , 25, 1094.4	0.9	
67	Sex differences in the phosphorylation of mitochondrial proteins result in reduced production of reactive oxygen species and cardioprotection in females. <i>Circulation Research</i> , 2010 , 106, 1681-91	15.7	225
66	Cardioprotection leads to novel changes in the mitochondrial proteome. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H75-91	5.2	47
65	VAMP-1, VAMP-2, and syntaxin-4 regulate ANP release from cardiac myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 49, 791-800	5.8	20
64	Engraftment, differentiation, and functional benefits of autologous cardiosphere-derived cells in porcine ischemic cardiomyopathy. <i>Circulation</i> , 2009 , 120, 1075-83, 7 p following 1083	16.7	333
63	Estrogen receptor-beta activation results in S-nitrosylation of proteins involved in cardioprotection. <i>Circulation</i> , 2009 , 120, 245-54	16.7	114
62	Cardioprotection and altered mitochondrial adenine nucleotide transport. <i>Basic Research in Cardiology</i> , 2009 , 104, 149-56	11.8	28

61	Effect of p38 MAP kinases on contractility and ischemic injury in intact heart. <i>Acta Physiologica Hungarica</i> , 2009 , 96, 307-23		4
60	Male-female differences in post translational modifications of mitochondrial proteins. <i>FASEB Journal</i> , 2009 , 23,	0.9	2
59	Mechanisms underlying acute protection from cardiac ischemia-reperfusion injury. <i>Physiological Reviews</i> , 2008 , 88, 581-609	47.9	1055
58	Glycogen synthase kinase 3 inhibition slows mitochondrial adenine nucleotide transport and regulates voltage-dependent anion channel phosphorylation. <i>Circulation Research</i> , 2008 , 103, 983-91	15.7	150
57	Ion transport and energetics during cell death and protection. <i>Physiology</i> , 2008 , 23, 115-23	9.8	71
56	Signalosomes: delivering cardioprotective signals from GPCRs to mitochondria. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H920-H922	5.2	10
55	Does inhibition of glycogen synthase kinase protect in mice?. Circulation Research, 2008, 103, 226-8	15.7	20
54	Preconditioning: the mitochondrial connection. <i>Annual Review of Physiology</i> , 2007 , 69, 51-67	23.1	191
53	Cardioprotection in females: a role for nitric oxide and altered gene expression. <i>Heart Failure Reviews</i> , 2007 , 12, 293-300	5	56
52	Overexpression of the Na+/H+ exchanger and ischemia-reperfusion injury in the myocardium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H2237-47	5.2	38
51	Gender-based differences in mechanisms of protection in myocardial ischemia-reperfusion injury. <i>Cardiovascular Research</i> , 2007 , 75, 478-86	9.9	176
50	Preconditioning results in S-nitrosylation of proteins involved in regulation of mitochondrial energetics and calcium transport. <i>Circulation Research</i> , 2007 , 101, 1155-63	15.7	310
49	Treatment with an estrogen receptor-beta-selective agonist is cardioprotective. <i>Journal of Molecular and Cellular Cardiology</i> , 2007 , 42, 769-80	5.8	90
48	The Role of Mitochondria in Necrosis Following Myocardial Ischemia-Reperfusion 2007 , 291-301		
47	Preconditioning increases S-nitrosylation of L-type calcium channel and SERCA2a. <i>FASEB Journal</i> , 2007 , 21, A1379	0.9	
46	S-nitrosylation: NO-related redox signaling to protect against oxidative stress. <i>Antioxidants and Redox Signaling</i> , 2006 , 8, 1693-705	8.4	170
45	Hypercontractile female hearts exhibit increased S-nitrosylation of the L-type Ca2+ channel alpha1 subunit and reduced ischemia/reperfusion injury. <i>Circulation Research</i> , 2006 , 98, 403-11	15.7	245
44	Estrogen receptor beta mediates gender differences in ischemia/reperfusion injury. <i>Journal of Molecular and Cellular Cardiology</i> , 2005 , 38, 289-97	5.8	181

43	Bcl-2 regulation of mitochondrial energetics. <i>Trends in Cardiovascular Medicine</i> , 2005 , 15, 283-90	6.9	37
42	Mechanisms of erythropoietin-mediated cardioprotection during ischemia-reperfusion injury: role of protein kinase C and phosphatidylinositol 3-kinase signaling. <i>FASEB Journal</i> , 2005 , 19, 1323-5	0.9	108
41	Protein kinase C and preconditioning: role of the sarcoplasmic reticulum. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H2484-90	5.2	23
40	Estrogen receptor-beta mediates male-female differences in the development of pressure overload hypertrophy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H40	69 ⁵ 76	163
39	Cardiac-specific ablation of the Na+-Ca2+ exchanger confers protection against ischemia/reperfusion injury. <i>Circulation Research</i> , 2005 , 97, 916-21	15.7	136
38	Inhibition of GSK-3beta as a target for cardioprotection: the importance of timing, location, duration and degree of inhibition. <i>Expert Opinion on Therapeutic Targets</i> , 2005 , 9, 447-56	6.4	46
37	The role of beta-adrenergic receptor signaling in cardioprotection. FASEB Journal, 2005, 19, 983-5	0.9	63
36	Erythropoietin receptor expression in adult rat cardiomyocytes is associated with an acute cardioprotective effect for recombinant erythropoietin during ischemia-reperfusion injury. <i>FASEB Journal</i> , 2004 , 18, 1031-3	0.9	191
35	G protein-coupled receptor internalization signaling is required for cardioprotection in ischemic preconditioning. <i>Circulation Research</i> , 2004 , 94, 1133-41	15.7	50
34	Transgenic expression of Bcl-2 modulates energy metabolism, prevents cytosolic acidification during ischemia, and reduces ischemia/reperfusion injury. <i>Circulation Research</i> , 2004 , 95, 734-41	15.7	170
33	Male/female differences in intracellular Na+ regulation during ischemia/reperfusion in mouse heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2004 , 37, 747-53	5.8	23
32	Mechanisms of Erythropoietin-Mediated Cardioprotection during Ischemia-Reperfusion Injury: Role of Protein Kinase C Signaling <i>Blood</i> , 2004 , 104, 2907-2907	2.2	
31	Alterations in apoptotic signaling in human idiopathic cardiomyopathic hearts in failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 284, H268-76	5.2	47
30	Ablation of PLB exacerbates ischemic injury to a lesser extent in female than male mice: protective role of NO. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 284, H683-90	5.2	68
29	Gender differences in sarcoplasmic reticulum calcium loading after isoproterenol. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 285, H2657-62	5.2	53
28	Cause of Death and Sudden Cardiac Death After Heart Transplantation. <i>American Journal of Clinical Pathology</i> , 2003 , 119, 740-748	1.9	22
27	A Role for the Phosphatidylinositol-3-Kinase Pathway in Preconditioning. <i>Progress in Experimental Cardiology</i> , 2003 , 275-282		
26	Is Na/Ca exchange during ischemia and reperfusion beneficial or detrimental?. <i>Annals of the New York Academy of Sciences</i> , 2002 , 976, 421-30	6.5	19

25	Ca(2+) loading and adrenergic stimulation reveal male/female differences in susceptibility to ischemia-reperfusion injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H481-9	5.2	64
24	The role of p38 mitogen-activated protein kinase in myocardial ischemia/reperfusion injury; relationship to ischemic preconditioning. <i>Basic Research in Cardiology</i> , 2002 , 97, 276-85	11.8	94
23	Male and female mice overexpressing the beta(2)-adrenergic receptor exhibit differences in ischemia/reperfusion injury: role of nitric oxide. <i>Cardiovascular Research</i> , 2002 , 53, 662-71	9.9	42
22	Overexpression of A(3) adenosine receptors decreases heart rate, preserves energetics, and protects ischemic hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H1562-8	5.2	44
21	Phosphorylation of glycogen synthase kinase-3beta during preconditioning through a phosphatidylinositol-3-kinasedependent pathway is cardioprotective. <i>Circulation Research</i> , 2002 , 90, 377-9	15.7	312
20	Expression of activated PKC epsilon (PKC epsilon) protects the ischemic heart, without attenuating ischemic H(+) production. <i>Journal of Molecular and Cellular Cardiology</i> , 2002 , 34, 361-7	5.8	73
19	Histological evidence of angiogenesis 9 months after transmyocardial laser revascularization. <i>Circulation</i> , 2001 , 103, 469-71	16.7	28
18	Diazoxide-induced cardioprotection requires signaling through a redox-sensitive mechanism. <i>Circulation Research</i> , 2001 , 88, 802-9	15.7	325
17	Leukocyte-type 12-lipoxygenase-deficient mice show impaired ischemic preconditioning-induced cardioprotection. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 280, H1963-9	5.2	27
16	Inhibition of p38 MAPK alpha/beta reduces ischemic injury and does not block protective effects of preconditioning. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 280, H499-508	5.2	61
15	Ischemic preconditioning activates phosphatidylinositol-3-kinase upstream of protein kinase C. <i>Circulation Research</i> , 2000 , 87, 309-15	15.7	289
14	Preconditioning enhanced glucose uptake is mediated by p38 MAP kinase not by phosphatidylinositol 3-kinase. <i>Journal of Biological Chemistry</i> , 2000 , 275, 11981-6	5.4	66
13	Lipoxygenase metabolism of arachidonic acid in ischemic preconditioning and PKC-induced protection in heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 276, H2094-	1501	22
12	Overexpression of the cardiac beta(2)-adrenergic receptor and expression of a beta-adrenergic receptor kinase-1 (betaARK1) inhibitor both increase myocardial contractility but have differential effects on susceptibility to ischemic injury. <i>Circulation Research</i> , 1999 , 85, 1077-84	15.7	58
11	Overexpression of the cardiac Na+/Ca2+ exchanger increases susceptibility to ischemia/reperfusion injury in male, but not female, transgenic mice. <i>Circulation Research</i> , 1998 , 83, 1215-23	15.7	163
10	Regulation of the Ca2+ gradient across the sarcoplasmic reticulum in perfused rabbit heart. A 19F nuclear magnetic resonance study. <i>Circulation Research</i> , 1998 , 83, 898-907	15.7	54
9	Molecular cloning, expression, and functional significance of a cytochrome P450 highly expressed in rat heart myocytes. <i>Journal of Biological Chemistry</i> , 1997 , 272, 12551-9	5.4	177
8	Decreased intracellular pH is not due to increased H+ extrusion in preconditioned rat hearts. American Journal of Physiology - Heart and Circulatory Physiology, 1997, 273, H2257-62	5.2	15

LIST OF PUBLICATIONS

7	CYP2J subfamily cytochrome P450s in the gastrointestinal tract: expression, localization, and potential functional significance. <i>Molecular Pharmacology</i> , 1997 , 51, 931-43	4.3	116
6	Role of lipoxygenase metabolites in ischemic preconditioning. <i>Circulation Research</i> , 1995 , 76, 457-67	15.7	38
5	A redox-based mechanism for cardioprotection induced by ischemic preconditioning in perfused rat heart. <i>Circulation Research</i> , 1995 , 77, 424-9	15.7	107
4	Glibenclamide does not abolish the protective effect of preconditioning on stunning in the isolated perfused rat heart. <i>Cardiovascular Research</i> , 1993 , 27, 630-7	9.9	35
3	The correlation of mononuclear cell phenotype in endomyocardial biopsies with clinical history and cardiac dysfunction. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 37-44	1.9	21
2	Aspergillus infection of a permanent ventricular pacing lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984 , 7, 361-6	1.6	14

DNA Microarray Gene Profiling: A Tool for the Elucidation of Cardioprotective Genes99-112