

Katja Wingenfeld

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1176281/publications.pdf>

Version: 2024-02-01

165
papers

7,142
citations

81743

39
h-index

74018

75
g-index

175
all docs

175
docs citations

175
times ranked

8842
citing authors

#	ARTICLE	IF	CITATIONS
1	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2010, 122, 86-95.	2.0	1,581
2	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020, 265, 395-401.	2.0	253
3	Increased peripheral NF- κ B pathway activity in women with childhood abuse-related posttraumatic stress disorder. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 13-17.	2.0	159
4	Minimization of Childhood Maltreatment Is Common and Consequential: Results from a Large, Multinational Sample Using the Childhood Trauma Questionnaire. <i>PLoS ONE</i> , 2016, 11, e0146058.	1.1	129
5	The Impact of Self-Reported Childhood Trauma on Emotion Regulation in Borderline Personality Disorder and Major Depression. <i>Journal of Trauma and Dissociation</i> , 2014, 15, 384-401.	1.0	108
6	Stress, Memory, and the Hippocampus. <i>Frontiers of Neurology and Neuroscience</i> , 2014, 34, 109-120.	3.0	103
7	Borderline personality disorder: Hypothalamus pituitary adrenal axis and findings from neuroimaging studies. <i>Psychoneuroendocrinology</i> , 2010, 35, 154-170.	1.3	102
8	Neural correlates of the individual emotional Stroop in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2009, 34, 571-586.	1.3	95
9	HPA Axis Reactivity and Lymphocyte Glucocorticoid Sensitivity in Fibromyalgia Syndrome and Chronic Pelvic Pain. <i>Psychosomatic Medicine</i> , 2008, 70, 65-72.	1.3	92
10	Functional MRI correlates of the recall of unresolved life events in borderline personality disorder. <i>Psychological Medicine</i> , 2006, 36, 845-856.	2.7	91
11	HPA Axis Alterations in Mental Disorders: Impact on Memory and its Relevance for Therapeutic Interventions. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 714-722.	1.9	85
12	Association Between Childhood Trauma and Low Hair Cortisol in Depressed Patients and Healthy Control Subjects. <i>Biological Psychiatry</i> , 2013, 74, e15-e17.	0.7	83
13	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 1659-1668.	1.3	82
14	Effortâ€“reward imbalance and burnout among German nurses in medical compared with psychiatric hospital settings. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 225-233.	1.2	81
15	Early life stress modulates oxytocin effects on limbic system during acute psychosocial stress. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1828-1835.	1.5	80
16	Normal mindâ€“reading capacity but higher response confidence in borderline personality disorder patients. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 322-327.	1.0	76
17	Mineralocorticoid Receptor Stimulation Improves Cognitive Function and Decreases Cortisol Secretion in Depressed Patients and Healthy Individuals. <i>Neuropsychopharmacology</i> , 2015, 40, 386-393.	2.8	76
18	Stress and Memory: A Selective Review on Recent Developments in the Understanding of Stress Hormone Effects on Memory and Their Clinical Relevance. <i>Journal of Neuroendocrinology</i> , 2016, 28, .	1.2	76

#	ARTICLE	IF	CITATIONS
19	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: Results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015, 52, 83-91.	1.3	72
20	Effects of cortisol on cognition in major depressive disorder, posttraumatic stress disorder and borderline personality disorder - 2014 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2015, 51, 282-295.	1.3	72
21	Hair cortisol and cortisol awakening response are associated with criteria of the metabolic syndrome in opposite directions. <i>Psychoneuroendocrinology</i> , 2015, 51, 365-370.	1.3	71
22	The low-dose dexamethasone suppression test in fibromyalgia. <i>Journal of Psychosomatic Research</i> , 2007, 62, 85-91.	1.2	61
23	Enhanced Emotional Empathy after Mineralocorticoid Receptor Stimulation in Women with Borderline Personality Disorder and Healthy Women. <i>Neuropsychopharmacology</i> , 2014, 39, 1799-1804.	2.8	59
24	The diurnal course of salivary alpha-amylase in nurses: An investigation of potential confounders and associations with stress. <i>Biological Psychology</i> , 2010, 85, 179-181.	1.1	54
25	Effects of acute cortisol administration on autobiographical memory in patients with major depression and healthy controls. <i>Psychoneuroendocrinology</i> , 2010, 35, 316-320.	1.3	52
26	Work-related behaviour and experience pattern in nurses: impact on physical and mental health. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 411-417.	1.2	52
27	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019, 29, 501-508.	0.3	50
28	Dexamethasone suppression test in borderline personality disorder – effects of posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2005, 30, 919-923.	1.3	49
29	Psychotic-like cognitive biases in borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 349-354.	0.6	49
30	Childhood Trauma in Multiple Sclerosis. <i>Psychosomatic Medicine</i> , 2012, 74, 312-318.	1.3	49
31	Attentional Bias to Personally Relevant Words in Borderline Personality Disorder is Strongly Related to Comorbid Posttraumatic Stress Disorder. <i>Journal of Personality Disorders</i> , 2009, 23, 141-155.	0.8	48
32	Does cortisol modulate emotion recognition and empathy?. <i>Psychoneuroendocrinology</i> , 2016, 66, 221-227.	1.3	48
33	Salivary Cortisol Release and Hypothalamic Pituitary Adrenal Axis Feedback Sensitivity in Fibromyalgia Is Associated With Depression But Not With Pain. <i>Journal of Pain</i> , 2010, 11, 1195-1202.	0.7	45
34	Hydrocortisone impairs working memory in healthy humans, but not in patients with major depressive disorder. <i>Psychopharmacology</i> , 2011, 215, 71-79.	1.5	44
35	Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. <i>Psychoneuroendocrinology</i> , 2012, 37, 1048-1056.	1.3	44
36	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. <i>Journal of Psychiatric Research</i> , 2020, 123, 1-8.	1.5	41

#	ARTICLE	IF	CITATIONS
37	Gender-specific association between childhood trauma and rheumatoid arthritis: A case-control study. <i>Journal of Psychosomatic Research</i> , 2013, 74, 296-300.	1.2	40
38	Profiles of Childhood Trauma in Patients with Alcohol Dependence and Their Associations with Addiction-Related Problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 543-552.	1.4	40
39	Pro-inflammatory Monocyte Phenotype and Cell-Specific Steroid Signaling Alterations in Unmedicated Patients With Major Depressive Disorder. <i>Frontiers in Immunology</i> , 2018, 9, 2693.	2.2	40
40	Elevated diurnal salivary cortisol in nurses is associated with burnout but not with vital exhaustion. <i>Psychoneuroendocrinology</i> , 2009, 34, 1144-1151.	1.3	38
41	Associations of childhood trauma, trauma in adulthood and previous-year stress with psychopathology in patients with major depression and borderline personality disorder. <i>Child Abuse and Neglect</i> , 2011, 35, 647-654.	1.3	38
42	Overnight urinary cortisol release in women with borderline personality disorder depends on comorbid PTSD and depressive psychopathology. <i>European Psychiatry</i> , 2007, 22, 309-312.	0.1	37
43	Sex effects on spatial learning but not on spatial memory retrieval in healthy young adults. <i>Behavioural Brain Research</i> , 2018, 336, 44-50.	1.2	37
44	Inflammatory Measures in Depressed Patients With and Without a History of Adverse Childhood Experiences. <i>Frontiers in Psychiatry</i> , 2018, 9, 610.	1.3	37
45	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 529-538.	0.3	35
46	Effects of cortisol on memory in women with borderline personality disorder: role of co-morbid post-traumatic stress disorder and major depression. <i>Psychological Medicine</i> , 2013, 43, 495-505.	2.7	33
47	Psychosocial stress differentially affects emotional empathy in women with borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 206-215.	2.2	33
48	Heightened biological stress response during exposure to a trauma film predicts an increase in intrusive memories.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 645-657.	2.0	33
49	Stimulation of the mineralocorticoid receptor improves memory in young and elderly healthy individuals. <i>Neurobiology of Aging</i> , 2015, 36, 919-924.	1.5	31
50	Mineralocorticoid receptor function and cognition in health and disease. <i>Psychoneuroendocrinology</i> , 2019, 105, 25-35.	1.3	31
51	Trauma Exposure and Posttraumatic Stress Disorder in Primary Care Patients. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 304-312.	1.1	30
52	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011, 70, 53-58.	1.2	28
53	Cognitive function in patients with primary adrenal insufficiency (Addison's disease). <i>Psychoneuroendocrinology</i> , 2015, 55, 1-7.	1.3	28
54	Childhood trauma and diagnosis of major depression: Association with memory and executive function. <i>Psychiatry Research</i> , 2018, 270, 880-886.	1.7	28

#	ARTICLE	IF	CITATIONS
55	Blunted salivary cortisol response to psychosocial stress in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2020, 130, 112-119.	1.5	28
56	Cognitive correlates of hypothalamicâ€“pituitaryâ€“adrenal axis in major depression. <i>Expert Review of Endocrinology and Metabolism</i> , 2011, 6, 109-126.	1.2	27
57	Association between cortisol awakening response and memory function in major depression. <i>Psychological Medicine</i> , 2013, 43, 2255-2263.	2.7	27
58	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. <i>Journal of Psychiatric Research</i> , 2015, 69, 120-125.	1.5	27
59	Increased hair testosterone but unaltered hair cortisol in female patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2016, 71, 176-179.	1.3	27
60	Stress reactivity and its effects on subsequent food intake in depressed and healthy women with and without adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2017, 80, 122-130.	1.3	27
61	The impact of neutral and emotionally negative distraction on memory performance and its relation to memory complaints in major depression. <i>Psychiatry Research</i> , 2010, 178, 106-111.	1.7	26
62	Selective attention to emotional cues and emotion recognition in healthy subjects: the role of mineralocorticoid receptor stimulation. <i>Psychopharmacology</i> , 2016, 233, 3405-3415.	1.5	26
63	Effects of Acute Hydrocortisone Administration on Declarative Memory in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1644-1650.	1.1	26
64	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013, 209, 439-446.	1.7	25
65	Reduced levels of the endocannabinoid arachidonylethanolamide (AEA) in hair in patients with borderline personality disorder â€“ a pilot study. <i>Stress</i> , 2018, 21, 366-369.	0.8	25
66	Psychophysiological stress response and memory in borderline personality disorder. <i>HÅgre Utbildning</i> , 2019, 10, 1568134.	1.4	25
67	Attention Bias towards Personally Relevant Stimuli: The Individual Emotional Stroop Task. <i>Psychological Reports</i> , 2006, 99, 781-793.	0.9	24
68	Influence of the noradrenergic system on the formation of intrusive memories in women: an experimental approach with a trauma film paradigm. <i>Psychological Medicine</i> , 2016, 46, 2523-2534.	2.7	24
69	Dexamethasone suppression test in borderline personality disorder: Impact of PTSD symptoms. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 681-683.	1.0	23
70	Neural correlates of episodic and semantic memory retrieval in borderline personality disorder: An fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2009, 171, 94-105.	0.9	23
71	Working memory performance and cognitive flexibility after dexamethasone or hydrocortisone administration in healthy volunteers. <i>Psychopharmacology</i> , 2011, 217, 323-329.	1.5	23
72	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013, 16, 191-201.	0.8	23

#	ARTICLE	IF	CITATIONS
73	Emotion-induced memory dysfunction in borderline personality disorder. <i>Cognitive Neuropsychiatry</i> , 2009, 14, 524-541.	0.7	22
74	Mindfulness-based group therapy for in-patients with schizophrenia spectrum disorders – Feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. <i>Schizophrenia Research</i> , 2021, 228, 134-144.	1.1	22
75	Distinct Functional Connectivity Signatures of Impaired Social Cognition in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020, 11, 507.	1.1	21
76	Steroid hormone secretion after stimulation of mineralocorticoid and NMDA receptors and cardiovascular risk in patients with depression. <i>Translational Psychiatry</i> , 2020, 10, 109.	2.4	21
77	Work-related behaviour and experience patterns of nurses in different professional stages and settings compared to physicians in Germany. <i>International Journal of Mental Health Nursing</i> , 2013, 22, 180-189.	2.1	20
78	Memory Bias for Emotional and Illness-Related Words in Patients with Depression, Anxiety and Somatization Disorders: An Investigation with the Directed Forgetting Task. <i>Psychopathology</i> , 2013, 46, 22-27.	1.1	20
79	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014, 40, 86-90.	1.3	20
80	The role of physiological arousal for self-reported emotional empathy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 214, 9-14.	1.4	20
81	Brain mineralocorticoid receptor in health and disease: From molecular signalling to cognitive and emotional function. <i>British Journal of Pharmacology</i> , 2022, 179, 3205-3219.	2.7	20
82	Complex Post-Traumatic Stress Disorder in Patients with Somatization Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 80-86.	1.3	19
83	Relationship between coping with negative life events and psychopathology: Major depression and borderline personality disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2009, 82, 421-425.	1.3	19
84	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013, 38, 2780-2788.	1.3	19
85	The individualized alcohol Stroop task: No attentional bias toward personalized stimuli in alcohol-dependents.. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 62-70.	1.4	19
86	Psychometric functioning, socio-demographic variability of childhood maltreatment in the general population and its effects of depression. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 387-400.	1.1	19
87	The Role of Fludrocortisone in Cognition and Mood in Patients with Primary Adrenal Insufficiency (Addison's Disease). <i>Neuroendocrinology</i> , 2016, 103, 315-320.	1.2	18
88	One-year functional magnetic resonance imaging follow-up study of neural activation during the recall of unresolved negative life events in borderline personality disorder. <i>Psychological Medicine</i> , 2009, 39, 507-516.	2.7	17
89	Hair testosterone and visuospatial memory in middle-aged men and women with and without depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013, 38, 2373-2377.	1.3	17
90	Factorial Validity of the Short Form of the Childhood Trauma Questionnaire (CTQ-SF) in German Psychiatric Patients, Inmates, and University Students. <i>Psychological Reports</i> , 2015, 116, 685-703.	0.9	17

#	ARTICLE	IF	CITATIONS
91	Effects of mineralocorticoid receptor blockade on empathy in patients with major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016, 16, 902-910.	1.0	17
92	Impact of exogenous cortisol on the formation of intrusive memories in healthy women. <i>Journal of Psychiatric Research</i> , 2016, 83, 71-78.	1.5	17
93	Stability of the dexamethasone suppression test in borderline personality disorder with and without comorbid PTSD: A one-year follow-up study. <i>Journal of Clinical Psychology</i> , 2007, 63, 843-850.	1.0	16
94	Investigating biases of attention and memory for alcohol-related and negative words in alcohol-dependents with and without major depression after day-clinic treatment. <i>Psychiatry Research</i> , 2014, 218, 311-318.	1.7	16
95	Volume of hippocampal substructures in borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 218-226.	0.9	16
96	Effects of mineralocorticoid-receptor stimulation on risk taking behavior in young healthy men and women. <i>Psychoneuroendocrinology</i> , 2017, 75, 132-140.	1.3	16
97	HPA axis reactivity in chronic pelvic pain: association with depression. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009, 30, 282-286.	1.1	15
98	Acculturation and severity of depression among first-generation Vietnamese outpatients in Germany. <i>International Journal of Social Psychiatry</i> , 2017, 63, 708-716.	1.6	15
99	Cortisol effects on autobiographic memory retrieval in PTSD: an analysis of word valence and time until retrieval. <i>Stress</i> , 2013, 16, 581-586.	0.8	14
100	Mineralocorticoid receptor stimulation effects on spatial memory in healthy young adults: A study using the virtual Morris Water Maze task. <i>Neurobiology of Learning and Memory</i> , 2016, 136, 139-146.	1.0	14
101	Lower heart rate variability at baseline is associated with more consecutive intrusive memories in an experimental distressing film paradigm. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 662-667.	1.3	14
102	Effects of hydrocortisone and yohimbine on decision-making under risk. <i>Psychoneuroendocrinology</i> , 2020, 114, 104589.	1.3	14
103	Decision making in response to physiological and combined physiological and psychosocial stress.. <i>Behavioral Neuroscience</i> , 2019, 133, 59-67.	0.6	14
104	Reduced mitochondrial respiration in T cells of patients with major depressive disorder. <i>IScience</i> , 2021, 24, 103312.	1.9	14
105	Subjective memory complaints and memory performance in patients with borderline personality disorder. <i>BMC Psychiatry</i> , 2014, 14, 255.	1.1	13
106	Effects of hydrocortisone on autobiographical memory retrieval in patients with posttraumatic stress disorder and borderline personality disorder: the role of childhood trauma. <i>Neuropsychopharmacology</i> , 2019, 44, 2038-2044.	2.8	13
107	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 936-946.	0.3	13
108	Effects of mineralocorticoid receptor stimulation via fludrocortisone on memory in women with borderline personality disorder. <i>Neurobiology of Learning and Memory</i> , 2015, 120, 94-100.	1.0	12

#	ARTICLE	IF	CITATIONS
109	Association between major depression and cardiovascular risk: the role of antidepressant medication. <i>Psychopharmacology</i> , 2016, 233, 3289-3295.	1.5	12
110	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. <i>Behavioural Brain Research</i> , 2019, 359, 895-902.	1.2	12
111	Psychosocial stress increases testosterone in patients with borderline personality disorder, post-traumatic stress disorder and healthy participants. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021, 8, 3.	1.1	12
112	ATTENTION BIAS TOWARDS PERSONALLY RELEVANT STIMULI: THE INDIVIDUAL EMOTIONAL STROOP TASK. <i>Psychological Reports</i> , 2006, 99, 781.	0.9	12
113	Emotional intelligence in patients with posttraumatic stress disorder, borderline personality disorder and healthy controls. <i>Psychiatry Research</i> , 2018, 264, 290-296.	1.7	11
114	Enhanced noradrenergic activity by yohimbine and differential fear conditioning in patients with major depression with and without adverse childhood experiences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109751.	2.5	11
115	Validation of the German Version of the Southampton Mindfulness Questionnaire (SMQ). <i>Mindfulness</i> , 2020, 11, 2219-2234.	1.6	11
116	Selective Attention in Depression. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 696-702.	0.5	10
117	No effects of hydrocortisone and dexamethasone on pain sensitivity in healthy individuals. <i>European Journal of Pain</i> , 2015, 19, 834-841.	1.4	10
118	Migration-Related Stressors and Their Effect on the Severity Level and Symptom Pattern of Depression among Vietnamese in Germany. <i>Depression Research and Treatment</i> , 2017, 2017, 1-9.	0.7	10
119	Predictors of response and remission in a naturalistic inpatient sample undergoing multimodal treatment for depression. <i>Journal of Affective Disorders</i> , 2019, 252, 99-106.	2.0	10
120	Healthy women with severe early life trauma show altered neural facilitation of emotion inhibition under acute stress. <i>Psychological Medicine</i> , 2020, 50, 2075-2084.	2.7	10
121	Cognitive and emotional empathy after stimulation of brain mineralocorticoid and NMDA receptors in patients with major depression and healthy controls. <i>Neuropsychopharmacology</i> , 2020, 45, 2155-2161.	2.8	9
122	False memories and memory confidence in borderline patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 376-380.	0.6	8
123	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 296-299.	0.7	8
124	Does fludrocortisone influence autobiographical memory retrieval? A study in patients with major depression, patients with borderline personality disorder and healthy controls. <i>Stress</i> , 2015, 18, 718-722.	0.8	8
125	Mineralocorticoid receptor function in depressed patients and healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 183-188.	2.5	8
126	Effects of glucocorticoid and noradrenergic activity on spatial learning and spatial memory in healthy young adults. <i>Behavioural Brain Research</i> , 2019, 373, 112072.	1.2	8

#	ARTICLE	IF	CITATIONS
127	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. <i>Journal of Psychiatric Research</i> , 2020, 125, 136-143.	1.5	8
128	Facial emotion recognition in borderline patients is unaffected by acute psychosocial stress. <i>Journal of Psychiatric Research</i> , 2021, 132, 131-135.	1.5	8
129	Patientsâ€™ Perspectives on Artificial Intelligence in Dentistry: A Controlled Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2143.	1.0	8
130	Effects of cortisol on the memory bias for emotional words? A study in patients with depression and healthy participants using the Directed Forgetting task. <i>Journal of Psychiatric Research</i> , 2017, 92, 191-198.	1.5	7
131	Are adverse childhood experiences and depression associated with impaired glucose tolerance in females? An experimental study. <i>Journal of Psychiatric Research</i> , 2017, 95, 60-67.	1.5	7
132	The dexamethasone corticotropin releasing hormone test in healthy and depressed women with and without childhood adversity. <i>Psychoneuroendocrinology</i> , 2018, 87, 147-151.	1.3	7
133	Stress effects on cognitive function in patients with major depressive disorder: Does childhood trauma play a role?. <i>Development and Psychopathology</i> , 2020, 32, 1007-1016.	1.4	7
134	Noradrenergic activation induced by yohimbine decreases interoceptive accuracy in healthy individuals with childhood adversity. <i>Development and Psychopathology</i> , 2022, 34, 1013-1024.	1.4	7
135	Intranasal oxytocin administration impacts the acquisition and consolidation of trauma-associated memories: a double-blind randomized placebo-controlled experimental study in healthy women. <i>Neuropsychopharmacology</i> , 2022, 47, 1046-1054.	2.8	7
136	Autobiographical memory and language use: linguistic analyses of critical life event narratives in a non-clinical population. <i>Applied Cognitive Psychology</i> , 2009, 23, 278-287.	0.9	6
137	The effect of cortisol on autobiographical memory retrieval depends on remoteness and valence of memories. <i>Biological Psychology</i> , 2017, 123, 136-140.	1.1	6
138	Delayed effects of psychosocial stress on risk taking. <i>Stress</i> , 2019, 22, 446-454.	0.8	6
139	Patients With Borderline Personality Disorder and Major Depressive Disorder Are Not Distinguishable by Their Neuropsychological Performance. <i>primary care companion for CNS disorders, The</i> , 2011, 13, .	0.2	6
140	Steroid Regulation of T Cell Function Appears Unaltered in Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2015, 29, 241-247.	0.8	5
141	Influence of glucocorticoid and mineralocorticoid receptor stimulation on task switching. <i>Hormones and Behavior</i> , 2019, 109, 18-24.	1.0	5
142	Selective attention to emotional stimuli and emotion recognition in patients with major depression: The role of mineralocorticoid and glutamatergic NMDA receptors. <i>Journal of Psychopharmacology</i> , 2021, 35, 1017-1023.	2.0	5
143	Major depression and atrial natriuretic peptide: The role of adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2019, 101, 7-11.	1.3	4
144	Altered cellular immune reactivity in traumatized women with and without major depressive disorder. <i>Psychoneuroendocrinology</i> , 2019, 101, 1-6.	1.3	4

#	ARTICLE	IF	CITATIONS
145	Migration-related emotional distress among Vietnamese psychiatric patients in Germany: An interdisciplinary, mixed methods study. <i>Transcultural Psychiatry</i> , 2021, 58, 772-788.	0.9	4
146	Effects of hydrocortisone and yohimbine on selective attention to emotional cues. <i>Journal of Psychopharmacology</i> , 2021, 35, 755-759.	2.0	3
147	Effects of hydrocortisone on false memory recognition in healthy men and women.. <i>Behavioral Neuroscience</i> , 2016, 130, 635-642.	0.6	3
148	Mental Health Determinants Among a Psychiatric Outpatient Sample of Vietnamese Migrants in Germany. <i>Frontiers in Psychiatry</i> , 2020, 11, 580103.	1.3	3
149	Association between childhood trauma and brain anatomy in women with post-traumatic stress disorder, women with borderline personality disorder, and healthy women. <i>HÅgre Utbildning</i> , 2021, 12, 1959706.	1.4	2
150	Assessing Learning With and Without Interference. <i>Zeitschrift FÅ¼r Neuropsychologie = Journal of Neuropsychology</i> , 2006, 17, 219-223.	0.2	2
151	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , 2021, 238, 3519-3531.	1.5	2
152	Higher HPA axis activity in healthy participants compared to depressed patients after MR blockade: Evidence for attenuated MR function in depression. <i>Psychoneuroendocrinology</i> , 2015, 61, 54.	1.3	1
153	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <i>Stress</i> , 2021, , 1-7.	0.8	1
154	Approach-avoidance tendencies in depression and childhood trauma: No effect of noradrenergic stimulation. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 8, 100077.	0.7	1
155	Habituierten oder sensitivieren Patienten mit AlkoholabhÅngigkeit an suchtassozierte Stimuli?. <i>Zeitschrift FÅ¼r Neuropsychologie = Journal of Neuropsychology</i> , 2007, 18, 101-110.	0.2	1
156	Early-onset late-life depression: Association with body mass index, obesity, and treatment response. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 8, 100096.	0.7	1
157	Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience. <i>Frontiers in Psychiatry</i> , 2021, 12, 734904.	1.3	1
158	Mineralocorticoid receptor and cognitive function in major depression. <i>European Neuropsychopharmacology</i> , 2017, 27, S546-S547.	0.3	0
159	Impact of stress response systems on forced choice recognition in an experimental trauma film paradigm. <i>Neurobiology of Learning and Memory</i> , 2018, 156, 45-52.	1.0	0
160	P.035 Effects of mineralocorticoid receptor and NMDA receptor stimulation on stress hormone secretion in depressed patients and healthy individuals. <i>European Neuropsychopharmacology</i> , 2019, 29, S45-S46.	0.3	0
161	No association between major depression with and without childhood adversity and the stress hormone copeptin. <i>HÅgre Utbildning</i> , 2020, 11, 1837511.	1.4	0
162	Increased Basolateral Amygdala Functional Connectivity With Subgenual Anterior Cingulate Cortex and Fear-Related Memory Encoding in High Anxious Participants: A Premorbid Feature?. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 256-257.	1.1	0

#	ARTICLE	IF	CITATIONS
163	Mindfulness-based group therapy for inpatients with schizophrenia spectrum disorders – feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. <i>European Psychiatry</i> , 2021, 64, S805-S806.	0.1	0
164	False Memory in Posttraumatic Stress Disorder and Borderline Personality Disorder. <i>Psychiatry Research</i> , 2022, , 114547.	1.7	0
165	No influence of mineralocorticoid and glutamatergic NMDA receptor stimulation on spatial learning and memory in individuals with major depression. <i>Journal of Psychiatric Research</i> , 2022, 152, 97-103.	1.5	0