

Katja Wingenfeld

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1176281/katja-wingenfeld-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

4,937
citations

36
h-index

64
g-index

175
ext. papers

6,108
ext. citations

4.2
avg, IF

5.52
L-index

#	Paper	IF	Citations
161	False Memory in Posttraumatic Stress Disorder and Borderline Personality Disorder. <i>Psychiatry Research</i> , 2022 , 114547	9.9	
160	Migration-related emotional distress among Vietnamese psychiatric patients in Germany: An interdisciplinary, mixed methods study. <i>Transcultural Psychiatry</i> , 2021 , 58, 772-788	2.7	0
159	Reduced mitochondrial respiration in T cells of patients with major depressive disorder. <i>iScience</i> , 2021 , 24, 103312	6.1	6
158	Early-onset late-life depression: Association with body mass index, obesity, and treatment response. <i>Comprehensive Psychoneuroendocrinology</i> , 2021 , 8, 100096	1.1	
157	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , 2021 , 238, 3519-3531	4.7	
156	Effects of hydrocortisone and yohimbine on selective attention to emotional cues. <i>Journal of Psychopharmacology</i> , 2021 , 35, 755-759	4.6	0
155	Selective attention to emotional stimuli and emotion recognition in patients with major depression: The role of mineralocorticoid and glutamatergic NMDA receptors. <i>Journal of Psychopharmacology</i> , 2021 , 35, 1017-1023	4.6	0
154	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <i>Stress</i> , 2021 , 1-7	3	1
153	Facial emotion recognition in borderline patients is unaffected by acute psychosocial stress. <i>Journal of Psychiatric Research</i> , 2021 , 132, 131-135	5.2	2
152	Association between childhood trauma and brain anatomy in women with post-traumatic stress disorder, women with borderline personality disorder, and healthy women. <i>Högre Utbildning</i> , 2021 , 12, 1959706	5	0
151	Psychosocial stress increases testosterone in patients with borderline personality disorder, post-traumatic stress disorder and healthy participants. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021 , 8, 3	4.9	5
150	Mindfulness-based group therapy for in-patients with schizophrenia spectrum disorders - Feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. <i>Schizophrenia Research</i> , 2021 , 228, 134-144	3.6	6
149	Approach-avoidance tendencies in depression and childhood trauma: No effect of noradrenergic stimulation. <i>Comprehensive Psychoneuroendocrinology</i> , 2021 , 8, 100077	1.1	
148	Noradrenergic activation induced by yohimbine decreases interoceptive accuracy in healthy individuals with childhood adversity. <i>Development and Psychopathology</i> , 2021 , 1-12	4.3	4
147	Mindfulness-based group therapy for inpatients with schizophrenia spectrum disorders [Feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. <i>European Psychiatry</i> , 2021 , 64, S805-S806	6	
146	Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 734904	5	
145	Increased Basolateral Amygdala Functional Connectivity With Subgenual Anterior Cingulate Cortex and Fear-Related Memory Encoding in High Anxious Participants: A Premorbid Feature?. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 256-257	3.4	

144	Distinct Functional Connectivity Signatures of Impaired Social Cognition in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020 , 11, 507	4.1	12
143	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. <i>Journal of Psychiatric Research</i> , 2020 , 123, 1-8	5.2	17
142	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020 , 265, 395-401	6.6	82
141	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. <i>Journal of Psychiatric Research</i> , 2020 , 125, 136-143	5.2	4
140	Steroid hormone secretion after stimulation of mineralocorticoid and NMDA receptors and cardiovascular risk in patients with depression. <i>Translational Psychiatry</i> , 2020 , 10, 109	8.6	10
139	Mental Health Determinants Among a Psychiatric Outpatient Sample of Vietnamese Migrants in Germany. <i>Frontiers in Psychiatry</i> , 2020 , 11, 580103	5	1
138	Effects of hydrocortisone and yohimbine on decision-making under risk. <i>Psychoneuroendocrinology</i> , 2020 , 114, 104589	5	7
137	No association between major depression with and without childhood adversity and the stress hormone copeptin. <i>Høge Utbildning</i> , 2020 , 11, 1837511	5	
136	Cognitive and emotional empathy after stimulation of brain mineralocorticoid and NMDA receptors in patients with major depression and healthy controls. <i>Neuropsychopharmacology</i> , 2020 , 45, 2155-2161	8.7	4
135	Blunted salivary cortisol response to psychosocial stress in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2020 , 130, 112-119	5.2	10
134	Validation of the German Version of the Southampton Mindfulness Questionnaire (SMQ). <i>Mindfulness</i> , 2020 , 11, 2219-2234	2.9	5
133	Enhanced noradrenergic activity by yohimbine and differential fear conditioning in patients with major depression with and without adverse childhood experiences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 96, 109751	5.5	10
132	Stress effects on cognitive function in patients with major depressive disorder: Does childhood trauma play a role?. <i>Development and Psychopathology</i> , 2020 , 32, 1007-1016	4.3	5
131	Healthy women with severe early life trauma show altered neural facilitation of emotion inhibition under acute stress. <i>Psychological Medicine</i> , 2020 , 50, 2075-2084	6.9	3
130	Influence of glucocorticoid and mineralocorticoid receptor stimulation on task switching. <i>Hormones and Behavior</i> , 2019 , 109, 18-24	3.7	3
129	Predictors of response and remission in a naturalistic inpatient sample undergoing multimodal treatment for depression. <i>Journal of Affective Disorders</i> , 2019 , 252, 99-106	6.6	5
128	Delayed effects of psychosocial stress on risk taking. <i>Stress</i> , 2019 , 22, 446-454	3	3
127	Psychophysiological stress response and memory in borderline personality disorder. <i>Høge Utbildning</i> , 2019 , 10, 1568134	5	14

126	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019 , 29, 501-508	1.2	32
125	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 529-538	1.2	22
124	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. <i>Behavioural Brain Research</i> , 2019 , 359, 895-902	3.4	6
123	Effects of glucocorticoid and noradrenergic activity on spatial learning and spatial memory in healthy young adults. <i>Behavioural Brain Research</i> , 2019 , 373, 112072	3.4	5
122	Effects of hydrocortisone on autobiographical memory retrieval in patients with posttraumatic stress disorder and borderline personality disorder: the role of childhood trauma. <i>Neuropsychopharmacology</i> , 2019 , 44, 2038-2044	8.7	5
121	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 936-946	1.2	3
120	Heightened biological stress response during exposure to a trauma film predicts an increase in intrusive memories. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 645-657	7	14
119	Decision making in response to physiological and combined physiological and psychosocial stress. <i>Behavioral Neuroscience</i> , 2019 , 133, 59-67	2.1	9
118	P.035 Effects of mineralocorticoid receptor and NMDA receptor stimulation on stress hormone secretion in depressed patients and healthy individuals. <i>European Neuropsychopharmacology</i> , 2019 , 29, S45-S46	1.2	
117	Mineralocorticoid receptor function and cognition in health and disease. <i>Psychoneuroendocrinology</i> , 2019 , 105, 25-35	5	18
116	Major depression and atrial natriuretic peptide: The role of adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2019 , 101, 7-11	5	3
115	Altered cellular immune reactivity in traumatized women with and without major depressive disorder. <i>Psychoneuroendocrinology</i> , 2019 , 101, 1-6	5	1
114	Lower heart rate variability at baseline is associated with more consecutive intrusive memories in an experimental distressing film paradigm. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 662-667	3.8	5
113	Emotional intelligence in patients with posttraumatic stress disorder, borderline personality disorder and healthy controls. <i>Psychiatry Research</i> , 2018 , 264, 290-296	9.9	6
112	Psychosocial stress differentially affects emotional empathy in women with borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 206-215	6.5	21
111	Reduced levels of the endocannabinoid arachidonylethanolamide (AEA) in hair in patients with borderline personality disorder - a pilot study. <i>Stress</i> , 2018 , 21, 366-369	3	11
110	Sex effects on spatial learning but not on spatial memory retrieval in healthy young adults. <i>Behavioural Brain Research</i> , 2018 , 336, 44-50	3.4	20
109	The role of physiological arousal for self-reported emotional empathy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018 , 214, 9-14	2.4	11

108	The dexamethasone corticotropin releasing hormone test in healthy and depressed women with and without childhood adversity. <i>Psychoneuroendocrinology</i> , 2018 , 87, 147-151	5	6
107	Inflammatory Measures in Depressed Patients With and Without a History of Adverse Childhood Experiences. <i>Frontiers in Psychiatry</i> , 2018 , 9, 610	5	24
106	Pro-inflammatory Monocyte Phenotype and Cell-Specific Steroid Signaling Alterations in Unmedicated Patients With Major Depressive Disorder. <i>Frontiers in Immunology</i> , 2018 , 9, 2693	8.4	20
105	Childhood trauma and diagnosis of major depression: Association with memory and executive function. <i>Psychiatry Research</i> , 2018 , 270, 880-886	9.9	15
104	Impact of stress response systems on forced choice recognition in an experimental trauma film paradigm. <i>Neurobiology of Learning and Memory</i> , 2018 , 156, 45-52	3.1	
103	Stress reactivity and its effects on subsequent food intake in depressed and healthy women with and without adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2017 , 80, 122-130	5	23
102	Effects of cortisol on the memory bias for emotional words? A study in patients with depression and healthy participants using the Directed Forgetting task. <i>Journal of Psychiatric Research</i> , 2017 , 92, 191-198	5.2	6
101	The effect of cortisol on autobiographical memory retrieval depends on remoteness and valence of memories. <i>Biological Psychology</i> , 2017 , 123, 136-140	3.2	5
100	Acculturation and severity of depression among first-generation Vietnamese outpatients in Germany. <i>International Journal of Social Psychiatry</i> , 2017 , 63, 708-716	8.5	8
99	Migration-Related Stressors and Their Effect on the Severity Level and Symptom Pattern of Depression among Vietnamese in Germany. <i>Depression Research and Treatment</i> , 2017 , 2017, 8930432	3.8	8
98	Are adverse childhood experiences and depression associated with impaired glucose tolerance in females? An experimental study. <i>Journal of Psychiatric Research</i> , 2017 , 95, 60-67	5.2	5
97	Effects of mineralocorticoid-receptor stimulation on risk taking behavior in young healthy men and women. <i>Psychoneuroendocrinology</i> , 2017 , 75, 132-140	5	11
96	Mineralocorticoid receptor and cognitive function in major depression. <i>European Neuropsychopharmacology</i> , 2017 , 27, S546-S547	1.2	
95	Association between major depression and cardiovascular risk: the role of antidepressant medication. <i>Psychopharmacology</i> , 2016 , 233, 3289-95	4.7	9
94	Does cortisol modulate emotion recognition and empathy?. <i>Psychoneuroendocrinology</i> , 2016 , 66, 221-7	5	36
93	The Role of Fludrocortisone in Cognition and Mood in Patients with Primary Adrenal Insufficiency (Addison's Disease). <i>Neuroendocrinology</i> , 2016 , 103, 315-20	5.6	13
92	Minimization of Childhood Maltreatment Is Common and Consequential: Results from a Large, Multinational Sample Using the Childhood Trauma Questionnaire. <i>PLoS ONE</i> , 2016 , 11, e0146058	3.7	88
91	Effects of hydrocortisone on false memory recognition in healthy men and women. <i>Behavioral Neuroscience</i> , 2016 , 130, 635-42	2.1	2

90	Effects of mineralocorticoid receptor blockade on empathy in patients with major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016 , 16, 902-10	3.5	14
89	Stress and Memory: A Selective Review on Recent Developments in the Understanding of Stress Hormone Effects on Memory and Their Clinical Relevance. <i>Journal of Neuroendocrinology</i> , 2016 , 28,	3.8	58
88	Influence of the noradrenergic system on the formation of intrusive memories in women: an experimental approach with a trauma film paradigm. <i>Psychological Medicine</i> , 2016 , 46, 2523-34	6.9	16
87	Profiles of Childhood Trauma in Patients with Alcohol Dependence and Their Associations with Addiction-Related Problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 543-52	3.7	27
86	Increased hair testosterone but unaltered hair cortisol in female patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2016 , 71, 176-9	5	22
85	Mineralocorticoid receptor function in depressed patients and healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 183-8	5.5	8
84	Mineralocorticoid receptor stimulation effects on spatial memory in healthy young adults: A study using the virtual Morris Water Maze task. <i>Neurobiology of Learning and Memory</i> , 2016 , 136, 139-146	3.1	10
83	Impact of exogenous cortisol on the formation of intrusive memories in healthy women. <i>Journal of Psychiatric Research</i> , 2016 , 83, 71-78	5.2	7
82	Selective attention to emotional cues and emotion recognition in healthy subjects: the role of mineralocorticoid receptor stimulation. <i>Psychopharmacology</i> , 2016 , 233, 3405-15	4.7	20
81	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. <i>Journal of Psychiatric Research</i> , 2015 , 69, 120-5	5.2	20
80	FACTORIAL VALIDITY OF THE SHORT FORM OF THE CHILDHOOD TRAUMA QUESTIONNAIRE (CTQ-SF) IN GERMAN PSYCHIATRIC PATIENTS, INMATES, AND UNIVERSITY STUDENTS. <i>Psychological Reports</i> , 2015 , 116, 685-703	1.6	9
79	Volume of hippocampal substructures in borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 218-26	2.9	15
78	Does fludrocortisone influence autobiographical memory retrieval? A study in patients with major depression, patients with borderline personality disorder and healthy controls. <i>Stress</i> , 2015 , 18, 718-22	3	7
77	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015 , 52, 83-91	5	54
76	Hair cortisol and cortisol awakening response are associated with criteria of the metabolic syndrome in opposite directions. <i>Psychoneuroendocrinology</i> , 2015 , 51, 365-70	5	57
75	Effects of cortisol on cognition in major depressive disorder, posttraumatic stress disorder and borderline personality disorder - 2014 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2015 , 51, 282-95	5	59
74	Mineralocorticoid receptor stimulation improves cognitive function and decreases cortisol secretion in depressed patients and healthy individuals. <i>Neuropsychopharmacology</i> , 2015 , 40, 386-93	8.7	61
73	No effects of hydrocortisone and dexamethasone on pain sensitivity in healthy individuals. <i>European Journal of Pain</i> , 2015 , 19, 834-41	3.7	9

72	Effects of mineralocorticoid receptor stimulation via fludrocortisone on memory in women with borderline personality disorder. <i>Neurobiology of Learning and Memory</i> , 2015 , 120, 94-100	3.1	11
71	Cognitive function in patients with primary adrenal insufficiency (Addison's disease). <i>Psychoneuroendocrinology</i> , 2015 , 55, 1-7	5	20
70	Steroid regulation of T cell function appears unaltered in borderline personality disorder. <i>Journal of Personality Disorders</i> , 2015 , 29, 241-7	2.6	2
69	Stimulation of the mineralocorticoid receptor improves memory in young and elderly healthy individuals. <i>Neurobiology of Aging</i> , 2015 , 36, 919-24	5.6	25
68	Investigating biases of attention and memory for alcohol-related and negative words in alcohol-dependents with and without major depression after day-clinic treatment. <i>Psychiatry Research</i> , 2014 , 218, 311-8	9.9	10
67	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014 , 40, 86-90	5	15
66	Stress, memory, and the hippocampus. <i>Frontiers of Neurology and Neuroscience</i> , 2014 , 34, 109-20	1.1	74
65	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 296-9	2.3	5
64	Enhanced emotional empathy after mineralocorticoid receptor stimulation in women with borderline personality disorder and healthy women. <i>Neuropsychopharmacology</i> , 2014 , 39, 1799-804	8.7	53
63	Psychometric functioning, socio-demographic variability of childhood maltreatment in the general population and its effects of depression. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 387-400	4.3	13
62	Early life stress modulates oxytocin effects on limbic system during acute psychosocial stress. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1828-35	4	69
61	Subjective memory complaints and memory performance in patients with borderline personality disorder. <i>BMC Psychiatry</i> , 2014 , 14, 255	4.2	10
60	The impact of self-reported childhood trauma on emotion regulation in borderline personality disorder and major depression. <i>Journal of Trauma and Dissociation</i> , 2014 , 15, 384-401	2.8	74
59	Work-related behaviour and experience patterns of nurses in different professional stages and settings compared to physicians in Germany. <i>International Journal of Mental Health Nursing</i> , 2013 , 22, 180-9	3.8	12
58	Association between childhood trauma and low hair cortisol in depressed patients and healthy control subjects. <i>Biological Psychiatry</i> , 2013 , 74, e15-7	7.9	70
57	Gender-specific association between childhood trauma and rheumatoid arthritis: a case-control study. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 296-300	4.1	30
56	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2780-8	5	17
55	False memories and memory confidence in borderline patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 376-80	2.6	7

54	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013 , 16, 191-201	3	18
53	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013 , 209, 439-46	9.9	23
52	Hair testosterone and visuospatial memory in middle-aged men and women with and without depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2373-7	5	14
51	Effects of cortisol on memory in women with borderline personality disorder: role of co-morbid post-traumatic stress disorder and major depression. <i>Psychological Medicine</i> , 2013 , 43, 495-505	6.9	29
50	Memory bias for emotional and illness-related words in patients with depression, anxiety and somatization disorders: an investigation with the directed forgetting task. <i>Psychopathology</i> , 2013 , 46, 22-7	3.4	17
49	Association between cortisol awakening response and memory function in major depression. <i>Psychological Medicine</i> , 2013 , 43, 2255-63	6.9	21
48	Cortisol effects on autobiographic memory retrieval in PTSD: an analysis of word valence and time until retrieval. <i>Stress</i> , 2013 , 16, 581-6	3	14
47	The individualized alcohol Stroop task: no attentional bias toward personalized stimuli in alcohol-dependents. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 62-70	3.4	18
46	Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1048-56	5	33
45	Normal mind-reading capacity but higher response confidence in borderline personality disorder patients. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 322-7	6.2	61
44	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1659-68	5	72
43	Increased peripheral NF- κ B pathway activity in women with childhood abuse-related posttraumatic stress disorder. <i>Brain, Behavior, and Immunity</i> , 2012 , 26, 13-7	16.6	136
42	Childhood trauma in multiple sclerosis: a case-control study. <i>Psychosomatic Medicine</i> , 2012 , 74, 312-8	3.7	32
41	Psychotic-like cognitive biases in borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011 , 42, 349-54	2.6	42
40	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011 , 70, 53-8	4.1	23
39	HPA axis alterations in mental disorders: impact on memory and its relevance for therapeutic interventions. <i>CNS Neuroscience and Therapeutics</i> , 2011 , 17, 714-22	6.8	71
38	Selective attention in depression: influence of emotionality and personal relevance. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 696-702	1.8	9
37	Work-related behaviour and experience pattern in nurses: impact on physical and mental health. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011 , 18, 411-7	2.4	40

36	Associations of childhood trauma, trauma in adulthood and previous-year stress with psychopathology in patients with major depression and borderline personality disorder. <i>Child Abuse and Neglect</i> , 2011 , 35, 647-54	4.3	32
35	Hydrocortisone impairs working memory in healthy humans, but not in patients with major depressive disorder. <i>Psychopharmacology</i> , 2011 , 215, 71-9	4.7	40
34	Working memory performance and cognitive flexibility after dexamethasone or hydrocortisone administration in healthy volunteers. <i>Psychopharmacology</i> , 2011 , 217, 323-9	4.7	19
33	Cognitive correlates of hypothalamic-pituitary-adrenal axis in major depression. <i>Expert Review of Endocrinology and Metabolism</i> , 2011 , 6, 109-126	4.1	23
32	Trauma exposure and posttraumatic stress disorder in primary care patients: cross-sectional criterion standard study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 304-12	4.6	24
31	Effects of acute hydrocortisone administration on declarative memory in patients with major depressive disorder: a placebo-controlled, double-blind crossover study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1644-50	4.6	24
30	Die deutsche Version des Early Trauma Inventory (ETI). <i>Diagnostica</i> , 2011 , 57, 27-38	0.8	19
29	Patients with borderline personality disorder and major depressive disorder are not distinguishable by their neuropsychological performance: a case-control study. <i>primary care companion for CNS disorders, The</i> , 2011 , 13,	1.2	6
28	The diurnal course of salivary alpha-amylase in nurses: an investigation of potential confounders and associations with stress. <i>Biological Psychology</i> , 2010 , 85, 179-81	3.2	40
27	The impact of neutral and emotionally negative distraction on memory performance and its relation to memory complaints in major depression. <i>Psychiatry Research</i> , 2010 , 178, 106-11	9.9	22
26	Salivary cortisol release and hypothalamic pituitary adrenal axis feedback sensitivity in fibromyalgia is associated with depression but not with pain. <i>Journal of Pain</i> , 2010 , 11, 1195-202	5.2	39
25	Effects of acute cortisol administration on autobiographical memory in patients with major depression and healthy controls. <i>Psychoneuroendocrinology</i> , 2010 , 35, 316-20	5	46
24	Borderline personality disorder: hypothalamus pituitary adrenal axis and findings from neuroimaging studies. <i>Psychoneuroendocrinology</i> , 2010 , 35, 154-70	5	89
23	A 4-item measure of depression and anxiety: validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2010 , 122, 86-95	6.6	957
22	One-year functional magnetic resonance imaging follow-up study of neural activation during the recall of unresolved negative life events in borderline personality disorder. <i>Psychological Medicine</i> , 2009 , 39, 507-16	6.9	13
21	Complex post-traumatic stress disorder in patients with somatization disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 80-6	2.6	17
20	Attentional bias to personally relevant words in borderline personality disorder is strongly related to comorbid posttraumatic stress disorder. <i>Journal of Personality Disorders</i> , 2009 , 23, 141-55	2.6	45
19	Neural correlates of episodic and semantic memory retrieval in borderline personality disorder: an fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 171, 94-105	2.9	18

18	Neural correlates of the individual emotional Stroop in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2009 , 34, 571-86	5	84
17	Elevated diurnal salivary cortisol in nurses is associated with burnout but not with vital exhaustion. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1144-51	5	31
16	Autobiographical memory and language use: linguistic analyses of critical life event narratives in a non-clinical population. <i>Applied Cognitive Psychology</i> , 2009 , 23, 278-287	2.1	3
15	Effort-reward imbalance and burnout among German nurses in medical compared with psychiatric hospital settings. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009 , 16, 225-33	2.4	67
14	Relationship between coping with negative life-events and psychopathology: major depression and borderline personality disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2009 , 82, 421-5	3.5	14
13	Emotion-induced memory dysfunction in borderline personality disorder. <i>Cognitive Neuropsychiatry</i> , 2009 , 14, 524-41	2	21
12	HPA axis reactivity in chronic pelvic pain: association with depression. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009 , 30, 282-6	3.6	11
11	HPA axis reactivity and lymphocyte glucocorticoid sensitivity in fibromyalgia syndrome and chronic pelvic pain. <i>Psychosomatic Medicine</i> , 2008 , 70, 65-72	3.7	76
10	Stability of the dexamethasone suppression test in borderline personality disorder with and without comorbid PTSD: a one-year follow-up study. <i>Journal of Clinical Psychology</i> , 2007 , 63, 843-50	2.8	14
9	Dexamethasone suppression test in borderline personality disorder: impact of PTSD symptoms. <i>Psychiatry and Clinical Neurosciences</i> , 2007 , 61, 681-3	6.2	21
8	The low-dose dexamethasone suppression test in fibromyalgia. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 85-91	4.1	54
7	Overnight urinary cortisol release in women with borderline personality disorder depends on comorbid PTSD and depressive psychopathology. <i>European Psychiatry</i> , 2007 , 22, 309-12	6	34
6	Habituierten oder sensitivieren Patienten mit Alkoholabhängigkeit an suchtassoziierte Stimuli?. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , 2007 , 18, 101-110	0.5	1
5	Attention bias towards personally relevant stimuli: the individual emotional Stroop task. <i>Psychological Reports</i> , 2006 , 99, 781-93	1.6	20
4	Functional MRI correlates of the recall of unresolved life events in borderline personality disorder. <i>Psychological Medicine</i> , 2006 , 36, 845-56	6.9	80
3	ATTENTION BIAS TOWARDS PERSONALLY RELEVANT STIMULI: THE INDIVIDUAL EMOTIONAL STROOP TASK. <i>Psychological Reports</i> , 2006 , 99, 781	1.6	8
2	Assessing Learning With and Without Interference. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , 2006 , 17, 219-223	0.5	2
1	Dexamethasone suppression test in borderline personality disorder--effects of posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2005 , 30, 919-23	5	41

