

D Birkhed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11762820/publications.pdf>

Version: 2024-02-01

157
papers

4,931
citations

66315

42
h-index

133188

59
g-index

157
all docs

157
docs citations

157
times ranked

2458
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of combined application of antimicrobial and fluoride varnishes in orthodontic patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001, 120, 28-35.	0.8	181
2	Secretion rate and buffer effect of resting and stimulated whole saliva as a function of age and sex. <i>Swedish Dental Journal</i> , 1983, 7, 227-38.	0.7	171
3	Comparison of Three Different Methods for Measurement of Plaque-pH in Humans after Consumption of Soft Bread and Potato Chips. <i>Journal of Dental Research</i> , 1993, 72, 865-870.	2.5	98
4	Dental erosion, soft-drink intake, and oral health in young Saudi men, and the development of a system for assessing erosive anterior tooth wear. <i>Acta Odontologica Scandinavica</i> , 1996, 54, 369-378.	0.9	94
5	Dental erosion in deciduous teeth—an in vivo and in vitro study. <i>Journal of Dentistry</i> , 2001, 29, 333-340.	1.7	93
6	Long-term evaluation of root surface caries in periodontally treated patients. <i>Journal of Clinical Periodontology</i> , 1986, 13, 758-767.	2.3	92
7	Cereal Fructans: In Vitro and In Vivo Studies on Availability in Rats and Humans. <i>Journal of Nutrition</i> , 1988, 118, 1325-1330.	1.3	91
8	Oral Disease, Impairment, and Illness: Congruence Between Clinical and Questionnaire Findings. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 127-132.	0.9	83
9	Preventive Effect of High-Fluoride Dentifrice (5,000 ppm) in Caries-Active Adolescents: A 2-Year Clinical Trial. <i>Caries Research</i> , 2010, 44, 323-331.	0.9	81
10	Fluoride release in vitro from various glass ionomer cements and resin composites after exposure to NaF solutions. <i>Dental Materials</i> , 1993, 9, 350-354.	1.6	78
11	Sugar Content, Acidity and Effect on Plaque pH of Fruit Juices, Fruit Drinks, Carbonated Beverages and Sport Drinks. <i>Caries Research</i> , 1984, 18, 120-127.	0.9	77
12	Structure of extracellular water-soluble polysaccharides synthesized from sucrose by oral strains of <i>Streptococcus mutans</i> , <i>Streptococcus salivarius</i> , <i>Streptococcus sanguis</i> and <i>Actinomyces viscosus</i> . <i>Archives of Oral Biology</i> , 1979, 24, 53-61.	0.8	70
13	Minor gland and whole saliva in postmenopausal women using a low potency oestrogen (oestriol). <i>Archives of Oral Biology</i> , 2003, 48, 511-517.	0.8	69
14	Prevalence of Approximal Caries in Posterior Teeth in 15-Year-Old Swedish Teenagers in Relation to Their Caries Experience at 3 Years of Age. <i>Caries Research</i> , 2007, 41, 392-398.	0.9	69
15	Oral Administration of <i>Lactobacillus reuteri</i> during the First Year of Life Reduces Caries Prevalence in the Primary Dentition at 9 Years of Age. <i>Caries Research</i> , 2014, 48, 111-117.	0.9	69
16	Analysis of caries-related factors in infants and toddlers living in Sweden. <i>Acta Odontologica Scandinavica</i> , 1996, 54, 131-137.	0.9	65
17	Acid production from Lycasin®, maltitol, sorbitol and xylitol by oral streptococci and lactobacilli. <i>Acta Odontologica Scandinavica</i> , 1977, 35, 257-263.	0.9	64
18	Effects of processing on availability of starch for digestion in vitro and in vivo; I Extrusion cooking of wheat flours and starch. <i>Journal of Cereal Science</i> , 1984, 2, 91-103.	1.8	63

#	ARTICLE	IF	CITATIONS
19	Use of Palladium Touch Microelectrodes under Field Conditions for in vivo Assessment of Dental Plaque pH in Children. <i>Caries Research</i> , 1992, 26, 44-52.	0.9	62
20	An Inulin-like Fructan Produced by <i>Streptococcus mutans</i> , Strain JC2.. <i>Acta Chemica Scandinavica</i> , 1974, 28b, 589-589.	0.7	62
21	Root caries susceptibility in periodontally treated patients. Results after 12 years. <i>Journal of Clinical Periodontology</i> , 1993, 20, 124-129.	2.3	60
22	Factors Related to Fluoride Retention after Toothbrushing and Possible Connection to Caries Activity. <i>Caries Research</i> , 1993, 27, 474-477.	0.9	60
23	Effect of Xylitol and Sorbitol in Chewing-Gums on Mutans Streptococci, Plaque pH and Mineral Loss of Enamel. <i>Caries Research</i> , 1994, 28, 48-54.	0.9	60
24	Effect of Urea in Sugar-Free Chewing Gums on pH Recovery in Human Dental Plaque Evaluated with Three Different Methods. <i>Caries Research</i> , 1995, 29, 172-180.	0.9	58
25	Die antimikrobielle wirkung eines chlorhexidin-thymollackes (cervitec®) bei kieferorthopÃdischen patienten mit festsitzender apparatur. <i>Journal of Orofacial Orthopedics</i> , 1997, 58, 206-213.	0.5	56
26	Nutrient intake and health status of lactovegetarians: chemical analyses of diets using the duplicate portion sampling technique. <i>American Journal of Clinical Nutrition</i> , 1984, 40, 325-338.	2.2	55
27	Effect of a Modified Toothpaste Technique on Approximal Caries in Preschool Children. <i>Caries Research</i> , 1995, 29, 435-441.	0.9	54
28	Dental erosion associated with soft-drink consumption in young Saudi men. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 390-397.	0.9	54
29	Evaluation of Carisolvâ,¢ for the Chemoâ€Mechanical Removal of Primary Root Caries in vivo. <i>Caries Research</i> , 2000, 34, 275-280.	0.9	52
30	Prediction of Root Caries in Periodontally Treated Patients Maintained with Different Fluoride Programmes. <i>Caries Research</i> , 1992, 26, 450-458.	0.9	51
31	Cariologic aspects of xylitol and its use in chewing gum: A review. <i>Acta Odontologica Scandinavica</i> , 1994, 52, 116-127.	0.9	51
32	Caries Prevalence in Swedish 20-Year-Olds in Relation to Their Previous Caries Experience. <i>Caries Research</i> , 2013, 47, 234-242.	0.9	51
33	Effects of processing on starch availability In vitro and In vivo. II. Drum-drying of wheat flour. <i>Journal of Cereal Science</i> , 1984, 2, 165-178.	1.8	48
34	pH Measurements of Human Dental Plaque after Consumption of Starchy Foods Using the Microtouch and the Sampling Method. <i>Caries Research</i> , 1993, 27, 394-401.	0.9	48
35	Effect of Various Post-Brushing Activities on Salivary Fluoride Concentration after Toothbrushing with a Sodium Fluoride Dentifrice. <i>Caries Research</i> , 1994, 28, 127-131.	0.9	48
36	Factors Associated with Active and Inactive Root Caries in Patients with Periodontal Disease. <i>Caries Research</i> , 1991, 25, 377-384.	0.9	47

#	ARTICLE	IF	CITATIONS
37	Dietary habits related to caries development and immigrant status in infants and toddlers living in Sweden. <i>Acta Odontologica Scandinavica</i> , 1995, 53, 339-344.	0.9	47
38	Studies on human minor salivary gland secretions using the periotron® method. <i>Archives of Oral Biology</i> , 1996, 41, 1179-1182.	0.8	47
39	Explanatory models for clinically determined and symptom-reported caries indicators in an adult population. <i>Acta Odontologica Scandinavica</i> , 1999, 57, 132-138.	0.9	47
40	Oral Hygiene and Parent-Related Factors during Early Childhood in Relation to Approximal Caries at 15 Years of Age. <i>Caries Research</i> , 2008, 42, 28-36.	0.9	46
41	Effects of a 12-Month Prophylactic Programme on Selected Oral Bacterial Populations on Root Surfaces with Active and Inactive Carious Lesions. <i>Caries Research</i> , 1993, 27, 195-200.	0.9	45
42	Effect of Partial Substitution of Invert Sugar for Sucrose in Combination with Duraphat® Treatment on Caries Development in Preschool Children: The Malmö Study. <i>Caries Research</i> , 1991, 25, 304-310.	0.9	44
43	Dental caries and prolonged breastfeeding in 18-month-old Swedish children. <i>International Journal of Paediatric Dentistry</i> , 1995, 5, 149-155.	1.0	43
44	Automatic Titration Method for Determination of Acid Production from Sugars and Sugar Alcohols in Small Samples of Dental Plaque Material. <i>Caries Research</i> , 1978, 12, 128-136.	0.9	42
45	Caries in adolescence – influence from early childhood. <i>Community Dentistry and Oral Epidemiology</i> , 2012, 40, 125-133.	0.9	42
46	Effect of Chewing Gums Containing Xylitol, Sorbitol or a Mixture of Xylitol and Sorbitol on Plaque Formation, pH Changes and Acid Production in Human Dental Plaque. <i>Caries Research</i> , 1983, 17, 369-378.	0.9	41
47	Caries prevalence, salivary <i>Streptococcus mutans</i> and dietary scores in 13-year-old Swedish schoolchildren. <i>Community Dentistry and Oral Epidemiology</i> , 1986, 14, 202-205.	0.9	41
48	Effects of 3 months frequent consumption of hydrogenated starch hydrolysate (Lycasin®), maltitol, sorbitol and xylitol on human dental plaque. <i>Acta Odontologica Scandinavica</i> , 1979, 37, 103-115.	0.9	40
49	Diagnosis of mild enamel fluorosis in permanent maxillary incisors using two scoring systems. <i>Community Dentistry and Oral Epidemiology</i> , 1985, 13, 273-276.	0.9	40
50	Caries-Preventive Effect of Dentifrices Containing Various Types and Concentrations of Fluorides and Sugar Alcohols. <i>Caries Research</i> , 1991, 25, 74-79.	0.9	40
51	Comparison Among a Dip-slide Test (Dentocult®), Plate Count, and Snyder Test for Estimating Number of Lactobacilli in Human Saliva. <i>Journal of Dental Research</i> , 1981, 60, 1832-1841.	2.5	39
52	Salivary glucose clearance, dry mouth and pH changes in dental plaque in man. <i>Archives of Oral Biology</i> , 1988, 33, 875-880.	0.8	39
53	Effect of Professional Flossing with Chlorhexidine Gel on Approximal Caries in 12- to 15-Year-Old Schoolchildren. <i>Caries Research</i> , 1988, 22, 187-192.	0.9	38
54	Caries Prevalence, Caries-Related Factors and Plaque pH in Adolescents with Long-Term Asthma. <i>Caries Research</i> , 2010, 44, 540-546.	0.9	38

#	ARTICLE	IF	CITATIONS
55	Glycogen synthesis pathway in <i>Streptococcus mutans</i> strain NCTC 10449S and its glycogen synthesis-defective mutant 805. <i>Archives of Oral Biology</i> , 1979, 24, 67-73.	0.8	35
56	Plaque pH and Oral Retention After Consumption of Starchy Snack Products at Normal and Low Salivary Secretion Rate. <i>Acta Odontologica Scandinavica</i> , 1993, 51, 379-388.	0.9	34
57	Effects of frequent mouthrinses with palatinose and xylitol on dental plaque. <i>European Journal of Oral Sciences</i> , 1997, 105, 162-169.	0.7	34
58	Fluoride Retention in Proximal Plaque and Saliva Using Two NaF Dentifrices Containing 5,000 and 1,450 ppm F with and without Water Rinsing. <i>Caries Research</i> , 2009, 43, 64-69.	0.9	34
59	Effects of Partial Sugar Restriction for 6 Weeks on Numbers of <i>Streptococcus mutans</i> in Saliva and Interdental Plaque in Man. <i>Caries Research</i> , 1987, 21, 79-86.	0.9	31
60	Effect of Dentifrices Containing either Xylitol and Glycerol or Sorbitol on Mutans Streptococci in Saliva. <i>Caries Research</i> , 1991, 25, 449-453.	0.9	31
61	Variation of posterior approximal caries incidence with consumption of sweets with regard to other caries-related factors in 15-18-year-olds. <i>Community Dentistry and Oral Epidemiology</i> , 1992, 20, 76-80.	0.9	31
62	pH Changes in Human Dental Plaque from Lactose and Milk before and after Adaptation. <i>Caries Research</i> , 1993, 27, 43-50.	0.9	31
63	Effects of Sugar Restriction on <i>Streptococcus mutans</i> and <i>Streptococcus sobrinus</i> in Saliva and Dental Plaque. <i>Caries Research</i> , 1995, 29, 54-61.	0.9	31
64	On the relations between dietary habits, nutrients, and oral health in women at the age of retirement. <i>Acta Odontologica Scandinavica</i> , 1993, 51, 277-284.	0.9	30
65	A comparison of four home-care fluoride programs on the caries incidence in the elderly. <i>Gerodontology</i> , 1998, 15, 51-60.	0.8	30
66	Effect of Frequent Consumption of Starchy Food Items on Enamel and Dentin Demineralization and on Plaque pH in situ. <i>Journal of Dental Research</i> , 1994, 73, 652-660.	2.5	29
67	Sorbitol Adaptation of Dental Plaque in People with Low and Normal Salivary-secretion Rates. <i>Journal of Dental Research</i> , 1990, 69, 442-446.	2.5	27
68	Intake of sweet foods and counts of cariogenic microorganisms in relation to body mass index and psychometric variables in women. <i>International Journal of Obesity</i> , 2002, 26, 1239-1244.	1.6	27
69	Effect of 4 Days Consumption of Chewing Gum Containing Sorbitol or a Mixture of Sorbitol and Xylitol on Dental Plaque and Saliva. <i>Caries Research</i> , 1983, 17, 76-88.	0.9	26
70	Early dental caries risk assessment and prevention in pre-school children: evaluation of a new strategy for dental care in a field study. <i>Acta Odontologica Scandinavica</i> , 2001, 59, 261-266.	0.9	26
71	Acid production from sorbitol in human dental plaque. <i>Archives of Oral Biology</i> , 1978, 23, 971-975.	0.8	25
72	Oral Sugar Clearance and Root Caries Prevalence in Rheumatic Patients with Dry Mouth Symptoms. <i>Caries Research</i> , 1992, 26, 439-444.	0.9	25

#	ARTICLE	IF	CITATIONS
73	Equality in satisfaction, perceived need, and utilization of dental care in a 50-year old Swedish population. <i>Community Dentistry and Oral Epidemiology</i> , 1996, 24, 191-195.	0.9	25
74	Effect of a Triclosan-Containing Toothpaste Supplemented with 10% Xylitol on Mutans Streptococci in Saliva and Dental Plaque. <i>Caries Research</i> , 2002, 36, 36-39.	0.9	25
75	Gas-liquid chromatographic analysis of amino acids in pellicle formed on tooth surface and plastic film in vivo. <i>Archives of Oral Biology</i> , 1981, 26, 635-641.	0.8	24
76	Anaerobic and Aerobic Metabolism of Sorbitol in <i>Streptococcus sanguis</i> and <i>Streptococcus mitior</i> . <i>Journal of Dental Research</i> , 1985, 64, 1286-1289.	2.5	24
77	Oral Sugar Clearance in Children Compared with Adults. <i>Caries Research</i> , 1991, 25, 201-206.	0.9	24
78	Effect of a 3-Year Professional Flossing Program with Chlorhexidine Gel on Approximal Caries and Cost of Treatment in Preschool Children. <i>Caries Research</i> , 1994, 28, 394-399.	0.9	24
79	Effect of a long-term change from a mixed to a lactovegetarian diet on human saliva. <i>Archives of Oral Biology</i> , 1994, 39, 283-288.	0.8	24
80	Behavioural Aspects of Dietary Habits and Dental Caries. <i>Caries Research</i> , 1990, 24, 27-35.	0.9	23
81	Impact of medical and life-style factors on number of teeth in 68-year-old men in southern Sweden. <i>Acta Odontologica Scandinavica</i> , 1996, 54, 66-74.	0.9	23
82	Salivary glands clearance and related factors in elderly people. <i>Gerodontology</i> , 1987, 3, 146-50.	0.3	23
83	Sorbitol and Dental Caries. <i>World Review of Nutrition and Dietetics</i> , 1991, 65, 1-37.	0.1	22
84	Effect of Three Months' Frequent Use of Sugar-free Chewing Gum with and without Urea on Calculus Formation. <i>Journal of Dental Research</i> , 1998, 77, 1630-1637.	2.5	22
85	Effect on <i>de novo</i> plaque formation of rinsing with toothpaste slurries and water solutions with a high fluoride concentration (5,000 µg ppm). <i>European Journal of Oral Sciences</i> , 2009, 117, 563-567.	0.7	22
86	Per capita consumption of sugar-containing products and dental caries in Sweden from 1960 to 1985. <i>Community Dentistry and Oral Epidemiology</i> , 1989, 17, 41-43.	0.9	21
87	Oral hygiene in relation to caries development and immigrant status in infants and toddlers. <i>European Journal of Oral Sciences</i> , 1994, 102, 269-273.	0.7	21
88	Effect of Post-Brushing Water Rinsing on Caries-Like Lesions at Approximal and Buccal Sites. <i>Caries Research</i> , 1995, 29, 337-342.	0.9	21
89	Is there not a strong relationship nowadays between caries and consumption of sweets?. <i>Swedish Dental Journal</i> , 1983, 7, 103-8.	0.7	21
90	Dental caries and related factors in 88- and 92-year-olds: Cross-sectional and longitudinal comparisons. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 282-291.	0.9	20

#	ARTICLE	IF	CITATIONS
91	Cariological Studies of Individuals with Long-Term Sorbitol Consumption (Short Communication). <i>Caries Research</i> , 1990, 24, 220-223.	0.9	19
92	Acid Production from Swedish Lycasin® (Candy Quality) and French Lycasin® (80/55) in Human Dental Plaques. <i>Caries Research</i> , 1978, 12, 256-263.	0.9	18
93	Influence of Short-Term Sucrose Exposure on Plaque Acidogenicity and Cariogenic Microflora in Individuals with Different Levels of Mutans Streptococci. <i>Caries Research</i> , 2003, 37, 51-57.	0.9	18
94	Explanatory models for clinical and subjective indicators of periodontal disease in an adult population. <i>Journal of Clinical Periodontology</i> , 2000, 27, 22-29.	2.3	17
95	Relationship between Plaque pH and Different Caries-Associated Variables in a Group of Adolescents with Varying Caries Prevalence. <i>Caries Research</i> , 2014, 48, 147-153.	0.9	17
96	Effect of Aerobic and Anaerobic Atmosphere on Acid Production from Sorbitol in Suspensions of Dental Plaque and Oral Streptococci. <i>Caries Research</i> , 1986, 20, 237-243.	0.9	16
97	Caries predicting factors in adult patients participating in a dental health program. <i>Community Dentistry and Oral Epidemiology</i> , 1988, 16, 374-377.	0.9	16
98	Effect of pH on Acid Production from Sorbitol in Washed Cell Suspensions of Oral Bacteria. <i>Caries Research</i> , 1990, 24, 107-112.	0.9	16
99	Fluoride in the Interdental Area after Two Different Post-Brushing Water Rinsing Procedures. <i>Caries Research</i> , 1996, 30, 194-199.	0.9	16
100	Stimulation of minor salivary glands by intraoral treatment with the cholinesterase inhibitor physostigmine in man. <i>European Journal of Oral Sciences</i> , 2001, 109, 371-374.	0.7	16
101	Caries-preventive effect on primary and permanent teeth and cost-effectiveness of an NaF tablet preschool program. <i>Community Dentistry and Oral Epidemiology</i> , 1991, 19, 88-92.	0.9	15
102	Progression of approximal caries in primary molars and the effect of Duraphat treatment. <i>European Journal of Oral Sciences</i> , 1992, 100, 314-318.	0.7	15
103	Salivary antimicrobial proteins in patients with Crohn's disease. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1993, 76, 564-569.	0.6	15
104	Effect of professional flossing with NaF or SnF ₂ gel on approximal caries in 13-16-year-old schoolchildren. <i>Acta Odontologica Scandinavica</i> , 1999, 57, 121-125.	0.9	15
105	Intake of sweet foods and counts of cariogenic microorganisms in obese and normal-weight women. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 850-855.	1.3	15
106	Oral Sugar Clearance and Other Caries-Related Factors in Patients with Myotonic Dystrophy. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 111-115.	0.9	14
107	Salivary Fluoride Concentration and Plaque pH after Using a Fluoride-Containing Chewing Gum. <i>Caries Research</i> , 1997, 31, 366-372.	0.9	14
108	Long-term evaluation of a fissure sealing programme in Public Dental Service clinics in Sweden. <i>Swedish Dental Journal</i> , 2001, 25, 61-5.	0.7	14

#	ARTICLE	IF	CITATIONS
109	Genetic transfer of markers for sorbitol (d-glucitol) metabolism in oral streptococci. Archives of Oral Biology, 1981, 26, 403-407.	0.8	13
110	Effects of variously processed starch on pH of human dental plaque. European Journal of Oral Sciences, 1989, 97, 392-400.	0.7	13
111	Fluoride and Urea Chewing Gums in an Intra-Oral Experimental Caries Model. Caries Research, 2002, 36, 64-69.	0.9	13
112	Fluoride concentration in the approximal area after using toothpicks and other fluoride-containing products. European Journal of Oral Sciences, 1998, 106, 564-570.	0.7	12
113	The presence of iso- α -amylases in human saliva. Archives of Oral Biology, 1973, 18, 203-210.	0.8	11
114	Relation of amylase to starch and Lycasin [®] metabolism in human dental plaque <i>in vitro</i> . European Journal of Oral Sciences, 1978, 86, 248-258.	0.7	11
115	Cariogenicity of Invert Sugar in Long-Term Rat Experiments. Caries Research, 1981, 15, 302-307.	0.9	11
116	Preruptive effect of NaF tablets on caries in children from 12 to 17 years of age. Community Dentistry and Oral Epidemiology, 1986, 14, 1-4.	0.9	11
117	Rate of plaque formation ? some clinical and biochemical characteristics of "heavy" and "light" plaque formers. European Journal of Oral Sciences, 1987, 95, 97-103.	0.7	11
118	Don't take for granted that patients know [™] oral health professionals' strategies, considerations and methods when teaching patients how to use fluoride toothpaste. International Journal of Dental Hygiene, 2014, 12, 81-88.	0.8	11
119	The Relationship between Plaque pH and Glycemic Index of Various Breads. Caries Research, 2000, 34, 75-81.	0.9	10
120	Human minor and major gland saliva proteins and ability to mediate Actinomyces naeslundii adherence. Archives of Oral Biology, 2004, 49, 177-181.	0.8	10
121	Oral Sugar Clearance in Individuals with Oral Motor Dysfunctions. Caries Research, 2005, 39, 357-362.	0.9	10
122	Effect on approximal caries in teenagers of interrupting a school-based weekly NaF mouthrinse program for 3 years. Community Dentistry and Oral Epidemiology, 1989, 17, 83-86.	0.9	9
123	Effect of Chlorhexidine Varnish and Gel on Mutans Streptococci in Margins of Restorations in Adults. Caries Research, 2002, 36, 360-365.	0.9	9
124	Immediate and prolonged effect of individual preventive measures in caries and gingivitis susceptible children. Swedish Dental Journal, 1983, 7, 13-21.	0.7	9
125	Influence of a Single Intake of Various Test Meals on Secretion Rate, Buffer Effect, and Electrolytes of Human Stimulated Whole Saliva (Short Communication). Caries Research, 1984, 18, 265-268.	0.9	8
126	Model for the study of the preruptive effect of NaF tablets on caries in permanent teeth. Community Dentistry and Oral Epidemiology, 1985, 13, 86-92.	0.9	8

#	ARTICLE	IF	CITATIONS
127	The effect of monitored chlorhexidine gel treatment on mutans streptococci in margins of restorations. <i>Journal of Dentistry</i> , 1998, 26, 25-30.	1.7	8
128	An in vitro study of fluoride release from a resin-modified glass ionomer cement after exposure to toothpaste slurries of different pH. <i>Clinical Oral Investigations</i> , 2000, 4, 233-237.	1.4	8
129	Caries incidence in adolescents with low caries prevalence after cessation of weekly fluoride rinsing. <i>Acta Odontologica Scandinavica</i> , 2001, 59, 69-73.	0.9	8
130	Dental health in 16-year-old Swedish high school students in 1979 and 1984. <i>Community Dentistry and Oral Epidemiology</i> , 1988, 16, 282-285.	0.9	7
131	Effect of Sugarcane Chewing on Plaque pH in Rural Kenyan Children. <i>Caries Research</i> , 1992, 26, 286-289.	0.9	7
132	Oral retention of glucose at pharmacologically reduced salivary flow in man. <i>European Journal of Oral Sciences</i> , 1994, 102, 180-185.	0.7	7
133	Oral glucose clearance in nonagenarians in relation to functional capacity, medication and oral variables. <i>Gerodontology</i> , 1997, 14, 17-27.	0.8	7
134	Effect of Fluoridated Toothpicks and Dental Flosses on Enamel and Dentine and on Plaque Composition in situ. <i>Caries Research</i> , 2005, 39, 52-59.	0.9	7
135	Uptake and Release of Fluoride from Fluoride-Impregnated Chewing Sticks (Miswaks) in vitro and in vivo. <i>Caries Research</i> , 2008, 42, 363-368.	0.9	7
136	Sweeteners and dental health. , 1991, , 205-224.		7
137	Caries in Rats Fed Highly or Slightly Hydrolysed Lycasin [®] . <i>Caries Research</i> , 1978, 12, 250-255.	0.9	6
138	Oral electrochemical action after soft drink rinsing and consumption of sweets. <i>European Journal of Oral Sciences</i> , 1990, 98, 336-340.	0.7	6
139	Oral sugar clearance in elderly people with prosthodontic reconstructions. <i>European Journal of Oral Sciences</i> , 1991, 99, 333-339.	0.7	6
140	Effect of Xylitol in an Enzyme-Containing Dentifrice without Sodium Lauryl Sulfate on Mutans Streptococci in Vivo. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 212-216.	0.9	6
141	Effect of Toothpicks with and without Fluoride on De ⁺⁺ and Remineralization of Enamel and Dentine in situ. <i>Caries Research</i> , 1998, 32, 422-427.	0.9	6
142	Fluoride Retention of a Mucosa Adhesive Paste Compared with Other Home-Care Fluoride Products. <i>Caries Research</i> , 2008, 42, 240-246.	0.9	6
143	Dental health and dietary habits in Greek immigrant children in southern Sweden compared with Swedish and rural Greek children. <i>Swedish Dental Journal</i> , 1991, 15, 187-96.	0.7	6
144	Influence of sugar content in soft bread on pH of human dental plaque. <i>Acta Odontologica Scandinavica</i> , 1975, 33, 59-66.	0.9	5

#	ARTICLE	IF	CITATIONS
145	Structure of extracellular polysaccharides synthesized from sucrose by Neisseria isolated from human dental plaque. Archives of Oral Biology, 1979, 24, 63-66.	0.8	5
146	Determination of Salivary Streptococcus mutans Level in a Stable Sucrose-Sulphasomidine-Containing Broth. Caries Research, 1985, 19, 320-326.	0.9	5
147	Effect of repeated intake of a sugar free fluoride-containing chewing gum on acido genicity and microbial composition of dental plaque. European Journal of Oral Sciences, 1985, 93, 309-314.	0.7	5
148	Sugar substitutes ? one consequence of the Vipeholm Study?. European Journal of Oral Sciences, 1989, 97, 126-129.	0.7	5
149	Uptake and release of fluoride from birch and lime toothpicks. European Journal of Oral Sciences, 1995, 103, 112-115.	0.7	5
150	Approximal Fluoride Concentration Using Different Fluoridated Products Alone or in Combination. Caries Research, 2008, 42, 73-78.	0.9	5
151	Effect of Chlorhexidine Treatment followed by Stannous Fluoride Gel Application on Mutans Streptococci in Margins of Restorations. Caries Research, 1994, 28, 435-440.	0.9	4
152	Retention of fluoride/triclosan in plaque following different modes of administration. Journal of Clinical Periodontology, 1999, 26, 14-18.	2.3	4
153	Effect of buccal administration of a lactose-containing nitroglycerin tablet (Suscard) on plaque pH. European Journal of Oral Sciences, 1994, 102, 324-328.	0.7	2
154	Effect of NaF-, SnF2-, and chlorhexidine-impregnated birch toothpicks on mutans streptococci and pH in approximal dental plaque. Acta Odontologica Scandinavica, 1998, 56, 197-201.	0.9	2
155	An individual training programme for speeding up prolonged oral sugar clearance in hospitalized elderly patients. A pilot study. Swedish Dental Journal, 1992, 16, 239-45.	0.7	2
156	In vitro and in vivo studies of an NaF impregnated toothpick. Swedish Dental Journal, 1994, 18, 69-73.	0.7	1
157	Short term fasting and lactovegetarian diet does not affect human saliva. European Journal of Oral Sciences, 1984, 92, 408-411.	0.7	0