

D Birkhed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11762820/publications.pdf>

Version: 2024-02-01

157
papers

4,931
citations

66343
42
h-index

133252
59
g-index

157
all docs

157
docs citations

157
times ranked

2458
citing authors

#	ARTICLE	IF	CITATIONS
1	â€œI take for granted that patients knowâ€™ oral health professionals' strategies, considerations and methods when teaching patients how to use fluoride toothpaste. International Journal of Dental Hygiene, 2014, 12, 81-88.	1.9	11
2	Relationship between Plaque pH and Different Caries-Associated Variables in a Group of Adolescents with Varying Caries Prevalence. Caries Research, 2014, 48, 147-153.	2.0	17
3	Oral Administration of <i>Lactobacillus reuteri</i> during the First Year of Life Reduces Caries Prevalence in the Primary Dentition at 9 Years of Age. Caries Research, 2014, 48, 111-117.	2.0	69
4	Caries Prevalence in Swedish 20-Year-Olds in Relation to Their Previous Caries Experience. Caries Research, 2013, 47, 234-242.	2.0	51
5	Caries in adolescence â€œ influence from early childhood. Community Dentistry and Oral Epidemiology, 2012, 40, 125-133.	1.9	42
6	Caries Prevalence, Caries-Related Factors and Plaque pH in Adolescents with Long-Term Asthma. Caries Research, 2010, 44, 540-546.	2.0	38
7	Preventive Effect of High-Fluoride Dentifrice (5,000 ppm) in Caries-Active Adolescents: A 2-Year Clinical Trial. Caries Research, 2010, 44, 323-331.	2.0	81
8	Fluoride Retention in Proximal Plaque and Saliva Using Two NaF Dentifrices Containing 5,000 and 1,450 ppm F with and without Water Rinsing. Caries Research, 2009, 43, 64-69.	2.0	34
9	Effect on <i>de novo</i> plaque formation of rinsing with toothpaste slurries and water solutions with a high fluoride concentration (5,000â€¢ppm). European Journal of Oral Sciences, 2009, 117, 563-567.	1.5	22
10	Oral Hygiene and Parent-Related Factors during Early Childhood in Relation to Approximal Caries at 15 Years of Age. Caries Research, 2008, 42, 28-36.	2.0	46
11	Fluoride Retention of a Mucosa Adhesive Paste Compared with Other Home-Care Fluoride Products. Caries Research, 2008, 42, 240-246.	2.0	6
12	Uptake and Release of Fluoride from Fluoride-Impregnated Chewing Sticks (Miswaks) in vitro and in vivo. Caries Research, 2008, 42, 363-368.	2.0	7
13	Approximal Fluoride Concentration Using Different Fluoridated Products Alone or in Combination. Caries Research, 2008, 42, 73-78.	2.0	5
14	Prevalence of Approximal Caries in Posterior Teeth in 15-Year-Old Swedish Teenagers in Relation to Their Caries Experience at 3 Years of Age. Caries Research, 2007, 41, 392-398.	2.0	69
15	Oral Sugar Clearance in Individuals with Oral Motor Dysfunctions. Caries Research, 2005, 39, 357-362.	2.0	10
16	Effect of Fluoridated Toothpicks and Dental Flosses on Enamel and Dentine and on Plaque Composition in situ. Caries Research, 2005, 39, 52-59.	2.0	7
17	Human minor and major gland saliva proteins and ability to mediate <i>Actinomyces naeslundii</i> adherence. Archives of Oral Biology, 2004, 49, 177-181.	1.8	10
18	Minor gland and whole saliva in postmenopausal women using a low potency oestrogen (oestriol). Archives of Oral Biology, 2003, 48, 511-517.	1.8	69

#	ARTICLE	IF	CITATIONS
19	Influence of Short-Term Sucrose Exposure on Plaque Acidogenicity and Cariogenic Microflora in Individuals with Different Levels of Mutans Streptococci. <i>Caries Research</i> , 2003, 37, 51-57.	2.0	18
20	Effect of a Triclosan-Containing Toothpaste Supplemented with 10% Xylitol on Mutans Streptococci in Saliva and Dental Plaque. <i>Caries Research</i> , 2002, 36, 36-39.	2.0	25
21	Effect of Chlorhexidine Varnish and Gel on Mutans Streptococci in Margins of Restorations in Adults. <i>Caries Research</i> , 2002, 36, 360-365.	2.0	9
22	Fluoride and Urea Chewing Gums in an Intra-Oral Experimental Caries Model. <i>Caries Research</i> , 2002, 36, 64-69.	2.0	13
23	Intake of sweet foods and counts of cariogenic microorganisms in relation to body mass index and psychometric variables in women. <i>International Journal of Obesity</i> , 2002, 26, 1239-1244.	3.4	27
24	Dental erosion in deciduous teeth—an in vivo and in vitro study. <i>Journal of Dentistry</i> , 2001, 29, 333-340.	4.1	93
25	Caries incidence in adolescents with low caries prevalence after cessation of weekly fluoride rinsing. <i>Acta Odontologica Scandinavica</i> , 2001, 59, 69-73.	1.6	8
26	Early dental caries risk assessment and prevention in pre-school children: evaluation of a new strategy for dental care in a field study. <i>Acta Odontologica Scandinavica</i> , 2001, 59, 261-266.	1.6	26
27	Stimulation of minor salivary glands by intraoral treatment with the cholinesterase inhibitor physostigmine in man. <i>European Journal of Oral Sciences</i> , 2001, 109, 371-374.	1.5	16
28	Intake of sweet foods and counts of cariogenic microorganisms in obese and normal-weight women. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 850-855.	2.9	15
29	Effects of combined application of antimicrobial and fluoride varnishes in orthodontic patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001, 120, 28-35.	1.7	181
30	Long-term evaluation of a fissure sealing programme in Public Dental Service clinics in Sweden. <i>Swedish Dental Journal</i> , 2001, 25, 61-5.	0.7	14
31	The Relationship between Plaque pH and Glycemic Index of Various Breads. <i>Caries Research</i> , 2000, 34, 75-81.	2.0	10
32	Explanatory models for clinical and subjective indicators of periodontal disease in an adult population. <i>Journal of Clinical Periodontology</i> , 2000, 27, 22-29.	4.9	17
33	An in vitro study of fluoride release from a resin-modified glass ionomer cement after exposure to toothpaste slurries of different pH. <i>Clinical Oral Investigations</i> , 2000, 4, 233-237.	3.0	8
34	Evaluation of Carisolv [®] for the Chemo-Mechanical Removal of Primary Root Caries in vivo. <i>Caries Research</i> , 2000, 34, 275-280.	2.0	52
35	Retention of fluoride/triclosan in plaque following different modes of administration. <i>Journal of Clinical Periodontology</i> , 1999, 26, 14-18.	4.9	4
36	Effect of professional flossing with NaF or SnF ₂ gel on approximal caries in 13-16-year-old schoolchildren. <i>Acta Odontologica Scandinavica</i> , 1999, 57, 121-125.	1.6	15

#	ARTICLE	IF	CITATIONS
37	Explanatory models for clinically determined and symptom-reported caries indicators in an adult population. <i>Acta Odontologica Scandinavica</i> , 1999, 57, 132-138.	1.6	47
38	A comparison of four home-care fluoride programs on the caries incidence in the elderly. <i>Gerodontology</i> , 1998, 15, 51-60.	2.0	30
39	Fluoride concentration in the approximal area after using toothpicks and other fluoride-containing products. <i>European Journal of Oral Sciences</i> , 1998, 106, 564-570.	1.5	12
40	The effect of monitored chlorhexidine gel treatment on mutans streptococci in margins of restorations. <i>Journal of Dentistry</i> , 1998, 26, 25-30.	4.1	8
41	Effect of NaF-, SnF ₂ -, and chlorhexidine-impregnated birch toothpicks on mutans streptococci and pH in approximal dental plaque. <i>Acta Odontologica Scandinavica</i> , 1998, 56, 197-201.	1.6	2
42	Effect of Three Months' Frequent Use of Sugar-free Chewing Gum with and without Urea on Calculus Formation. <i>Journal of Dental Research</i> , 1998, 77, 1630-1637.	5.2	22
43	Effect of Toothpicks with and without Fluoride on Deacidification and Remineralization of Enamel and Dentine in situ. <i>Caries Research</i> , 1998, 32, 422-427.	2.0	6
44	Dental caries and related factors in 88- and 92-year-olds: Cross-sectional and longitudinal comparisons. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 282-291.	1.6	20
45	Dental erosion associated with soft-drink consumption in young Saudi men. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 390-397.	1.6	54
46	Oral Sugar Clearance and Other Caries-Related Factors in Patients with Myotonic Dystrophy. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 111-115.	1.6	14
47	Oral Disease, Impairment, and Illness: Congruence Between Clinical and Questionnaire Findings. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 127-132.	1.6	83
48	Effect of Xylitol in an Enzyme-Containing Dentifrice without Sodium Lauryl Sulfate on Mutans Streptococci in Vivo. <i>Acta Odontologica Scandinavica</i> , 1997, 55, 212-216.	1.6	6
49	Salivary Fluoride Concentration and Plaque pH after Using a Fluoride-Containing Chewing Gum. <i>Caries Research</i> , 1997, 31, 366-372.	2.0	14
50	Oral glucose clearance in nonagenarians in relation to functional capacity, medication and oral variables. <i>Gerodontology</i> , 1997, 14, 17-27.	2.0	7
51	Effects of frequent mouthrinses with palatinose and xylitol on dental plaque. <i>European Journal of Oral Sciences</i> , 1997, 105, 162-169.	1.5	34
52	Die antimikrobielle Wirkung eines chlorhexidin-thymollackes (cervitec®) bei kieferorthopädischen Patienten mit festsitzender Apparatur. <i>Journal of Orofacial Orthopedics</i> , 1997, 58, 206-213.	1.3	56
53	Fluoride in the Interdental Area after Two Different Post-Brushing Water Rinsing Procedures. <i>Caries Research</i> , 1996, 30, 194-199.	2.0	16
54	Studies on human minor salivary gland secretions using the periotron® method. <i>Archives of Oral Biology</i> , 1996, 41, 1179-1182.	1.8	47

#	ARTICLE	IF	CITATIONS
55	Equality in satisfaction, perceived need, and utilization of dental care in a 50-year old Swedish population. <i>Community Dentistry and Oral Epidemiology</i> , 1996, 24, 191-195.	1.9	25
56	Impact of medical and life-style factors on number of teeth in 68-year-old men in southern Sweden. <i>Acta Odontologica Scandinavica</i> , 1996, 54, 66-74.	1.6	23
57	Dental erosion, soft-drink intake, and oral health in young Saudi men, and the development of a system for assessing erosive anterior tooth wear. <i>Acta Odontologica Scandinavica</i> , 1996, 54, 369-378.	1.6	94
58	Analysis of caries-related factors in infants and toddlers living in Sweden. <i>Acta Odontologica Scandinavica</i> , 1996, 54, 131-137.	1.6	65
59	Uptake and release of fluoride from birch and lime toothpicks. <i>European Journal of Oral Sciences</i> , 1995, 103, 112-115.	1.5	5
60	Effect of Urea in Sugar-Free Chewing Gums on pH Recovery in Human Dental Plaque Evaluated with Three Different Methods. <i>Caries Research</i> , 1995, 29, 172-180.	2.0	58
61	Effects of Sugar Restriction on <i>Streptococcus mutans</i> and <i>Streptococcus sobrinus</i> in Saliva and Dental Plaque. <i>Caries Research</i> , 1995, 29, 54-61.	2.0	31
62	Effect of a Modified Toothpaste Technique on Approximal Caries in Preschool Children. <i>Caries Research</i> , 1995, 29, 435-441.	2.0	54
63	Effect of Post-Brushing Water Rinsing on Caries-Like Lesions at Approximal and Buccal Sites. <i>Caries Research</i> , 1995, 29, 337-342.	2.0	21
64	Dietary habits related to caries development and immigrant status in infants and toddlers living in Sweden. <i>Acta Odontologica Scandinavica</i> , 1995, 53, 339-344.	1.6	47
65	Dental caries and prolonged breast-feeding in 18-month-old Swedish children. <i>International Journal of Paediatric Dentistry</i> , 1995, 5, 149-155.	1.8	43
66	Effect of a 3-Year Professional Flossing Program with Chlorhexidine Gel on Approximal Caries and Cost of Treatment in Preschool Children. <i>Caries Research</i> , 1994, 28, 394-399.	2.0	24
67	Effect of Frequent Consumption of Starchy Food Items on Enamel and Dentin Demineralization and on Plaque pH in situ. <i>Journal of Dental Research</i> , 1994, 73, 652-660.	5.2	29
68	Cariologic aspects of xylitol and its use in chewing gum: A review. <i>Acta Odontologica Scandinavica</i> , 1994, 52, 116-127.	1.6	51
69	Effect of Xylitol and Sorbitol in Chewing-Gums on Mutans Streptococci, Plaque pH and Mineral Loss of Enamel. <i>Caries Research</i> , 1994, 28, 48-54.	2.0	60
70	Effect of Various Post-Brushing Activities on Salivary Fluoride Concentration after Toothbrushing with a Sodium Fluoride Dentifrice. <i>Caries Research</i> , 1994, 28, 127-131.	2.0	48
71	Effect of a long-term change from a mixed to a lactovegetarian diet on human saliva. <i>Archives of Oral Biology</i> , 1994, 39, 283-288.	1.8	24
72	Oral retention of glucose at pharmacologically reduced salivary flow in man. <i>European Journal of Oral Sciences</i> , 1994, 102, 180-185.	1.5	7

#	ARTICLE	IF	CITATIONS
73	Effect of buccal administration of a lactose-containing nitroglycerin tablet (Suscard) on plaque pH. European Journal of Oral Sciences, 1994, 102, 324-328.	1.5	2
74	Oral hygiene in relation to caries development and immigrant status in infants and toddlers. European Journal of Oral Sciences, 1994, 102, 269-273.	1.5	21
75	Effect of Chlorhexidine Treatment followed by Stannous Fluoride Gel Application on Mutans Streptococci in Margins of Restorations. Caries Research, 1994, 28, 435-440.	2.0	4
76	In vitro and in vivo studies of an NaF impregnated toothpick. Swedish Dental Journal, 1994, 18, 69-73.	0.7	1
77	Root caries susceptibility in periodontally treated patients. Results after 12 years. Journal of Clinical Periodontology, 1993, 20, 124-129.	4.9	60
78	Salivary antimicrobial proteins in patients with Crohn's disease. Oral Surgery, Oral Medicine, and Oral Pathology, 1993, 76, 564-569.	0.6	15
79	Fluoride release in vitro from various glass ionomer cements and resin composites after exposure to NaF solutions. Dental Materials, 1993, 9, 350-354.	3.5	78
80	Plaque pH and Oral Retention After Consumption of Starchy Snack Products at Normal and Low Salivary Secretion Rate. Acta Odontologica Scandinavica, 1993, 51, 379-388.	1.6	34
81	On the relations between dietary habits, nutrients, and oral health in women at the age of retirement. Acta Odontologica Scandinavica, 1993, 51, 277-284.	1.6	30
82	Comparison of Three Different Methods for Measurement of Plaque-pH in Humans after Consumption of Soft Bread and Potato Chips. Journal of Dental Research, 1993, 72, 865-870.	5.2	98
83	pH Changes in Human Dental Plaque from Lactose and Milk before and after Adaptation. Caries Research, 1993, 27, 43-50.	2.0	31
84	Factors Related to Fluoride Retention after Toothbrushing and Possible Connection to Caries Activity. Caries Research, 1993, 27, 474-477.	2.0	60
85	pH Measurements of Human Dental Plaque after Consumption of Starchy Foods Using the Microtouch and the Sampling Method. Caries Research, 1993, 27, 394-401.	2.0	48
86	Effects of a 12-Month Prophylactic Programme on Selected Oral Bacterial Populations on Root Surfaces with Active and Inactive Carious Lesions. Caries Research, 1993, 27, 195-200.	2.0	45
87	Use of Palladium Touch Microelectrodes under Field Conditions for in vivo Assessment of Dental Plaque pH in Children. Caries Research, 1992, 26, 44-52.	2.0	62
88	Effect of Sugarcane Chewing on Plaque pH in Rural Kenyan Children. Caries Research, 1992, 26, 286-289.	2.0	7
89	Prediction of Root Caries in Periodontally Treated Patients Maintained with Different Fluoride Programmes. Caries Research, 1992, 26, 450-458.	2.0	51
90	Progression of approximal caries in primary molars and the effect of Duraphat treatment. European Journal of Oral Sciences, 1992, 100, 314-318.	1.5	15

#	ARTICLE	IF	CITATIONS
91	Oral Sugar Clearance and Root Caries Prevalence in Rheumatic Patients with Dry Mouth Symptoms. Caries Research, 1992, 26, 439-444.	2.0	25
92	Variation of posterior approximal caries incidence with consumption of sweets with regard to other caries-related factors in 15-18-year-olds. Community Dentistry and Oral Epidemiology, 1992, 20, 76-80.	1.9	31
93	An individual training programme for speeding up prolonged oral sugar clearance in hospitalized elderly patients. A pilot study. Swedish Dental Journal, 1992, 16, 239-45.	0.7	2
94	Effect of Partial Substitution of Invert Sugar for Sucrose in Combination with Duraphat® Treatment on Caries Development in Preschool Children: The Malmö Study. Caries Research, 1991, 25, 304-310.	2.0	44
95	Sorbitol and Dental Caries. World Review of Nutrition and Dietetics, 1991, 65, 1-37.	0.3	22
96	Factors Associated with Active and Inactive Root Caries in Patients with Periodontal Disease. Caries Research, 1991, 25, 377-384.	2.0	47
97	Effect of Dentifrices Containing either Xylitol and Glycerol or Sorbitol on Mutans Streptococci in Saliva. Caries Research, 1991, 25, 449-453.	2.0	31
98	Oral sugar clearance in elderly people with prosthodontic reconstructions. European Journal of Oral Sciences, 1991, 99, 333-339.	1.5	6
99	Caries-Preventive Effect of Dentifrices Containing Various Types and Concentrations of Fluorides and Sugar Alcohols. Caries Research, 1991, 25, 74-79.	2.0	40
100	Oral Sugar Clearance in Children Compared with Adults. Caries Research, 1991, 25, 201-206.	2.0	24
101	Caries-preventive effect on primary and permanent teeth and cost-effectiveness of an NaF tablet preschool program. Community Dentistry and Oral Epidemiology, 1991, 19, 88-92.	1.9	15
102	Sweeteners and dental health. , 1991, , 205-224.		7
103	Dental health and dietary habits in Greek immigrant children in southern Sweden compared with Swedish and rural Greek children. Swedish Dental Journal, 1991, 15, 187-96.	0.7	6
104	Effect of pH on Acid Production from Sorbitol in Washed Cell Suspensions of Oral Bacteria. Caries Research, 1990, 24, 107-112.	2.0	16
105	Oral electrochemical action after soft drink rinsing and consumption of sweets. European Journal of Oral Sciences, 1990, 98, 336-340.	1.5	6
106	Behavioural Aspects of Dietary Habits and Dental Caries. Caries Research, 1990, 24, 27-35.	2.0	23
107	Cariological Studies of Individuals with Long-Term Sorbitol Consumption (Short Communication). Caries Research, 1990, 24, 220-223.	2.0	19
108	Sorbitol Adaptation of Dental Plaque in People with Low and Normal Salivary-secretion Rates. Journal of Dental Research, 1990, 69, 442-446.	5.2	27

#	ARTICLE	IF	CITATIONS
109	Effect on approximal caries in teenagers of interrupting a school-based weekly NaF mouthrinse program for 3 years. Community Dentistry and Oral Epidemiology, 1989, 17, 83-86.	1.9	9
110	Per capita consumption of sugar-containing products and dental caries in Sweden from 1960 to 1985. Community Dentistry and Oral Epidemiology, 1989, 17, 41-43.	1.9	21
111	Effects of variously processed starch on pH of human dental plaque. European Journal of Oral Sciences, 1989, 97, 392-400.	1.5	13
112	Sugar substitutes ? one consequence of the Vipeholm Study?. European Journal of Oral Sciences, 1989, 97, 126-129.	1.5	5
113	Caries predicting factors in adult patients participating in a dental health program. Community Dentistry and Oral Epidemiology, 1988, 16, 374-377.	1.9	16
114	Dental health in 16-year-old Swedish high school students in 1979 and 1984. Community Dentistry and Oral Epidemiology, 1988, 16, 282-285.	1.9	7
115	Salivary glucose clearance, dry mouth and pH changes in dental plaque in man. Archives of Oral Biology, 1988, 33, 875-880.	1.8	39
116	Effect of Professional Flossing with Chlorhexidine Gel on Approximal Caries in 12- to 15-Year-Old Schoolchildren. Caries Research, 1988, 22, 187-192.	2.0	38
117	Cereal Fructans: In Vitro and In Vivo Studies on Availability in Rats and Humans. Journal of Nutrition, 1988, 118, 1325-1330.	2.9	91
118	Effects of Partial Sugar Restriction for 6 Weeks on Numbers of Streptococcus mutans in Saliva and Interdental Plaque in Man. Caries Research, 1987, 21, 79-86.	2.0	31
119	Rate of plaque formation ? some clinical and biochemical characteristics of "heavy" and "light" plaque formers. European Journal of Oral Sciences, 1987, 95, 97-103.	1.5	11
120	Salivary glands clearance and related factors in elderly people. Gerodontology, 1987, 3, 146-50.	0.3	23
121	Effect of Aerobic and Anaerobic Atmosphere on Acid Production from Sorbitol in Suspensions of Dental Plaque and Oral Streptococci. Caries Research, 1986, 20, 237-243.	2.0	16
122	Long-term evaluation of root surface caries in periodontally treated patients. Journal of Clinical Periodontology, 1986, 13, 758-767.	4.9	92
123	Preeruptive effect of NaF tablets on caries in children from 12 to 17 years of age. Community Dentistry and Oral Epidemiology, 1986, 14, 1-4.	1.9	11
124	Caries prevalence, salivary Streptococcus mutans and dietary scores in 13-year-old Swedish schoolchildren. Community Dentistry and Oral Epidemiology, 1986, 14, 202-205.	1.9	41
125	Determination of Salivary Streptococcus mutans Level in a Stable Sucrose-Sulphasomidine-Containing Broth. Caries Research, 1985, 19, 320-326.	2.0	5
126	Effect of repeated intake of a sugar free fluoride-containing chewing gum on acido genicity and microbial composition of dental plaque. European Journal of Oral Sciences, 1985, 93, 309-314.	1.5	5

#	ARTICLE	IF	CITATIONS
127	Diagnosis of mild enamel fluorosis in permanent maxillary incisors using two scoring systems. Community Dentistry and Oral Epidemiology, 1985, 13, 273-276.	1.9	40
128	Model for the study of the preeruptive effect of NaF tablets on caries in permanent teeth. Community Dentistry and Oral Epidemiology, 1985, 13, 86-92.	1.9	8
129	Anaerobic and Aerobic Metabolism of Sorbitol in Streptococcus sanguis and Streptococcus mitior. Journal of Dental Research, 1985, 64, 1286-1289.	5.2	24
130	Nutrient intake and health status of lactovegetarians: chemical analyses of diets using the duplicate portion sampling technique. American Journal of Clinical Nutrition, 1984, 40, 325-338.	4.7	55
131	Sugar Content, Acidity and Effect on Plaque pH of Fruit Juices, Fruit Drinks, Carbonated Beverages and Sport Drinks. Caries Research, 1984, 18, 120-127.	2.0	77
132	Effects of processing on availability of starch for digestion in vitro and in vivo; I Extrusion cooking of wheat flours and starch. Journal of Cereal Science, 1984, 2, 91-103.	3.7	63
133	Effects of processing on starch availability In vitro and In vivo. II. Drum-drying of wheat flour. Journal of Cereal Science, 1984, 2, 165-178.	3.7	48
134	Influence of a Single Intake of Various Test Meals on Secretion Rate, Buffer Effect, and Electrolytes of Human Stimulated Whole Saliva (Short Communication). Caries Research, 1984, 18, 265-268.	2.0	8
135	Short term fasting and lactovegetarian diet does not affect human saliva. European Journal of Oral Sciences, 1984, 92, 408-411.	1.5	0
136	Effect of 4 Days Consumption of Chewing Gum Containing Sorbitol or a Mixture of Sorbitol and Xylitol on Dental Plaque and Saliva. Caries Research, 1983, 17, 76-88.	2.0	26
137	Effect of Chewing Gums Containing Xylitol, Sorbitol or a Mixture of Xylitol and Sorbitol on Plaque Formation, pH Changes and Acid Production in Human Dental Plaque. Caries Research, 1983, 17, 369-378.	2.0	41
138	Immediate and prolonged effect of individual preventive measures in caries and gingivitis susceptible children. Swedish Dental Journal, 1983, 7, 13-21.	0.7	9
139	Is there not a strong relationship nowadays between caries and consumption of sweets?. Swedish Dental Journal, 1983, 7, 103-8.	0.7	21
140	Secretion rate and buffer effect of resting and stimulated whole saliva as a function of age and sex. Swedish Dental Journal, 1983, 7, 227-38.	0.7	171
141	Cariogenicity of Invert Sugar in Long-Term Rat Experiments. Caries Research, 1981, 15, 302-307.	2.0	11
142	Genetic transfer of markers for sorbitol (d-glucitol) metabolism in oral streptococci. Archives of Oral Biology, 1981, 26, 403-407.	1.8	13
143	Gas-liquid chromatographic analysis of amino acids in pellicle formed on tooth surface and plastic film in vivo. Archives of Oral Biology, 1981, 26, 635-641.	1.8	24
144	Comparison Among a Dip-slide Test (Dentocult®), Plate Count, and Snyder Test for Estimating Number of Lactobacilli in Human Saliva. Journal of Dental Research, 1981, 60, 1832-1841.	5.2	39

#	ARTICLE	IF	CITATIONS
145	Effects of 3 months frequent consumption of hydrogenated starch hydrolysate (Lycasin®), maltitol, sorbitol and xylitol on human dental plaque. <i>Acta Odontologica Scandinavica</i> , 1979, 37, 103-115.	1.6	40
146	Structure of extracellular water-soluble polysaccharides synthesized from sucrose by oral strains of <i>Streptococcus mutans</i> , <i>Streptococcus salivarius</i> , <i>Streptococcus sanguis</i> and <i>Actinomyces viscosus</i> . <i>Archives of Oral Biology</i> , 1979, 24, 53-61.	1.8	70
147	Structure of extracellular polysaccharides synthesized from sucrose by <i>Neisseria</i> isolated from human dental plaque. <i>Archives of Oral Biology</i> , 1979, 24, 63-66.	1.8	5
148	Glycogen synthesis pathway in <i>Streptococcus mutans</i> strain NCTC 10449S and its glycogen synthesis-defective mutant 805. <i>Archives of Oral Biology</i> , 1979, 24, 67-73.	1.8	35
149	Acid production from sorbitol in human dental plaque. <i>Archives of Oral Biology</i> , 1978, 23, 971-975.	1.8	25
150	Acid Production from Swedish Lycasin® (Candy Quality) and French Lycasin® (80/55) in Human Dental Plaques. <i>Caries Research</i> , 1978, 12, 256-263.	2.0	18
151	Caries in Rats Fed Highly or Slightly Hydrolysed Lycasin®. <i>Caries Research</i> , 1978, 12, 250-255.	2.0	6
152	Relation of amylase to starch and Lycasin® metabolism in human dental plaque <i>in vitro</i> . <i>European Journal of Oral Sciences</i> , 1978, 86, 248-258.	1.5	11
153	Automatic Titration Method for Determination of Acid Production from Sugars and Sugar Alcohols in Small Samples of Dental Plaque Material. <i>Caries Research</i> , 1978, 12, 128-136.	2.0	42
154	Acid production from Lycasin®, maltitol, sorbitol and xylitol by oral streptococci and lactobacilli. <i>Acta Odontologica Scandinavica</i> , 1977, 35, 257-263.	1.6	64
155	Influence of sugar content in soft bread on pH of human dental plaque. <i>Acta Odontologica Scandinavica</i> , 1975, 33, 59-66.	1.6	5
156	An Inulin-like Fructan Produced by <i>Streptococcus mutans</i> , Strain JC2.. <i>Acta Chemica Scandinavica</i> , 1974, 28b, 589-589.	0.7	62
157	The presence of iso- α -amylases in human saliva. <i>Archives of Oral Biology</i> , 1973, 18, 203-210.	1.8	11