Poonam Tewary

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11762921/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ring A/B-Modified 17β-Hydroxywithanolide Analogues as Antiproliferative Agents for Prostate Cancer and Potentiators of Immunotherapy for Renal Carcinoma and Melanoma. Journal of Natural Products, 2021, 84, 3029-3038.	1.5	6
2	Cytotoxic and other withanolides from aeroponically grown Physalis philadelphica. Phytochemistry, 2018, 152, 174-181.	1.4	23
3	Withanolides from Aeroponically Grown <i>Physalis peruviana</i> and Their Selective Cytotoxicity to Prostate Cancer and Renal Carcinoma Cells. Journal of Natural Products, 2017, 80, 1981-1991.	1.5	45
4	IRF5 and IRF8 modulate the CALâ€1 human plasmacytoid dendritic cell line response following TLR9 ligation. European Journal of Immunology, 2016, 46, 647-655.	1.6	18
5	Human plasmacytoid dendritic cells elicit a Type I Interferon response by sensing DNA via the cGAS TING signaling pathway. European Journal of Immunology, 2016, 46, 1615-1621.	1.6	63
6	The Alarmin HMGN1 Contributes to Antitumor Immunity and Is a Potent Immunoadjuvant. Cancer Research, 2014, 74, 5989-5998.	0.4	56
7	<pre><scp>IRF</scp>â€5 and <scp>NF</scp>â€i°<scp>B</scp> p50 coâ€regulate <scp>IFN</scp>â€i² and <scp>ILTLR</scp>9â€stimulated human plasmacytoid dendritic cells. European Journal of Immunology, 2013, 43, 1896-1906.</pre>	scp>â€6 1.6	81
8	Alarminâ€induced cell migration. European Journal of Immunology, 2013, 43, 1412-1418.	1.6	26
9	High-mobility group nucleosome-binding protein 1 acts as an alarmin and is critical for lipopolysaccharide-induced immune responses. Journal of Experimental Medicine, 2012, 209, 157-171.	4.2	130
10	Granulysin activates antigen-presenting cells through TLR4 and acts as an immune alarmin. Blood, 2010, 116, 3465-3474.	0.6	131
11	The alarmin functions of high-mobility group proteins. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2010, 1799, 157-163.	0.9	41
12	Alarmins link neutrophils and dendritic cells. Trends in Immunology, 2009, 30, 531-537.	2.9	215
13	Lactoferrin Acts as an Alarmin to Promote the Recruitment and Activation of APCs and Antigen-Specific Immune Responses. Journal of Immunology, 2008, 180, 6868-6876.	0.4	174
14	The sterol-binding antibiotic nystatin inhibits entry of non-opsonized Leishmania donovani into macrophages. Biochemical and Biophysical Research Communications, 2006, 339, 661-666.	1.0	34
15	Co-administration of IL-12 DNA with rORFF antigen confers long-term protective immunity against experimental visceral leishmaniaisis. Vaccine, 2006, 24, 2409-2416.	1.7	25
16	A Heterologous Primeâ€Boost Vaccination Regimen Using ORFF DNA and Recombinant ORFF Protein Confers Protective Immunity against Experimental Visceral Leishmaniasis. Journal of Infectious Diseases, 2005, 191, 2130-2137.	1.9	54
17	Cholesterol is required for Leishmania donovani infection: implications in leishmaniasis. Molecular and Biochemical Parasitology, 2004, 133, 145-152.	0.5	109
18	Vaccination withLeishmaniasoluble antigen and immunostimulatory oligodeoxynucleotides induces specific immunity and protection againstLeishmania donovaniinfection. FEMS Immunology and Medical Microbiology, 2004, 42, 241-248.	2.7	25

#	Article	IF	CITATIONS
19	Immunostimulatory oligodeoxynucleotides are potent enhancers of protective immunity in mice immunized with recombinant ORFF leishmanial antigen. Vaccine, 2004, 22, 3053-3060.	1.7	35