

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11766871/publications.pdf Version: 2024-02-01



VUE ZOU

#	Article	IF	CITATIONS
1	ATR prevents Ca 2+ overloadâ€induced necrotic cell death through phosphorylationâ€mediated inactivation of PARP1 without DNA damage signaling. FASEB Journal, 2021, 35, e21373.	0.2	4
2	PP2A Regulates Phosphorylation-Dependent Isomerization of Cytoplasmic and Mitochondrial-Associated ATR by Pin1 in DNA Damage Responses. Frontiers in Cell and Developmental Biology, 2020, 8, 813.	1.8	8
3	Phosphorylation-Dependent Pin1 Isomerization of ATR: Its Role in Regulating ATR's Anti-apoptotic Function at Mitochondria, and the Implications in Cancer. Frontiers in Cell and Developmental Biology, 2020, 8, 281.	1.8	15
4	Topological DNA damage, telomere attrition and T cell senescence during chronic viral infections. Immunity and Ageing, 2019, 16, 12.	1.8	26
5	Disruption of Telomere Integrity and DNA Repair Machineries by KML001 Induces T Cell Senescence, Apoptosis, and Cellular Dysfunctions. Frontiers in Immunology, 2019, 10, 1152.	2.2	26
6	ATM Deficiency Accelerates DNA Damage, Telomere Erosion, and Premature T Cell Aging in HIV-Infected Individuals on Antiretroviral Therapy. Frontiers in Immunology, 2019, 10, 2531.	2.2	27
7	A novel thyroid hormone receptor isoform, TRβ2-46, promotes SKP2 expression and retinoblastoma cell proliferation. Journal of Biological Chemistry, 2019, 294, 2961-5929.	1.6	4
8	DNA Damage: Cellular Responses, Repair, and Cancer Treatment. Current Human Cell Research and Applications, 2018, , 99-127.	0.1	1
9	Reprint of: XPA is primarily cytoplasmic but is transported into the nucleus upon UV damage in a cell cycle dependent manner. DNA Repair, 2018, 62, 28-29.	1.3	1
10	Progerin sequestration of PCNA promotes replication fork collapse and mislocalization of XPA in laminopathyâ€related progeroid syndromes. FASEB Journal, 2017, 31, 3882-3893.	0.2	41
11	XPA is primarily cytoplasmic but is transported into the nucleus upon UV damage in a cell cycle dependent manner. DNA Repair, 2017, 60, 50-51.	1.3	8
12	Xeroderma Pigmentosa Group A (XPA), Nucleotide Excision Repair and Regulation by ATR in Response to Ultraviolet Irradiation. Advances in Experimental Medicine and Biology, 2017, 996, 41-54.	0.8	22
13	Dissociation Dynamics of XPC-RAD23B from Damaged DNA Is a Determining Factor of NER Efficiency. PLoS ONE, 2016, 11, e0157784.	1.1	10
14	FASN regulates cellular response to genotoxic treatments by increasing PARP-1 expression and DNA repair activity via NF-κB and SP1. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E6965-E6973.	3.3	65
15	Neurotoxin-Induced DNA Damage is Persistent in SH-SY5Y Cells and LC Neurons. Neurotoxicity Research, 2015, 27, 368-383.	1.3	7
16	ATR Plays a Direct Antiapoptotic Role at Mitochondria, which Is Regulated by Prolyl Isomerase Pin1. Molecular Cell, 2015, 60, 35-46.	4.5	71
17	A new structural insight into XPA–DNA interactions. Bioscience Reports, 2014, 34, e00162.	1.1	21
18	Effects of DSP4 on the Noradrenergic Phenotypes and Its Potential Molecular Mechanisms in SH-SY5Y Cells. Neurotoxicity Research, 2014, 25, 193-207.	1.3	14

Yue Zou

#	Article	IF	CITATIONS
19	Structural and Thermodynamic Insight into <i>Escherichia coli</i> UvrABC-Mediated Incision of Cluster Diacetylaminofluorene Adducts on the <i>Nar</i> I Sequence. Chemical Research in Toxicology, 2013, 26, 1251-1262.	1.7	12
20	Unusual sequence effects on nucleotide excision repair of arylamine lesions: DNA bending/distortion as a primary recognition factor. Nucleic Acids Research, 2013, 41, 869-880.	6.5	45
21	UV-Induced Nuclear Import of XPA Is Mediated by Importin-α4 in An ATR-Dependent Manner. PLoS ONE, 2013, 8, e68297.	1.1	29
22	Conformational and thermodynamic properties modulate the nucleotide excision repair of 2-aminofluorene and 2-acetylaminofluorene dG adducts in the Narl sequence. Nucleic Acids Research, 2012, 40, 3939-3951.	6.5	36
23	Replication factor C1, the large subunit of replication factor C, is proteolytically truncated in Hutchinson–Gilford progeria syndrome. Aging Cell, 2012, 11, 363-365.	3.0	23
24	Replicationâ€mediated disassociation of replication protein A—XPA complex upon DNA damage: implications for RPA handing off. Cell Biology International, 2012, 36, 713-720.	1.4	5
25	DNA-damage accumulation and replicative arrest in Hutchinson–Gilford progeria syndrome. Biochemical Society Transactions, 2011, 39, 1764-1769.	1.6	60
26	XPA-Mediated Regulation of Global Nucleotide Excision Repair by ATR Is p53-Dependent and Occurs Primarily in S-Phase. PLoS ONE, 2011, 6, e28326.	1.1	29
27	Differential DNA damage responses in p53 proficient and deficient cells: cisplatin-induced nuclear import of XPA is independent of ATR checkpoint in p53-deficient lung cancer cells. International Journal of Biochemistry and Molecular Biology, 2011, 2, 138-145.	0.1	17
28	Structural Consequences of Epimerization of Thymine Glycol Lesions in Duplex DNA: Implications for DNA Repair. ACS Symposium Series, 2010, , 11-28.	0.5	0
29	Binding of the human nucleotide excision repair proteins XPA and XPC/HR23B to the 5 R -thymine glycol lesion and structure of the cis -(5 R ,6 S) thymine glycol epimer in the 5â€2-GTgG-3â€2 sequence: destabilization of two base pairs at the lesion site. Nucleic Acids Research, 2010, 38, 428-440.	6.5	73
30	Checkpoint Kinase ATR Promotes Nucleotide Excision Repair of UV-induced DNA Damage via Physical Interaction with Xeroderma Pigmentosum Group A. Journal of Biological Chemistry, 2009, 284, 24213-24222.	1.6	69
31	Genomic instability and DNA damage responses in progeria arising from defective maturation of prelamin A. Aging, 2009, 1, 28-37.	1.4	99
32	Involvement of xeroderma pigmentosum group A (XPA) in progeria arising from defective maturation of prelamin A. FASEB Journal, 2008, 22, 603-611.	0.2	101
33	Other Proteins Interacting with XP Proteins. Advances in Experimental Medicine and Biology, 2008, 637, 103-112.	0.8	16
34	New Insights into the Roles of XPA and RPA in DNA Repair and Damage Responses. Current Chemical Biology, 2007, 1, 151-160.	0.2	0
35	Conformation-Specific Recognition of Carcinogenâ `DNA Adduct inEscherichia coliNucleotide Excision Repair. Chemical Research in Toxicology, 2007, 20, 6-10.	1.7	22
36	Sequence Context- and Temperature-Dependent Nucleotide Excision Repair of a Benzo[a]pyrene Diol Epoxide-Guanine DNA Adduct Catalyzed by Thermophilic UvrABC Proteinsâ€. Biochemistry, 2007, 46, 7006-7015.	1.2	37

Yue Zou

#	Article	IF	CITATIONS
37	Molecular Evidence of the Involvement of the Nucleotide Excision Repair (NER) System in the Repair of the Mono(ADP-Ribosyl)ated DNA Adduct Produced by Pierisin-1, an Apoptosis-Inducing Protein from the Cabbage Butterfly. Chemical Research in Toxicology, 2007, 20, 694-700.	1.7	6
38	Structural Characterization of Human RPA Sequential Binding to Single-Stranded DNA Using ssDNA as a Molecular Ruler. Biochemistry, 2007, 46, 8226-8233.	1.2	32
39	Spectroscopic and Theoretical Insights into Sequence Effects of Aminofluorene-Induced Conformational Heterogeneity and Nucleotide Excision Repair,. Biochemistry, 2007, 46, 11263-11278.	1.2	35
40	Redoxâ€dependent formation of disulfide bonds in human replication protein A. Rapid Communications in Mass Spectrometry, 2007, 21, 2743-2749.	0.7	19
41	Specific and Efficient Binding of Xeroderma Pigmentosum Complementation Group A to Double-Strand/Single-Strand DNA Junctions with 3â€~- and/or 5â€~-ssDNA Branchesâ€. Biochemistry, 2006, 45, 15921-15930.	1.2	63
42	Recognition and Incision of Oxidative Intrastrand Cross-Link Lesions by UvrABC Nuclease. Biochemistry, 2006, 45, 10739-10746.	1.2	44
43	Functions of human replication protein A (RPA): From DNA replication to DNA damage and stress responses. Journal of Cellular Physiology, 2006, 208, 267-273.	2.0	319
44	Phosphorylation of Nucleotide Excision Repair Factor Xeroderma Pigmentosum Group A by Ataxia Telangiectasia Mutated and Rad3-Related–Dependent Checkpoint Pathway Promotes Cell Survival in Response to UV Irradiation. Cancer Research, 2006, 66, 2997-3005.	0.4	82
45	DNA damage responses in progeroid syndromes arise from defective maturation of prelamin A. Journal of Cell Science, 2006, 119, 4644-4649.	1.2	209
46	Interactions of human replication protein A with single-stranded DNA adducts. Biochemical Journal, 2005, 385, 519-526.	1.7	29
47	Preferential localization of hyperphosphorylated replication protein A to double-strand break repair and checkpoint complexes upon DNA damage. Biochemical Journal, 2005, 391, 473-480.	1.7	67
48	Interaction and colocalization of Rad9/Rad1/Hus1 checkpoint complex with replication protein A in human cells. Oncogene, 2005, 24, 4728-4735.	2.6	100
49	Modulation of Replication Protein A Function by Its Hyperphosphorylation-induced Conformational Change Involving DNA Binding Domain B. Journal of Biological Chemistry, 2005, 280, 32775-32783.	1.6	55
50	Recognition and Incision of γ-Radiation-Induced Cross-Linked Guanineâ^'Thymine Tandem Lesion G[8,5-Me]T by UvrABC Nuclease. Chemical Research in Toxicology, 2005, 18, 1339-1346.	1.7	45
51	Mass Spectrometric Identification of Lysines Involved in the Interaction of Human Replication Protein A with Single-Stranded DNAâ€. Biochemistry, 2005, 44, 971-978.	1.2	42
52	Cooperative Interaction of Human XPA Stabilizes and Enhances Specific Binding of XPA to DNA Damageâ€. Biochemistry, 2005, 44, 7361-7368.	1.2	33
53	DNA Damage Recognition of Mutated Forms of UvrB Proteins in Nucleotide Excision Repair. Biochemistry, 2004, 43, 4196-4205.	1.2	24
54	Thermodynamic Characterization of the Interaction of Mutant UvrB Protein with Damaged DNA. Biochemistry, 2004, 43, 4206-4211.	1.2	5

Yue Zou

#	Article	IF	CITATIONS
55	Effects of DNA Adduct Structure and Sequence Context on Strand Opening of Repair Intermediates and Incision by UvrABC Nucleaseâ€. Biochemistry, 2003, 42, 12654-12661.	1.2	45
56	Incision of DNA-protein crosslinks by UvrABC nuclease suggests a potential repair pathway involving nucleotide excision repair. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 1905-1909.	3.3	94
57	Intrastrand DNA Cross-Links as Tools for Studying DNA Replication and Repair:  Two-, Three-, and Four-Carbon Tethers between the N2 Positions of Adjacent Guanines. Biochemistry, 2002, 41, 3109-3118.	1.2	19
58	Dimerization of Human XPA and Formation of XPA2â^'RPA Protein Complex. Biochemistry, 2002, 41, 13012-13020.	1.2	62
59	Hierarchy of DNA Damage Recognition inEscherichiacoliNucleotide Excision Repairâ€. Biochemistry, 2001, 40, 2923-2931.	1.2	49
60	Involvement of the Nucleotide Excision Repair Protein UvrA in Instability of CAG·CTG Repeat Sequences in Escherichia coli. Journal of Biological Chemistry, 2001, 276, 30878-30884.	1.6	51
61	Differential Incision of Bulky Carcinogenâ^DNA Adducts by the UvrABC Nuclease:  Comparison of Incision Rates and the Interactions of Uvr Subunits with Lesions of Different Structures. Biochemistry, 2000, 39, 12252-12261.	1.2	25
62	Hydrophobic forces dominate the thermodynamic characteristics of UvrA-DNA damage interactions. Journal of Molecular Biology, 1998, 281, 107-119.	2.0	29
63	Involvement of Molecular Chaperonins in Nucleotide Excision Repair. Journal of Biological Chemistry, 1998, 273, 12887-12892.	1.6	60
64	Formation of DNA Repair Intermediates and Incision by the ATP-dependent UvrB-UvrC Endonuclease. Journal of Biological Chemistry, 1997, 272, 4820-4827.	1.6	65
65	Interaction of the UvrABC Nuclease System with a DNA Duplex Containing a Single Stereoisomer of dG-(+)- or dG-(-)-anti-BPDE. Biochemistry, 1995, 34, 13582-13593.	1.2	82
66	Sequence Specificity of DNA-DNA Interstrand Cross-Link Formation by Cisplatin and Dinuclear Platinum Complexes. Biochemistry, 1994, 33, 5404-5410.	1.2	79
67	Prolyl Isomerization-Mediated Conformational Changes Define ATR Subcellular Compartment-Specific Functions. Frontiers in Cell and Developmental Biology, 0, 10, .	1.8	5