Daniela Renzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11775765/publications.pdf

Version: 2024-02-01

567144 454834 1,646 30 15 30 citations h-index g-index papers 31 31 31 2382 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	T Cell Response Toward Tissue-and Epidermal-Transglutaminases in Coeliac Disease Patients Developing Dermatitis Herpetiformis. Frontiers in Immunology, 2021, 12, 645143.	2.2	7
2	Association between CMV and Invasive Fungal Infections After Autologous Stem Cell Transplant in Lymphoproliferative Malignancies: Opportunistic Partnership or Cause-Effect Relationship?. International Journal of Molecular Sciences, 2019, 20, 1373.	1.8	15
3	The Effect of Docosahexaenoic Acid and α-Lipoic Acid as Prevention of Bortezomib-Related Neurotoxicity in Patients With Multiple Myeloma. Integrative Cancer Therapies, 2019, 18, 153473541988858.	0.8	7
4	Role of Pregabalin in Treatment of Polyneuropathy in Multiple Myeloma Patients: A Retrospective Study. Clinical Neuropharmacology, 2019, 42, 167-171.	0.2	2
5	Metabolic Signature of Primary Biliary Cholangitis and Its Comparison with Celiac Disease. Journal of Proteome Research, 2019, 18, 1228-1236.	1.8	26
6	Prevention of Bortezomib-Related Peripheral Neuropathy With Docosahexaenoic Acid and α-Lipoic Acid in Patients With Multiple Myeloma: Preliminary Data. Integrative Cancer Therapies, 2018, 17, 1115-1124.	0.8	23
7	Intestinal Candida parapsilosis isolates from Rett syndrome subjects bear potential virulent traits and capacity to persist within the host. BMC Gastroenterology, 2018, 18, 57.	0.8	9
8	New evidences on the altered gut microbiota in autism spectrum disorders. Microbiome, 2017, 5, 24.	4.9	668
9	Altered gut microbiota in Rett syndrome. Microbiome, 2016, 4, 41.	4.9	120
10	Cytomegalovirus reactivation after autologous stem cell transplantation in myeloma and lymphoma patients: A single-center study. World Journal of Transplantation, 2015, 5, 129.	0.6	22
11	Regulatory T cells as well as IL-10 are reduced in the skin of patients with dermatitis herpetiformis. Journal of Dermatological Science, 2015, 77, 54-62.	1.0	16
12	High density of CD68+/CD163+ tumour-associated macrophages (M2-TAM) at diagnosis is significantly correlated to unfavorable prognostic factors and to poor clinical outcomes in patients with diffuse large B-cell lymphoma. Hematological Oncology, 2015, 33, 110-112.	0.8	82
13	Are Patients with Potential Celiac Disease Really Potential? The Answer of Metabonomics. Journal of Proteome Research, 2011, 10, 714-721.	1.8	64
14	The Metabonomic Signature of Celiac Disease. Journal of Proteome Research, 2009, 8, 170-177.	1.8	160
15	Pegylated Liposomal Doxorubicin, Bleomycin, Vinblastine and Dacarbazine (CBVD) in the Treatment of Advanced Primary Cutaneous Lymphomas Blood, 2009, 114, 3717-3717.	0.6	1
16	A PROTECTIVE ROLE FOR CALCITONIN GENE-RELATED PEPTIDE IN WATER-IMMERSION STRESS-INDUCED GASTRIC ULCERS IN RATS. Pharmacological Research, 1997, 35, 347-350.	3.1	12
17	Cysteamine induced-duodenal ulcers are associated with a selective depletion in gastric and duodenal calcitonin gene-related peptide-like immunoreactivity in rats. Regulatory Peptides, 1992, 39, 19-28.	1.9	19
18	Capsaicin-like activity of N-ethylmaleimide in rat stomach. General Pharmacology, 1992, 23, 39-41.	0.7	4

#	Article	IF	CITATIONS
19	Interactions between sialoadenectomy and capsaicin-sensitive afferent fibers on gastric acid secretion in rats. Life Sciences, 1991, 48, PL37-PL41.	2.0	9
20	Ruthenium red selectively antagonizes capsaicin-induced release of vasoactive intestinal polypeptide (VIP) from the human colon. Neuroscience Letters, 1991, 126, 134-136.	1.0	5
21	Differential effect on neuropeptide release of different concentrations of hydrogen ions on afferent and intrinsic neurons of the rat stomach. Gastroenterology, 1991, 101, 1505-1511.	0.6	90
22	Enzyme Immunoassay for Tachykinin-Like Immunoreactivity in the Guinea Pig Spinal Cord. Journal of Neurochemistry, 1991, 56, 281-286.	2.1	5
23	Decrease of Duodenal Calcitonin Gene-Related Peptide- and Substance P-Like Immunoreactivity in Rat Duodenal Ulcers. Advances in Experimental Medicine and Biology, 1991, 298, 129-135.	0.8	8
24	Duodenal SP-like immunoreactivity is decreased in experimentally-induced duodenal ulcers. Neuroscience Letters, 1990, 112, 352-355.	1.0	7
25	Effect of capsaicin pretreatment on regulatory peptides in the rat gastrointestinal tract. Pharmacological Research, 1990, 22, 180.	3.1	4
26	Effect of thiorphan on response of the guinea-pig gallbladder to tachykinins. European Journal of Pharmacology, 1989, 165, 51-61.	1.7	29
27	Duodenal ulcers are associated with a depletion of duodenal calcitonin gene-related peptide-like immunoreactivity in rats. European Journal of Pharmacology, 1989, 164, 389-391.	1.7	15
28	Capsaicin-induced release of substance P-like immunoreactivity from the guinea pig stomach in vitro and in vivo. Neuroscience Letters, 1988, 92, 254-258.	1.0	41
29	Distribution of calcitonin gene-related peptide-like immunoreactivity in various rat tissues: correlation with substance P and other tachykinins and sensitivity to capsaicin. Regulatory Peptides, 1988, 23, 289-298.	1.9	122
30	Species-related variations in the effects of capsaicin on urinary bladder functions: relation to bladder content of substance P-like immunoreactivity. Naunyn-Schmiedeberg's Archives of Pharmacology, 1987, 336, 546-55.	1.4	54