David I Marks

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11776244/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Outcomes after Transplantation of Cord Blood or Bone Marrow from Unrelated Donors in Adults with Leukemia. New England Journal of Medicine, 2004, 351, 2265-2275.	27.0	1,019
2	Outcome of 609 adults after relapse of acute lymphoblastic leukemia (ALL); an MRC UKALL12/ECOG 2993 study. Blood, 2007, 109, 944-950.	1.4	716
3	In adults with standard-risk acute lymphoblastic leukemia, the greatest benefit is achieved from a matched sibling allogeneic transplantation in first complete remission, and an autologous transplantation is less effective than conventional consolidation/maintenance chemotherapy in all patients: final results of the International ALL Trial (MRC UKALL XII/ECOG E2993). Blood, 2008, 111,	1.4	702
4	Effect of graft source on unrelated donor haemopoietic stem-cell transplantation in adults with acute leukaemia: a retrospective analysis. Lancet Oncology, The, 2010, 11, 653-660.	10.7	532
5	Apoptosis in mesenchymal stromal cells induces in vivo recipient-mediated immunomodulation. Science Translational Medicine, 2017, 9, .	12.4	512
6	Hematopoietic Stem-Cell Transplantation for Acute Leukemia in Relapse or Primary Induction Failure. Journal of Clinical Oncology, 2010, 28, 3730-3738.	1.6	386
7	T-cell acute lymphoblastic leukemia in adults: clinical features, immunophenotype, cytogenetics, and outcome from the large randomized prospective trial (UKALL XII/ECOG 2993). Blood, 2009, 114, 5136-5145.	1.4	346
8	Indications for Autologous and Allogeneic Hematopoietic CellÂTransplantation: Guidelines from the American Society forÂBlood and Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2015, 21, 1863-1869.	2.0	342
9	Comparison of autologous and allogeneic hematopoietic stem cell transplantation for follicular lymphoma. Blood, 2003, 102, 3521-3529.	1.4	339
10	Impact of immune modulation with anti–T-cell antibodies on the outcome of reduced-intensity allogeneic hematopoietic stem cell transplantation for hematologic malignancies. Blood, 2011, 117, 6963-6970.	1.4	322
11	UKALLXII/ECOG2993: addition of imatinib to a standard treatment regimen enhances long-term outcomes in Philadelphia positive acute lymphoblastic leukemia. Blood, 2014, 123, 843-850.	1.4	321
12	Prospective outcome data on 267 unselected adult patients with Philadelphia chromosome–positive acute lymphoblastic leukemia confirms superiority of allogeneic transplantation over chemotherapy in the pre-imatinib era: results from the International ALL Trial MRC UKALLXII/ECOG2993. Blood, 2009, 113, 4489-4496.	1.4	257
13	Outcome of Transplantation for Myelofibrosis. Biology of Blood and Marrow Transplantation, 2010, 16, 358-367.	2.0	245
14	The toxicity and efficacy of donor lymphocyte infusions given after reduced-intensity conditioning allogeneic stem cell transplantation. Blood, 2002, 100, 3108-3114.	1.4	209
15	Voriconazole versus itraconazole for antifungal prophylaxis following allogeneic haematopoietic stemâ€cell transplantation. British Journal of Haematology, 2011, 155, 318-327.	2.5	205
16	A Comparison of Cyclophosphamide and Total Body Irradiation with Etoposide and Total Body Irradiation as Conditioning Regimens for Patients Undergoing Sibling Allografting for Acute Lymphoblastic Leukemia in First or Second Complete Remission. Biology of Blood and Marrow Transplantation, 2006, 12, 438-453.	2.0	182
17	The outcome of full-intensity and reduced-intensity conditioning matched sibling or unrelated donor transplantation in adults with Philadelphia chromosome–negative acute lymphoblastic leukemia in first and second complete remission. Blood, 2010, 116, 366-374.	1.4	178
18	Results of alemtuzumab-based reduced-intensity allogeneic transplantation for chronic lymphocytic leukemia: a British Society of Blood and Marrow Transplantation Study. Blood, 2006, 107, 1724-1730.	1.4	169

#	Article	IF	CITATIONS
19	Comparable survival after HLA-well-matched unrelated or matched sibling donor transplantation for acute myeloid leukemia in first remission with unfavorable cytogenetics at diagnosis. Blood, 2010, 116, 1839-1848.	1.4	168
20	Outcomes in older adults with acute lymphoblastic leukaemia (<scp>ALL</scp>): results from the international <scp>MRC UKALL XII</scp> / <scp>ECOG</scp> 2993 trial. British Journal of Haematology, 2012, 157, 463-471.	2.5	161
21	Hepatic adverse event profile of inotuzumab ozogamicin in adult patients with relapsed or refractory acute lymphoblastic leukaemia: results from the open-label, randomised, phase 3 INO-VATE study. Lancet Haematology,the, 2017, 4, e387-e398.	4.6	158
22	Allogeneic Transplants in Follicular Lymphoma: Higher Risk of Disease Progression after Reduced-Intensity Compared to Myeloablative Conditioning. Biology of Blood and Marrow Transplantation, 2008, 14, 236-245.	2.0	157
23	The graft-versus-leukemia effect using matched unrelated donors is not superior to HLA-identical siblings for hematopoietic stem cell transplantation. Blood, 2009, 113, 3110-3118.	1.4	147
24	Indications for Hematopoietic Cell Transplantation and Immune Effector Cell Therapy: Guidelines from the American Society for Transplantation and Cellular Therapy. Biology of Blood and Marrow Transplantation, 2020, 26, 1247-1256.	2.0	139
25	The clinical features, risk factors and outcome of thrombotic thrombocytopenic purpura occurring after bone marrow transplantation. British Journal of Haematology, 2001, 113, 58-64.	2.5	131
26	Diagnosis of invasive aspergillosis in bone marrow transplant recipients by polymerase chain reaction. British Journal of Haematology, 2000, 108, 132-139.	2.5	122
27	Management of adults with T-cell lymphoblastic leukemia. Blood, 2017, 129, 1134-1142.	1.4	119
28	Hematopoletic stem cell transplantation for adults with Philadelphia chromosome-negative acute lymphoblastic leukemia in first remission: a position statement of the European Working Group for Adult Acute Lymphoblastic Leukemia (EWALL) and the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation (EBMT). Bone Marrow Transplantation, 2019, 54,	2.4	106
29	Haploidentical stem cell transplantation for children with acute leukaemia. British Journal of Haematology, 2006, 134, 196-201.	2.5	92
30	A Comparison of HLA-Identical Sibling Allogeneic versus Autologous Transplantation for Diffuse Large BÂCell Lymphoma: A Report from the CIBMTR. Biology of Blood and Marrow Transplantation, 2010, 16, 35-45.	2.0	88
31	Unrelated donor transplants in adults with Philadelphia-negative acute lymphoblastic leukemia in first complete remission. Blood, 2008, 112, 426-434.	1.4	80
32	Unrelated umbilical cord blood transplant for adult acute lymphoblastic leukemia in first and second complete remission: a comparison with allografts from adult unrelated donors. Haematologica, 2014, 99, 322-328.	3.5	79
33	Infection Rates among Acute Leukemia Patients Receiving Alternative Donor Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2016, 22, 1636-1645.	2.0	71
34	Intravenous Busulfan Compared with Total Body Irradiation Pretransplant Conditioning for Adults with Acute Lymphoblastic Leukemia. Biology of Blood and Marrow Transplantation, 2018, 24, 726-733.	2.0	71
35	The impact of the graft-versus-leukemia effect on survival in acute lymphoblastic leukemia. Blood Advances, 2019, 3, 670-680.	5.2	71
36	Survival following allogeneic transplant in patients with myelofibrosis. Blood Advances, 2020, 4, 1965-1973.	5.2	63

#	Article	IF	CITATIONS
37	Molecular classification improves risk assessment in adult <i>BCR-ABL1–</i> negative B-ALL. Blood, 2021, 138, 948-958.	1.4	59
38	One-Antigen Mismatched Related versus HLA-Matched Unrelated Donor Hematopoietic Stem Cell Transplantation in Adults with Acute Leukemia: Center for International Blood and Marrow Transplant Research Results in the Era of Molecular HLA Typing. Biology of Blood and Marrow Transplantation, 2011, 17, 640-648.	2.0	55
39	The outcome of children requiring admission to an intensive care unit following bone marrow transplantation. British Journal of Haematology, 1998, 102, 666-670.	2.5	54
40	The clinical characteristics, therapy and outcome of 85 adults with acute lymphoblastic leukemia and t(4;11)(q21;q23)/MLL-AFF1 prospectively treated in the UKALLXII/ECOG2993 trial. Haematologica, 2013, 98, 945-952.	3.5	54
41	Outcomes of Allogeneic Stem Cell Transplantation after Inotuzumab Ozogamicin Treatment for Relapsed or Refractory Acute Lymphoblastic Leukemia. Biology of Blood and Marrow Transplantation, 2019, 25, 1720-1729.	2.0	53
42	Second Solid Cancers after Allogeneic Hematopoietic Cell Transplantation Using Reduced-Intensity Conditioning. Biology of Blood and Marrow Transplantation, 2014, 20, 1777-1784.	2.0	50
43	Long-Term Survival and Late Effects among One-Year Survivors of Second Allogeneic Hematopoietic Cell Transplantation for Relapsed Acute Leukemia and Myelodysplastic Syndromes. Biology of Blood and Marrow Transplantation, 2015, 21, 151-158.	2.0	49
44	Systematic review and mixed treatment comparison meta-analysis of randomized clinical trials of primary oral antifungal prophylaxis in allogeneic hematopoietic cell transplant recipients. BMC Infectious Diseases, 2015, 15, 128.	2.9	46
45	Reduced intensity conditioned allograft yields favorable survival for older adults with Bâ€cell acute lymphoblastic leukemia. American Journal of Hematology, 2017, 92, 42-49.	4.1	46
46	Patientâ€reported outcomes from a phase 3 randomized controlled trial of inotuzumab ozogamicin versus standard therapy for relapsed/refractory acute lymphoblastic leukemia. Cancer, 2018, 124, 2151-2160.	4.1	44
47	Allotransplantation for Patients Age ≥40 Years with Non-Hodgkin Lymphoma: Encouraging Progression-Free Survival. Biology of Blood and Marrow Transplantation, 2014, 20, 960-968.	2.0	37
48	Assessment of bone marrow-derived Cellular Therapy in progressive Multiple Sclerosis (ACTiMuS): study protocol for a randomised controlled trial. Trials, 2015, 16, 463.	1.6	37
49	Composite GRFS and CRFS Outcomes After Adult Alternative Donor HCT. Journal of Clinical Oncology, 2020, 38, 2062-2076.	1.6	36
50	Haploidentical vs sibling, unrelated, or cord blood hematopoietic cell transplantation for acute lymphoblastic leukemia. Blood Advances, 2022, 6, 339-357.	5.2	35
51	Favorable outcomes with alemtuzumab-conditioned unrelated donor stem cell transplantation in adults with high-risk Philadelphia chromosome-negative acute lymphoblastic leukemia in first complete remission. Haematologica, 2009, 94, 1399-1406.	3.5	34
52	Effect of Postremission Therapy before Reduced-Intensity Conditioning Allogeneic Transplantation for Acute Myeloid Leukemia in First Complete Remission. Biology of Blood and Marrow Transplantation, 2014, 20, 202-208.	2.0	33
53	Avascular Necrosis of Bone after Allogeneic Hematopoietic Cell Transplantation in Children and Adolescents. Biology of Blood and Marrow Transplantation, 2014, 20, 587-592.	2.0	33
54	Donor Characteristics Affecting Graft Failure, Graft-versus-Host Disease, and Survival after Unrelated Donor Transplantation with Reduced-Intensity Conditioning for HematologicÂMalignancies. Biology of Blood and Marrow Transplantation, 2011, 17, 1869-1873.	2.0	31

#	Article	IF	CITATIONS
55	Outcome of Lower-Intensity Allogeneic Transplantation in Non-Hodgkin Lymphoma after Autologous Transplantation Failure. Biology of Blood and Marrow Transplantation, 2012, 18, 1255-1264.	2.0	27
56	Treating the "Older―Adult With Acute Lymphoblastic Leukemia. Hematology American Society of Hematology Education Program, 2010, 2010, 13-20.	2.5	25
57	Prognostic impact of chromosomal abnormalities and copy number alterations in adult B-cell precursor acute lymphoblastic leukaemia: a UKALL14 study. Leukemia, 2022, 36, 625-636.	7.2	25
58	Impact of cytogenetic abnormalities on outcomes of adult Philadelphia-negative acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation: a study by the Acute Leukemia Working Committee of the Center for International Blood and Marrow Transplant Research. Haematologica, 2020, 105, 1329-1338.	3.5	23
59	Does Imatinib Change the Outcome in Philapdelphia Chromosome Positive Acute Lymphoblastic Leukaemia in Adults? Data from the UKALLXII/ECOG2993 Study Blood, 2007, 110, 8-8.	1.4	22
60	The outcome of unrelated donor stem cell transplantation for patients with multiple myeloma. British Journal of Haematology, 2003, 123, 886-895.	2.5	21
61	Unrelated donor bone marrow transplantation in children and young adults with acute myeloid leukaemia in remission. British Journal of Haematology, 1997, 99, 36-40.	2.5	20
62	Recent Advances in the Management of Acute Lymphoblastic Leukaemia. Current Treatment Options in Oncology, 2020, 21, 23.	3.0	16
63	Voriconazole for prophylaxis of invasive fungal infections after allogeneic hematopoietic stem cell transplantation. Expert Review of Anti-Infective Therapy, 2017, 15, 493-502.	4.4	15
64	Allogeneic Hematopoietic Cell Transplantation in Adult Patients with Acute Lymphoblastic Leukemia. Hematology/Oncology Clinics of North America, 2014, 28, 995-1009.	2.2	14
65	Repeat infusion of autologous bone marrow cells in multiple sclerosis: protocol for a phase I extension study (SIAMMS-II). BMJ Open, 2015, 5, e009090.	1.9	14
66	Impact of T Cell Dose on Outcome of T Cell-Replete HLA-Matched Allogeneic Peripheral Blood Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, 1875-1883.	2.0	14
67	Association of Antiepileptic Medications with Outcomes after Allogeneic Hematopoietic Cell Transplantation with Busulfan/Cyclophosphamide Conditioning. Biology of Blood and Marrow Transplantation, 2019, 25, 1424-1431.	2.0	14
68	Who Should Receive a Transplant for Acute Lymphoblastic Leukaemia?. Current Hematologic Malignancy Reports, 2017, 12, 143-152.	2.3	12
69	In-vivo T-cell depleted reduced-intensity conditioned allogeneic haematopoietic stem-cell transplantation for patients with acute lymphoblastic leukaemia in first remission: results from the prospective, single-arm evaluation of the UKALL14 trial. Lancet Haematology,the, 2022, 9, e276-e288.	4.6	12
70	Recent Developments in the Management of T-Cell Precursor Acute Lymphoblastic Leukemia/Lymphoma. Current Hematologic Malignancy Reports, 2012, 7, 160-169.	2.3	10
71	Impact of salvage treatment phase on inotuzumab ozogamicin treatment for relapsed/refractory acute lymphoblastic leukemia: an update from the INO-VATE final study database. Leukemia and Lymphoma, 2020, 61, 2012-2015.	1.3	10
72	The Challenges of Managing Older Patients with Acute Lymphoblastic Leukemia. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2015, , e343-e351.	3.8	9

#	Article	IF	CITATIONS
73	At three years, patients with acute lymphoblastic leukaemia are still at risk for relapse. Results of the international MRC UKALLXII/ECOG É2993 trial. British Journal of Haematology, 2020, 191, 37-43.	2.5	9
74	Burden of hospitalization in acute lymphoblastic leukemia patients treated with Inotuzumab Ozogamicin versus standard chemotherapy treatment. Cancer Medicine, 2019, 8, 5959-5968.	2.8	8
75	Economic evaluation of azoles as primary prophylaxis for the prevention of invasive fungal infections in Spanish patients undergoing allogeneic haematopoietic stem cell transplant. Mycoses, 2017, 60, 79-88.	4.0	7
76	Pretransplant Consolidation Is Not Beneficial for Adults with ALL Undergoing Myeloablative Allogeneic Transplantation. Biology of Blood and Marrow Transplantation, 2018, 24, 945-955.	2.0	7
77	Extensive cardiac infiltration in acute T-cell lymphoblastic leukemia: occult extra-medullary relapse and remission after salvage chemotherapy. European Heart Journal, 2017, 38, ehw393.	2.2	5
78	Donor lymphocyte infusions after reduced intensity conditioning allogeneic transplantation: what we need to know. Blood, 2004, 104, 295-296.	1.4	4
79	Comparison of Outcomes for Non-Myeloablative (NMA) and Myeloablative (MA) Conditioning for Adults with Acute Lymphoblastic Leukaemia (ALL) in First and Second Complete Remission (CR): a Center for International Blood and Marrow Transplant Research (CIBMTR) Analyisis Blood, 2009, 114, 872-872.	1.4	4
80	Acute Lymphoblastic Leukemia in Adults. , 2019, , 531-538.		4
81	Immune reconstitution following umbilical cord blood transplantation: IRES, a study of UK paediatric patients. EJHaem, 2020, 1, 208-218.	1.0	3
82	Inotuzumab ozogamicin versus FLAG-Ida in the treatment of relapsed or refractory B-cell acute lymphoblastic leukemia – real-world resource use data. Leukemia and Lymphoma, 2020, 61, 491-493.	1.3	2
83	Intention to Treat Analysis of Real-World Outcomes Following Tisgenlecleucel Therapy for Pediatric and Young Adult ALL through a National Access Programme. Blood, 2020, 136, 18-19.	1.4	2
84	Preparations for unrelated donor transplantation. Leukemia and Lymphoma, 2006, 47, 403-408.	1.3	1
85	Response: Unrelated donor transplantation for adults with Phâ^ ALL in first complete remission. Blood, 2008, 112, 448-449.	1.4	1
86	A registry-based, observational safety study of inotuzumab ozogamicin (InO) treatment in patients (pts) with B-cell precursor acute lymphoblastic leukemia (ALL) who proceeded to hematopoietic stem cell transplant (HSCT) Journal of Clinical Oncology, 2021, 39, 7017-7017.	1.6	1
87	Second Unrelated Donor (URD) Transplant as a Rescue Strategy for 122 Patients with Primary Non Engraftment: Results from the CIBMTR. Blood, 2008, 112, 794-794.	1.4	1
88	Allogeneic Stem Cell Transplantation for Acute Lymphoblastic Leukaemia in Adults. , 2011, , 297-304.		0
89	International variations in the use of haematopoietic cell transplantation for haematological malignancies: the effects of national transplant indications tables and differing access to therapies. British Journal of Haematology, 2017, 179, 5-7.	2.5	0
90	Primary graft failure, but not relapse, may be identified by early chimerism following double cord unit transplantation. Blood Advances, 2021, , .	5.2	0

#	Article	IF	CITATIONS
91	A Comparison of Conditioning Regimens with or without Alemtuzumab for Sibling RIC Transplants for AML: Study from the British Society for Blood and Marrow Transplantation Blood, 2006, 108, 3002-3002.	1.4	0
92	Allogeneic Stem Cell Transplantation for Acute Lymphoblastic Leukaemia in Adults. , 2010, , 193-202.		0
93	Older Adults with Chronic Myelogenous Leukemia (CML), During the Tyrosine Kinase Inhibitor (TKI) Era, Can Be Successfully Treated with Reduced Intensity Conditioning (RIC) Hematopoietic Cell Transplant (HCT) Using Sibling or Unrelated Donors: A Center for International Blood and Marrow Transplant Research (CIBMTR) Analysis. Blood. 2011. 118. 494-494.	1.4	0
94	The treatment landscape for Relapsed Refractory B Acute Lymphoblastic Leukaemia (ALL). Leukemia and Lymphoma, 2022, , 1-10.	1.3	0
95	Repeat infusion of autologous bone marrow cells in progressive multiple sclerosis – A phase I extension study (SIAMMS II). Multiple Sclerosis and Related Disorders, 2022, 61, 103782.	2.0	0