

# Rj Rodgers

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/11780294/rj-rodgers-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46  
papers

4,382  
citations

32  
h-index

46  
g-index

46  
ext. papers

4,648  
ext. citations

4.2  
avg. IF

5.21  
L-index

#	Paper	IF	Citations
46	Orexin-1 receptor antagonism fails to reduce anxiety-like behaviour in either plus-maze-naïve or plus-maze-experienced mice. <i>Behavioural Brain Research</i> , <b>2013</b> , 243, 213-9	3.4	19
45	Behavioural satiety sequence (BSS): separating wheat from chaff in the behavioural pharmacology of appetite. <i>Pharmacology Biochemistry and Behavior</i> , <b>2010</b> , 97, 3-14	3.9	50
44	Night and day: diurnal differences in the behavioural satiety sequence in male rats. <i>Physiology and Behavior</i> , <b>2009</b> , 97, 125-30	3.5	15
43	Anorexia and weight loss in male rats 24 h following single dose treatment with orexin-1 receptor antagonist SB-334867. <i>Behavioural Brain Research</i> , <b>2005</b> , 157, 331-41	3.4	52
42	Satiety enhancement by selective orexin-1 receptor antagonist SB-334867: influence of test context and profile comparison with CCK-8S. <i>Behavioural Brain Research</i> , <b>2005</b> , 160, 11-24	3.4	32
41	The NK1 receptor antagonist NKP608 lacks anxiolytic-like activity in Swiss-Webster mice exposed to the elevated plus-maze. <i>Behavioural Brain Research</i> , <b>2004</b> , 154, 183-92	3.4	13
40	Differential effects of the selective orexin-1 receptor antagonist SB-334867 and lithium chloride on the behavioural satiety sequence in rats. <i>Physiology and Behavior</i> , <b>2004</b> , 81, 129-40	3.5	60
39	Orexins and appetite regulation. <i>Neuropeptides</i> , <b>2002</b> , 36, 303-25	3.3	134
38	Contrasting phenotypes of C57BL/6JOLaHsd, 129S2/SvHsd and 129/SvEv mice in two exploration-based tests of anxiety-related behaviour. <i>Physiology and Behavior</i> , <b>2002</b> , 77, 301-10	3.5	108
37	Anxiolytic effects of valproate and diazepam in mice are differentially sensitive to picrotoxin antagonism. <i>Pharmacology Biochemistry and Behavior</i> , <b>2001</b> , 68, 23-32	3.9	29
36	Prior test experience compromises the anxiolytic efficacy of chlordiazepoxide in the mouse light/dark exploration test. <i>Behavioural Brain Research</i> , <b>2001</b> , 122, 159-67	3.4	84
35	Anxious genes, emerging themes. Commentary on Belzung "The genetic basis of the pharmacological effects of anxiolytics" and Olivier et al. "The 5-HT(1A) receptor knockout mouse and anxiety". <i>Behavioural Pharmacology</i> , <b>2001</b> , 12, 471-6	2.4	10
34	Dose-response effects of orexin-A on food intake and the behavioural satiety sequence in rats. <i>Regulatory Peptides</i> , <b>2000</b> , 96, 71-84		91
33	Behavioral profile of wild mice in the elevated plus-maze test for anxiety. <i>Physiology and Behavior</i> , <b>2000</b> , 71, 509-16	3.5	109
32	Influence of spatial and temporal manipulations on the anxiolytic efficacy of chlordiazepoxide in mice previously exposed to the elevated plus-maze. <i>Neuroscience and Biobehavioral Reviews</i> , <b>1999</b> , 23, 971-80	9	98
31	Behavioral effects of diazepam in the murine plus-maze: flumazenil antagonism of enhanced head dipping but not the disinhibition of open-arm avoidance. <i>Pharmacology Biochemistry and Behavior</i> , <b>1999</b> , 62, 727-34	3.9	45
30	Responses of Swiss-Webster mice to repeated plus-maze experience: further evidence for a qualitative shift in emotional state?. <i>Pharmacology Biochemistry and Behavior</i> , <b>1998</b> , 60, 473-88	3.9	141

29	Tolerance to acute anxiolysis but no withdrawal anxiogenesis in mice treated chronically with 5-HT1A receptor antagonist, WAY 100635. <i>Neuroscience and Biobehavioral Reviews</i> , <b>1998</b> , 23, 247-57	9	6
28	Interindividual variability in Swiss male mice: relationship between social factors, aggression, and anxiety. <i>Physiology and Behavior</i> , <b>1998</b> , 63, 821-7	3.5	99
27	Dopamine D4 receptor and anxiety: behavioural profiles of clozapine, L-745,870 and L-741,742 in the mouse plus-maze. <i>European Journal of Pharmacology</i> , <b>1997</b> , 335, 117-25	5.3	34
26	Comparative behavioural profiles of buspirone and its metabolite 1-(2-pyrimidinyl)-piperazine (1-PP) in the murine elevated plus-maze. <i>Neuropharmacology</i> , <b>1997</b> , 36, 1089-97	5.5	35
25	Resistance of experientially-induced changes in murine plus-maze behaviour to altered retest conditions. <i>Behavioural Brain Research</i> , <b>1997</b> , 86, 71-7	3.4	50
24	Animal models of anxiety: an ethological perspective. <i>Brazilian Journal of Medical and Biological Research</i> , <b>1997</b> , 30, 289-304	2.8	432
23	Behavioural effects in mice of subchronic chlordiazepoxide, maprotiline and fluvoxamine. II. The elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , <b>1997</b> , 57, 127-36	3.9	30
22	Anxiety, defence and the elevated plus-maze. <i>Neuroscience and Biobehavioral Reviews</i> , <b>1997</b> , 21, 801-10	9	672
21	Comparing different forms of male and female aggression in wild and laboratory mice: an ethopharmacological study. <i>Physiology and Behavior</i> , <b>1996</b> , 60, 549-53	3.5	20
20	Modulation of plus-maze behaviour in mice by the preferential D3-receptor agonist 7-OH-DPAT. <i>Pharmacology Biochemistry and Behavior</i> , <b>1996</b> , 54, 79-84	3.9	23
19	Plus-maze retest profile in mice: importance of initial stages of trail 1 and response to post-trail cholinergic receptor blockade. <i>Pharmacology Biochemistry and Behavior</i> , <b>1996</b> , 54, 41-50	3.9	95
18	Factor analysis of spatiotemporal and ethological measures in the murine elevated plus-maze test of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , <b>1995</b> , 52, 297-303	3.9	611
17	Ethological comparison of the effects of diazepam and acute/chronic imipramine on the behaviour of mice in the elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , <b>1995</b> , 52, 473-8	3.9	106
16	Ethopharmacological analysis of the effects of putative anxiogenic agents in the mouse elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , <b>1995</b> , 52, 805-13	3.9	109
15	Effects of ritanserin and 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane (DOI) in the murine elevated plus-maze test of anxiety: an ethopharmacological study. <i>Journal of Psychopharmacology</i> , <b>1995</b> , 9, 38-42	4.6	14
14	Antianxiety and behavioral suppressant actions of the novel 5-HT1A receptor agonist, flesinoxan. <i>Pharmacology Biochemistry and Behavior</i> , <b>1994</b> , 48, 959-63	3.9	44
13	Dopamine D1 and D2 receptor ligands modulate the behaviour of mice in the elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , <b>1994</b> , 49, 985-95	3.9	101
12	Anxiolytic-like effect of (S)-WAY 100135, a 5-HT1A receptor antagonist, in the murine elevated plus-maze test. <i>European Journal of Pharmacology</i> , <b>1994</b> , 261, 321-5	5.3	65

11	"Cohort removal" induces hyperthermia but fails to influence plus-maze behaviour in male mice. <i>Physiology and Behavior</i> , <b>1994</b> , 55, 189-92	3.5	24
10	Influence of social isolation, gender, strain, and prior novelty on plus-maze behaviour in mice. <i>Physiology and Behavior</i> , <b>1993</b> , 54, 729-36	3.5	207
9	Anxiety enhancement in the murine elevated plus maze by immediate prior exposure to social stressors. <i>Physiology and Behavior</i> , <b>1993</b> , 53, 383-8	3.5	157
8	An ethological analysis of the effects of chlordiazepoxide and bretazenil (Ro 16-6028) in the murine elevated plus-maze. <i>Behavioural Pharmacology</i> , <b>1993</b> , 4, 573-580	2.4	29
7	A step in the right direction: comment on 5-HT and mechanisms of defence <i>Journal of Psychopharmacology</i> , <b>1991</b> , 5, 316-9	4.6	14
6	Effects of benzodiazepine receptor antagonist, flumazenil, on antinociceptive and behavioural responses to the elevated plus-maze in mice. <i>Neuropharmacology</i> , <b>1991</b> , 30, 1263-7	5.5	42
5	Highly potent inhibitory effects of 5-HT <sub>3</sub> receptor antagonist, GR38032F, on non-opioid defeat analgesia in male mice. <i>Neuropharmacology</i> , <b>1990</b> , 29, 17-23	5.5	28
4	Are the analgesic effects of social defeat mediated by benzodiazepine receptors?. <i>Physiology and Behavior</i> , <b>1987</b> , 41, 279-89	3.5	36
3	Resident scent: a critical factor in acute analgesic reaction to defeat experience in male mice. <i>Physiology and Behavior</i> , <b>1986</b> , 37, 317-22	3.5	55
2	Acute non-opioid analgesia in defeated male mice. <i>Physiology and Behavior</i> , <b>1986</b> , 36, 947-50	3.5	67
1	Benzodiazepines and their antagonists: a pharmacoethological analysis with particular reference to effects on "aggression". <i>Neuroscience and Biobehavioral Reviews</i> , <b>1985</b> , 9, 21-35	9	87