

Tom Skyhøj Olsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1178881/publications.pdf>

Version: 2024-02-01

123
papers

14,306
citations

26630

56
h-index

19190

118
g-index

133
all docs

133
docs citations

133
times ranked

11155
citing authors

#	ARTICLE	IF	CITATIONS
1	Absolute risk of ischemic and hemorrhagic stroke in Danish women using oral contraceptives. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 565-570.	2.1	0
2	Prevalence and risk of occult cancer in stroke. <i>Acta Neurologica Scandinavica</i> , 2020, 141, 204-211.	2.1	6
3	Occult primary brain cancers manifesting in the aftermath of ischaemic and haemorrhagic stroke. <i>European Stroke Journal</i> , 2020, 5, 237-244.	5.5	3
4	Occult lung cancer manifesting within the first year after stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105023.	1.6	4
5	Types of occult cancer in stroke and the relation to smoking. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 486-492.	2.1	5
6	Social Inequality by Income in Short- and Long-Term Cause-Specific Mortality after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1529-1536.	1.6	15
7	Married, unmarried, divorced, and widowed and the risk of stroke. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 41-46.	2.1	8
8	Risk of Ischemic and Hemorrhagic Strokes in Occult and Manifest Cancers. <i>Stroke</i> , 2018, 49, 1585-1592.	2.0	29
9	Stroke case-fatality and marital status. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 377-383.	2.1	11
10	Risk of Stroke in Migraineurs Using Triptans. Associations with Age, Sex, Stroke Severity and Subtype. <i>EBioMedicine</i> , 2016, 6, 199-205.	6.1	21
11	The Obesity Paradox in Stroke: Lower Mortality and Lower Risk of Readmission for Recurrent Stroke in Obese Stroke Patients. <i>International Journal of Stroke</i> , 2015, 10, 99-104.	5.9	154
12	Stroke in centenarians. <i>Geriatrics and Gerontology International</i> , 2014, 14, 84-88.	1.5	10
13	Early case-fatality rates in elderly stroke patients do not increase when age increases. <i>Geriatrics and Gerontology International</i> , 2014, 14, 786-792.	1.5	1
14	Socioeconomic Position and Survival After Stroke in Denmark 2003 to 2012. <i>Stroke</i> , 2014, 45, 3556-3560.	2.0	26
15	Socioeconomic Position and Incidence of Ischemic Stroke in Denmark 2003â€“2012. A Nationwide Hospitalâ€“Based Study. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	41
16	Prognosen for patienter med apopleksi og PEG-sonde. <i>Klinisk Sygepleje</i> , 2014, 28, 15-22.	0.1	0
17	Cause-specific Mortality after Stroke: Relation to Age, Sex, Stroke Severity, and Risk Factors in a 10-Year Follow-up Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e59-e65.	1.6	27
18	Body Mass Index and Stroke: Overweight and Obesity Less Often Associated with Stroke Recurrence. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e576-e581.	1.6	36

#	ARTICLE	IF	CITATIONS
19	Costs of Secondary Prevention of Stroke by Carotid Endarterectomy. <i>European Neurology</i> , 2012, 68, 42-46.	1.4	1
20	Explaining Poorer Stroke Outcomes in Women: Women Surviving 3 Months Have More Severe Strokes Than Men Despite a Lower 3-Month Case Fatality. <i>Gender Medicine</i> , 2012, 9, 147-153.	1.4	16
21	One-Month to 10-Year Survival in the Copenhagen Stroke Study: Interactions Between Stroke Severity and Other Prognostic Indicators. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011, 20, 117-123.	1.6	33
22	Predictors of Early and Late Case-Fatality in a Nationwide Danish Study of 26 818 Patients With First-Ever Ischemic Stroke. <i>Stroke</i> , 2011, 42, 2806-2812.	2.0	116
23	Age Trajectories of Stroke Case Fatality. <i>Epidemiology</i> , 2011, 22, 432-436.	2.7	7
24	Female survival advantage relates to male inferiority rather than female superiority: A hypothesis based on the impact of age and stroke severity on 1-week to 1-year case fatality in 40,155 men and women. <i>Gender Medicine</i> , 2010, 7, 284-295.	1.4	19
25	Age- and Gender-Specific Prevalence of Cardiovascular Risk Factors in 40 102 Patients With First-Ever Ischemic Stroke. <i>Stroke</i> , 2010, 41, 2768-2774.	2.0	104
26	Association between short-term exposure to ultrafine particles and hospital admissions for stroke in Copenhagen, Denmark. <i>European Heart Journal</i> , 2010, 31, 2034-2040.	2.2	153
27	ErnÃ ringsstatus og -forlÃ b hos apopleksipatienter under rehabilitering. <i>Klinisk Sygepleje</i> , 2010, 24, 4-9.	0.1	2
28	Blood glucose in acute stroke. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 409-419.	2.8	14
29	The Female Stroke Survival Advantage: Relation to Age. <i>Neuroepidemiology</i> , 2009, 32, 47-52.	2.3	11
30	Transient acute renal failure and functional hemispheric depression after cerebral arteriography in diabetic patients. <i>Acta Neurologica Scandinavica</i> , 2009, 64, 460-464.	2.1	3
31	Hemorrhagic and Ischemic Strokes Compared. <i>Stroke</i> , 2009, 40, 2068-2072.	2.0	418
32	Body Mass Index and Poststroke Mortality. <i>Neuroepidemiology</i> , 2008, 30, 93-100.	2.3	116
33	Chapter 21 Stroke recurrence and prognosis after stroke. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2008, 92, 407-421.	1.8	14
34	Sex-Related Time-Dependent Variations in Post-Stroke Survival â€“ Evidence of a Female Stroke Survival Advantage. <i>Neuroepidemiology</i> , 2007, 29, 218-225.	2.3	69
35	Reduced Poststroke Mortality in Patients With Stroke and Atrial Fibrillation Treated With Anticoagulants. <i>Stroke</i> , 2007, 38, 259-263.	2.0	49
36	Higher Total Serum Cholesterol Levels Are Associated With Less Severe Strokes and Lower All-Cause Mortality. <i>Stroke</i> , 2007, 38, 2646-2651.	2.0	101

#	ARTICLE	IF	CITATIONS
37	Cardiovascular Risk Factors and 5-Year Mortality in the Copenhagen Stroke Study. Cerebrovascular Diseases, 2006, 21, 187-193.	1.7	58
38	Strokes attributable to underuse of warfarin and antiplatelets. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 55-57.	1.6	7
39	Sex Differences in Stroke Survival: 10-Year Follow-up of the Copenhagen Stroke Study Cohort. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 215-220.	1.6	41
40	Poststroke Epilepsy in the Copenhagen Stroke Study: Incidence and Predictors. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 210-214.	1.6	86
41	Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. Age and Ageing, 2004, 33, 149-154.	1.6	209
42	Aphasia after Stroke: Type, Severity and Prognosis. Cerebrovascular Diseases, 2004, 17, 35-43.	1.7	503
43	Therapeutic hypothermia for acute stroke. Lancet Neurology, The, 2003, 2, 410-416.	10.2	121
44	Admission Body Temperature Predicts Long-Term Mortality After Acute Stroke. Stroke, 2002, 33, 1759-1762.	2.0	261
45	Blood Pressure in Acute Stroke. Cerebrovascular Diseases, 2002, 13, 204-209.	1.7	73
46	Carotid Doppler - costs and need after stroke or TIA. Acta Neurologica Scandinavica, 2002, 105, 1-4.	2.1	4
47	Early infection and prognosis after acute stroke: The Copenhagen Stroke Study. Journal of Stroke and Cerebrovascular Diseases, 2001, 10, 217-221.	1.6	53
48	The Communicative Effectiveness Index: Psychometric properties of a Danish adaptation. Aphasiology, 2001, 15, 787-802.	2.2	17
49	Potentially Reversible Factors during the Very Acute Phase of Stroke and Their Impact on the Prognosis: Is There a Large Therapeutic Potential to Be Explored?. Cerebrovascular Diseases, 2001, 11, 207-211.	1.7	21
50	Post-stroke epilepsy. Current Atherosclerosis Reports, 2001, 3, 340-344.	4.8	66
51	Improvement of oral naming by unsupervised computerised rehabilitation. Aphasiology, 2001, 15, 151-169.	2.2	44
52	Functional and Neurological Outcome of Stroke and the Relation to Stroke Severity and Type, Stroke Unit Treatment, Body Temperature, Age, and Other Risk Factors: The Copenhagen Stroke Study. Topics in Stroke Rehabilitation, 2000, 6, 1-19.	1.9	20
53	Feasibility and Safety of Inducing Modest Hypothermia in Awake Patients With Acute Stroke Through Surface Cooling: A Case-Control Study. Stroke, 2000, 31, 2251-2256.	2.0	277
54	Who Benefits From Treatment and Rehabilitation in a Stroke Unit?. Stroke, 2000, 31, 434-439.	2.0	100

#	ARTICLE	IF	CITATIONS
55	European Stroke Initiative: recommendations for stroke management. Organisation of stroke care. Journal of Neurology, 2000, 247, 732-48.	3.6	11
56	Treatment and Rehabilitation on a Stroke Unit Improves 5-Year Survival. Stroke, 1999, 30, 930-933.	2.0	102
57	Leukocytosis in acute stroke: Relation to initial stroke severity, infarct size, and outcome: The copenhagen stroke study. Journal of Stroke and Cerebrovascular Diseases, 1999, 8, 259-263.	1.6	23
58	What Determines Good Recovery in Patients With the Most Severe Strokes?. Stroke, 1999, 30, 2008-2012.	2.0	153
59	Epidemiology of stroke-related disability. Clinics in Geriatric Medicine, 1999, 15, 785-99.	2.6	15
60	Stroke. Neurologic and functional recovery the Copenhagen Stroke Study. Physical Medicine and Rehabilitation Clinics of North America, 1999, 10, 887-906.	1.3	88
61	Tissue plasminogen activator is elevated in women with ischemic stroke. Journal of Stroke and Cerebrovascular Diseases, 1998, 7, 187-191.	1.6	5
62	An Insertion/Deletion polymorphism in the promoter region of the plasminogen activator inhibitor-1 gene is associated with plasma levels but not with stroke risk in the elderly. Journal of Stroke and Cerebrovascular Diseases, 1998, 7, 385-390.	1.6	6
63	Impaired Orientation in Acute Stroke: Frequency, Determinants, and Time-Course of Recovery. Cerebrovascular Diseases, 1998, 8, 90-96.	1.7	18
64	Acute stroke: Prognosis and a prediction of the effect of medical treatment on outcome and health care utilization. Neurology, 1997, 49, 1335-1342.	1.1	47
65	Ischemic stroke and n-3 fatty acids. Journal of Stroke and Cerebrovascular Diseases, 1997, 6, 405-409.	1.6	2
66	Comprehensive assessment of activities of daily living in stroke. The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1997, 78, 161-165.	0.9	52
67	HEMINEGLECT IN ACUTE STROKE-INCIDENCE AND PROGNOSTIC IMPLICATIONS. American Journal of Physical Medicine and Rehabilitation, 1997, 76, 122-127.	1.4	145
68	Prevalence and Risk Factors of Incontinence After Stroke. Stroke, 1997, 28, 58-62.	2.0	212
69	Acute Stroke Care and Rehabilitation: An Analysis of the Direct Cost and Its Clinical and Social Determinants. Stroke, 1997, 28, 1138-1141.	2.0	116
70	Seizures in Acute Stroke: Predictors and Prognostic Significance. Stroke, 1997, 28, 1585-1589.	2.0	212
71	Body temperature in acute stroke: relation to stroke severity, infarct size, mortality, and outcome. Lancet, The, 1996, 347, 422-425.	13.7	851
72	Orientation in the acute and chronic stroke patient: Impact on ADL and social activities. The copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1996, 77, 336-339.	0.9	59

#	ARTICLE	IF	CITATIONS
73	Ipsilateral pushing in stroke: Incidence, relation to neuropsychological symptoms, and impact on rehabilitation. The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1996, 77, 25-28.	0.9	160
74	Endogenous Sex Hormones in Women with Ischemic Stroke. Cerebrovascular Diseases, 1996, 6, 288-293.	1.7	4
75	Decreased Serum Testosterone in Men With Acute Ischemic Stroke. Arteriosclerosis, Thrombosis, and Vascular Biology, 1996, 16, 749-754.	2.4	134
76	Acute Stroke With Atrial Fibrillation. Stroke, 1996, 27, 1765-1769.	2.0	429
77	Shoulder pain after a stroke. International Journal of Rehabilitation Research, 1995, 18, 273.	1.3	30
78	Aphasia in acute stroke: Incidence, determinants, and recovery. Annals of Neurology, 1995, 38, 659-666.	5.3	671
79	Recovery of walking function in stroke patients: The copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1995, 76, 27-32.	0.9	909
80	Outcome and time course of recovery in stroke. Part I: Outcome. The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1995, 76, 399-405.	0.9	478
81	Outcome and time course of recovery in stroke. Part II: Time course of recovery. The copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1995, 76, 406-412.	0.9	803
82	Leukoaraiosis in Stroke Patients. Stroke, 1995, 26, 588-592.	2.0	48
83	The Effect of a Stroke Unit: Reductions in Mortality, Discharge Rate to Nursing Home, Length of Hospital Stay, and Cost. Stroke, 1995, 26, 1178-1182.	2.0	227
84	Compensation in recovery of upper extremity function after stroke: The Copenhagen Stroke Study. Archives of Physical Medicine and Rehabilitation, 1994, 75, 852-857.	0.9	260
85	Recovery of upper extremity function in stroke patients: The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1994, 75, 394-398.	0.9	849
86	Silent infarction in acute stroke patients. Prevalence, localization, risk factors, and clinical significance: the Copenhagen Stroke Study.. Stroke, 1994, 25, 97-104.	2.0	135
87	Cerebral oxygen extraction, oxygen consumption, and regional cerebral blood flow during the aura phase of migraine.. Stroke, 1994, 25, 974-979.	2.0	76
88	Spontaneous Reperfusion of Cerebral Infarcts in Patients With Acute Stroke. Archives of Neurology, 1994, 51, 865.	4.5	80
89	Stroke in patients with diabetes. The Copenhagen Stroke Study.. Stroke, 1994, 25, 1977-1984.	2.0	347
90	The influence of age on stroke outcome. The Copenhagen Stroke Study.. Stroke, 1994, 25, 808-813.	2.0	326

#	ARTICLE	IF	CITATIONS
91	Interictal "patchy" regional cerebral blood flow patterns in migraine patients. A single photon emission computerized tomographic study. European Journal of Neurology, 1994, 1, 35-43.	3.3	30
92	Effect of blood pressure and diabetes on stroke in progression. Lancet, The, 1994, 344, 156-159.	13.7	327
93	Long-term follow-up of cerebral infarction patients with proton magnetic resonance spectroscopy.. Stroke, 1994, 25, 967-973.	2.0	82
94	Spreading Oligemia in the Migraine Aura-Most Likely an Artifact Due to Scattered Radiation. Cephalalgia, 1993, 13, 86-88.	3.9	11
95	Thrombolytic therapy in acute ischemic stroke. A Danish pilot study.. Stroke, 1993, 24, 1439-1446.	2.0	44
96	Early time course of N-acetylaspartate, creatine and phosphocreatine, and compounds containing choline in the brain after acute stroke. A proton magnetic resonance spectroscopy study.. Stroke, 1992, 23, 1566-1572.	2.0	188
97	Cerebral lactate production and blood flow in acute stroke. Journal of Magnetic Resonance Imaging, 1992, 2, 511-517.	3.4	43
98	Outcome following occlusion of the middle cerebral artery. Acta Neurologica Scandinavica, 1991, 83, 254-258.	2.1	18
99	Cerebrovascular Instability in a Subset of Patients With Stroke and Transient Ischemic Attack. Archives of Neurology, 1991, 48, 1026-1031.	4.5	12
100	Radiologic manifestations of focal cerebral hyperemia in acute stroke. Acta Radiologica, 1991, 32, 100-4.	1.1	3
101	Migraine With and Without Aura: The Same Disease Due to Cerebral Vasospasm of Different Intensity. A hypothesis based on CBF studies during migraine.. Headache, 1990, 30, 269-272.	3.9	52
102	Ischemia May Be the Primary Cause of Neurological Deficits in Classic Migraine-Reply. Archives of Neurology, 1990, 47, 125-127.	4.5	2
103	Severe non-occlusive ischemic stroke in young heroin addicts. Acta Neurologica Scandinavica, 1990, 81, 354-357.	2.1	49
104	Blood Flow and Vascular Reactivity During Attacks of Classic Migraine'Limitations of the Xe-133 Intraarterial Technique. Headache, 1989, 29, 15-20.	3.9	55
105	Delayed Hyperemia Following Hypoperfusion in Classic Migraine. Archives of Neurology, 1988, 45, 154.	4.5	152
106	Ischemia May Be the Primary Cause of the Neurologic Deficits in Classic Migraine. Archives of Neurology, 1987, 44, 156-161.	4.5	135
107	Epilepsy after stroke. Neurology, 1987, 37, 1209-1209.	1.1	109
108	Regional cerebral blood flow after occlusion of the middle cerebral artery. Acta Neurologica Scandinavica, 1986, 73, 321-337.	2.1	80

#	ARTICLE	IF	CITATIONS
109	Edema and atrophy following cerebral stroke. A prospective and consecutive study. Acta Radiologica Supplementum, 1986, 369, 43-5.	0.5	3
110	Cause of cerebral infarction in the carotid territory. Its relation to the size and the location of the infarct and to the underlying vascular lesion.. Stroke, 1985, 16, 459-466.	2.0	118
111	Cerebrospinal fluid ferritin in patients with leukaemia and malignant lymphoma. Scandinavian Journal of Haematology, 1985, 35, 132-136.	0.0	1
112	A dynamic concept of middle cerebral artery occlusion and cerebral infarction in the acute state based on interpreting severe hyperemia as a sign of embolic migration.. Stroke, 1984, 15, 458-468.	2.0	65
113	FACTORS OF IMPORTANCE FOR THE DEVELOPMENT OF EPILEPSY IN PATIENTS WITH CEREBRAL INFARCTION. Acta Neurologica Scandinavica, 1984, 69, 95-96.	2.1	3
114	Brain scintigraphy with Tc ^{99m} -pertechnetate in the evaluation of patients with cerebrovascular lesions. Acta Neurologica Scandinavica, 1983, 67, 229-234.	2.1	5
115	Changes in regional cerebral blood flow during the course of classic migraine attacks. Annals of Neurology, 1983, 13, 633-641.	5.3	329
116	Blood flow and vascular reactivity in collaterally perfused brain tissue. Evidence of an ischemic penumbra in patients with acute stroke.. Stroke, 1983, 14, 332-341.	2.0	283
117	Left-right cortical asymmetries of regional cerebral blood flow during listening to words. Journal of Neurophysiology, 1982, 48, 458-466.	1.8	85
118	Regional cerebral blood flow in various types of brain tumor. Acta Neurologica Scandinavica, 1982, 66, 160-171.	2.1	30
119	Contrast enhancement of cerebral infarcts. Incidence and clinical value in different states of cerebral infarction. Neuroradiology, 1982, 23, 259-265.	2.2	36
120	Focal cerebral hyperemia in acute stroke. Incidence, pathophysiology and clinical significance.. Stroke, 1981, 12, 598-607.	2.0	130
121	Transient disappearance of cerebral infarcts on CT scan, the so-called fogging effect. Neuroradiology, 1981, 22, 61-65.	2.2	98
122	Blood-brain barrier integrity in patients with cerebral infarction investigated by computed tomography and serum-CSF-albumin. Acta Neurologica Scandinavica, 1981, 64, 438-445.	2.1	16
123	Patterns of regional cerebral blood flow in acute stroke. Journal of Rehabilitation Medicine, 1981, 13, 57-63.	1.1	0