

Seok Dockko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11793528/publications.pdf>

Version: 2024-02-01

23
papers

131
citations

1478280

6
h-index

1372474

10
g-index

23
all docs

23
docs citations

23
times ranked

124
citing authors

#	ARTICLE	IF	CITATIONS
1	Models for predicting carbonaceous disinfection by-products formation in drinking water treatment plants: a case study of South Korea. <i>Environmental Science and Pollution Research</i> , 2020, 27, 24594-24603.	2.7	16
2	Formation characteristics of carbonaceous and nitrogenous disinfection by-products depending on residual organic compounds by CGS and DAF. <i>Environmental Science and Pollution Research</i> , 2019, 26, 34008-34017.	2.7	14
3	Degradation effect of ultraviolet-induced advanced oxidation of chlorine, chlorine dioxide, and hydrogen peroxide and its impact on coagulation of extracellular organic matter produced by <i>Microcystis aeruginosa</i> . <i>Chemosphere</i> , 2021, 281, 130765.	4.2	13
4	Experimental approaches for identifying the impact of enhanced flotation technology using hollow microspheres. <i>Journal of Environmental Management</i> , 2020, 253, 109690.	3.8	12
5	Reduction of organic matter in drinking water using a hybrid system combined with a rock biofilter and membrane in developing countries. <i>International Biodeterioration and Biodegradation</i> , 2015, 102, 223-230.	1.9	8
6	Effects of rainfall characteristics on corrosion indices in Korean river basins. <i>Desalination and Water Treatment</i> , 2015, 54, 1233-1241.	1.0	8
7	Feasibility study of high-rate dissolved air flotation process for rapid wastewater treatment. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2015, 64, 927-936.	0.6	6
8	Characteristics of DBPs reduction of AOM by dissolved air flotation. <i>Desalination and Water Treatment</i> , 2015, 54, 1436-1444.	1.0	6
9	Sustainable technology of trickling biosand filter (TBSF) combined with rock media to reduce organic matters for drinking water. <i>Desalination and Water Treatment</i> , 2016, 57, 7733-7741.	1.0	6
10	Effect of DAF configuration on the removal of phosphorus and organic matter by a pilot plant treating combined sewer overflows. <i>International Biodeterioration and Biodegradation</i> , 2017, 124, 17-25.	1.9	6
11	Development of a hybrid system for advanced wastewater treatment using high-rate settling and a flotation system with ballasted media. <i>International Biodeterioration and Biodegradation</i> , 2016, 113, 256-261.	1.9	5
12	Enhanced flotation technology using low-density microhollow beads to remove algae from a drinking water source. <i>Journal of Water Process Engineering</i> , 2021, 42, 102131.	2.6	5
13	Modeling and experiment for removal of algae and nutrient using a DAF system installed on a ferryboat. <i>Desalination and Water Treatment</i> , 2015, 55, 325-330.	1.0	4
14	Assessing the efficacy of dissolved air and flash-pressurized flotations using low energy for the removal of organic precursors and disinfection byproducts: a pilot-scale study. <i>Environmental Science and Pollution Research</i> , 2021, 28, 40598-40607.	2.7	4
15	LSI characteristics based on seasonal changes at water treatment plant of Korea. <i>Desalination and Water Treatment</i> , 2015, 55, 272-277.	1.0	3
16	Characterizing stormwater treatment efficiency at the laboratory scale for effective rain garden design. <i>Desalination and Water Treatment</i> , 2015, 54, 1334-1343.	1.0	3
17	Membrane hybrid system combined with a trickling filter and a thin layer of biosand to reduce high levels of organic matter in drinking water in developing countries. <i>Chemical Engineering Research and Design</i> , 2016, 104, 541-548.	2.7	3
18	Development of a hybrid treatment system for combined sewer overflows using a hydrocyclone and a dissolved air flotation system. <i>Desalination and Water Treatment</i> , 2016, 57, 7650-7658.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Arsenic removal using novel combined Fe/Mn adsorbent modified with silica. <i>Water Science and Technology: Water Supply</i> , 2013, 13, 1109-1115.	1.0	2
20	Adsorptive removal of arsenate using inorganic magnetite particles. <i>Desalination and Water Treatment</i> , 2016, 57, 29448-29456.	1.0	2
21	Characteristics of water quality and extracellular polymeric substances in trickling filter system using plastic fiber media. <i>Desalination and Water Treatment</i> , 2009, 2, 128-132.	1.0	1
22	Arsenate removal using a hybrid system of adsorbents and a microfiltration membrane. <i>Desalination and Water Treatment</i> , 2016, 57, 29439-29447.	1.0	1
23	Low-energy high-rate flotation technology for reduction of organic matter and disinfection by-products formation potential: A pilot-scale study. <i>Chemosphere</i> , 2022, 303, 135147.	4.2	0