

# Alik Farber

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11795790/publications.pdf>

Version: 2024-02-01

199  
papers

4,434  
citations

126907

33  
h-index

155660

55  
g-index

201  
all docs

201  
docs citations

201  
times ranked

4252  
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review and meta-analysis of treatment and natural history of popliteal artery aneurysms. <i>Journal of Vascular Surgery</i> , 2022, 75, 121S-125S.e14.	1.1	17
2	The Society for Vascular Surgery clinical practice guidelines on popliteal artery aneurysms. <i>Journal of Vascular Surgery</i> , 2022, 75, 109S-120S.	1.1	35
3	Tryptophan metabolites suppress the Wnt pathway and promote adverse limb events in chronic kidney disease. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	23
4	The U.S. Preventive Services Task Force Abdominal Aortic Aneurysm Screening Guidelines Negligibly Impacted Repair Rates in Male Never-Smokers and Female Smokers. <i>Annals of Vascular Surgery</i> , 2022, 82, 87-95.	0.9	2
5	Percutaneous radial artery access for peripheral vascular interventions is a safe alternative for upper extremity access. <i>Journal of Vascular Surgery</i> , 2022, 76, 174-179.e2.	1.1	8
6	Outcomes of axillofemoral bypass for intermittent claudication. <i>Journal of Vascular Surgery</i> , 2022, 75, 1687-1694.e4.	1.1	5
7	Surgery appears to outperform endovascular therapy for popliteal artery aneurysms; however, the real answer as to which treatment strategy works best and for whom remains elusive. <i>Journal of Vascular Surgery</i> , 2022, 75, 1718-1719.	1.1	3
8	Access site complications are uncommon with vascular closure devices or manual compression after lower extremity revascularization. <i>Journal of Vascular Surgery</i> , 2022, 76, 788-796.e2.	1.1	5
9	Modern Treatment of Asymptomatic Carotid Stenosis—The Importance of Both Medical Therapy and Carotid Endarterectomy. <i>JAMA Surgery</i> , 2022, 157, 653.	4.3	1
10	Periprocedural Outcomes in Patients on Chronic Anticoagulation Undergoing Fistulograms. <i>Annals of Vascular Surgery</i> , 2021, 70, 123-130.	0.9	0
11	Nationwide patterns in industry payments to academic vascular surgeons. <i>Journal of Vascular Surgery</i> , 2021, 73, 675-681.	1.1	9
12	Reasons for long-term tunneled dialysis catheter use and associated morbidity. <i>Journal of Vascular Surgery</i> , 2021, 73, 588-592.	1.1	14
13	Tibial bypass in patients with intermittent claudication is associated with poor outcomes. <i>Journal of Vascular Surgery</i> , 2021, 73, 564-571.e1.	1.1	5
14	Younger patients have worse outcomes after peripheral endovascular interventions for suprainguinal arterial occlusive disease. <i>Journal of Vascular Surgery</i> , 2021, 73, 1715-1722.	1.1	2
15	Contemporary Analysis of Senior Level Case Volume Variation between Traditional Vascular Surgery Fellows and Integrated Vascular Surgery Chief Residents. <i>Annals of Vascular Surgery</i> , 2021, 70, 245-251.	0.9	7
16	A Successful Organized Effort to Improve Operating Room First-Case Starts in a Tertiary Academic Medical Center. <i>American Surgeon</i> , 2021, 87, 259-265.	0.8	2
17	Association of state tobacco control policies with active smoking at the time of intervention for intermittent claudication. <i>Journal of Vascular Surgery</i> , 2021, 73, 1759-1768.e1.	1.1	5
18	Improved outcomes of endovascular repair of thoracic aortic injuries at higher volume institutions. <i>Journal of Vascular Surgery</i> , 2021, 73, 1314-1319.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Access Type for Endovascular Repair in Ruptured Abdominal Aortic Aneurysms Does Not Affect Major Morbidity or Mortality. <i>Annals of Vascular Surgery</i> , 2021, 70, 181-189.	0.9	3
20	Intravenous drug use history is not associated with poorer outcomes after arteriovenous access creation. <i>Journal of Vascular Surgery</i> , 2021, 73, 291-300.e7.	1.1	3
21	Vascular surgery-related violations of the Emergency Medical Treatment and Labor Act. <i>Journal of Vascular Surgery</i> , 2021, 74, 599-604.e1.	1.1	1
22	Hospital-Level Medicaid Prevalence Is Associated with Increased Length of Stay after Asymptomatic Carotid Endarterectomy and Stenting Despite no Increase in Major Complications. <i>Annals of Vascular Surgery</i> , 2021, 71, 65-73.	0.9	2
23	Intermittent claudication treatment patterns in the commercially insured non-Medicare population. <i>Journal of Vascular Surgery</i> , 2021, 74, 499-504.	1.1	14
24	The majority of major amputations after resuscitative endovascular balloon occlusion of the aorta are associated with preadmission trauma. <i>Journal of Vascular Surgery</i> , 2021, 74, 467-476.e4.	1.1	10
25	Higher body mass index is associated with reinterventions and lower maturation rates after upper extremity arteriovenous access creation. <i>Journal of Vascular Surgery</i> , 2021, 73, 1007-1015.	1.1	7
26	Embracing Patient-Centric Endeavors to Improve Operating Room Efficiency. <i>JAMA Surgery</i> , 2021, 156, 322.	4.3	2
27	Selective Nonoperative and Delayed Management of Severe Asymptomatic Carotid Artery Stenosis. <i>Annals of Vascular Surgery</i> , 2021, 72, 159-165.	0.9	4
28	Factors associated with a tunneled dialysis catheter in place at initial arteriovenous access creation. <i>Journal of Vascular Surgery</i> , 2021, 73, 1771-1777.	1.1	8
29	The Association of the Day of the Week with Outcomes of Infrainguinal Lower Extremity Bypass. <i>Annals of Vascular Surgery</i> , 2021, 73, 43-50.	0.9	1
30	High Mortality and Venous Thromboembolism Risk Following Major Penetrating Abdominal Venous Injuries. <i>Annals of Vascular Surgery</i> , 2021, 76, 193-201.	0.9	0
31	Perioperative Outcomes for Centers Routinely Admitting Postoperative Endovascular Aortic Aneurysm Repair to the ICU. <i>Journal of the American College of Surgeons</i> , 2021, 232, 856-863.	0.5	1
32	Precision Medicine Enables More TNM-Like Staging in Patients With Chronic Limb Threatening Ischemia. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 709904.	2.4	3
33	Association of Medicaid Expansion with Tunneled Dialysis Catheter Use at the Time of First Arteriovenous Access Creation. <i>Annals of Vascular Surgery</i> , 2021, 74, 11-20.	0.9	4
34	Inadequate Adherence to Imaging Surveillance and Medical Management in Patients with Duplex Ultrasound-Detected Carotid Artery Stenosis. <i>Annals of Vascular Surgery</i> , 2021, 74, 63-72.	0.9	3
35	Participation in a Chronic Limb Threatening Ischemia Randomized Trial Is Inversely Correlated With Regional Amputation Rate in Limb Threatening Ischemia Patients. <i>Annals of Surgery</i> , 2021, 274, 621-626.	4.2	1
36	The Association of Body Mass Index with Outcomes after Carotid Endarterectomy. <i>Annals of Vascular Surgery</i> , 2021, 77, 7-15.	0.9	5

#	ARTICLE	IF	CITATIONS
37	Association of Medicaid Expansion with In-Hospital Outcomes After Abdominal Aortic Aneurysm Repair. <i>Journal of Surgical Research</i> , 2021, 266, 201-212.	1.6	1
38	Risk factors for mortality after endovascular repair for blunt thoracic aortic injury. <i>Journal of Vascular Surgery</i> , 2020, 71, 768-773.	1.1	22
39	Enrollment Obstacles in a Randomized Controlled Trial: A Performance Survey of Enrollment in BEST-CLI Sites. <i>Annals of Vascular Surgery</i> , 2020, 62, 406-411.	0.9	10
40	Axillary-bifemoral and axillary-unifemoral artery grafts have similar perioperative outcomes and patency. <i>Journal of Vascular Surgery</i> , 2020, 71, 862-868.	1.1	5
41	Femoral vein transposition is a durable hemodialysis access for patients who have exhausted upper extremity options. <i>Journal of Vascular Surgery</i> , 2020, 71, 929-936.	1.1	10
42	External validation of the Vascular Study Group of New England carotid endarterectomy risk predictive model using an independent U.S. national surgical database. <i>Journal of Vascular Surgery</i> , 2020, 71, 1954-1963.	1.1	1
43	Risk assessment of significant upper extremity arteriovenous graft infection in the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2020, 71, 913-919.	1.1	7
44	Preservation of Heparin-Bonded Prosthetic Graft for Hemodialysis in the Setting of Early Heparin-Induced Thrombocytopenia. <i>Annals of Vascular Surgery</i> , 2020, 65, 282.e1-282.e3.	0.9	2
45	Review of the Global Vascular Guidelines on the Management of Chronic Limb-Threatening Ischemia. <i>JAMA Surgery</i> , 2020, 155, 161.	4.3	9
46	Perioperative outcomes after lower extremity bypass and peripheral vascular interventions in patients with morbid obesity and superobesity. <i>Journal of Vascular Surgery</i> , 2020, 71, 567-574.e4.	1.1	17
47	Patients undergoing interventions for claudication experience low perioperative morbidity but are at risk for worsening functional status and limb loss. <i>Journal of Vascular Surgery</i> , 2020, 72, 241-249.	1.1	17
48	Reply. <i>Journal of Vascular Surgery</i> , 2020, 72, 1830.	1.1	5
49	Natural History of Non-operative Management in Asymptomatic Patients with 70%–80% Internal Carotid Artery Stenosis by Duplex Criteria. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 339-346.	1.5	7
50	Perioperative and long-term outcomes after percutaneous thrombectomy of arteriovenous dialysis access grafts. <i>Journal of Vascular Surgery</i> , 2020, 72, 2107-2112.	1.1	6
51	Perioperative Outcomes of Carotid Interventions in Octogenarians. <i>Annals of Vascular Surgery</i> , 2020, 68, 15-21.	0.9	5
52	VOYAGER PAD contributes to medical therapy for peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2020, 72, 1843-1844.	1.1	1
53	A Cost Analysis of Pathology Evaluation of Carotid Plaque after Endarterectomy. <i>Annals of Vascular Surgery</i> , 2020, 67, 208-212.	0.9	0
54	Octogenarians and Nonoctogenarians Have Similar Outcomes after Upper Extremity Hemodialysis Access Creation. <i>Annals of Vascular Surgery</i> , 2020, 69, 34-42.	0.9	2

#	ARTICLE	IF	CITATIONS
55	Clinical correlation of vein graft adaptation. <i>Journal of Vascular Surgery</i> , 2020, 71, 1629.	1.1	0
56	Lower extremity vascular access creation is a marker for advanced end-stage renal disease. <i>Journal of Vascular Surgery</i> , 2020, 71, 2185.	1.1	1
57	Patients with human immunodeficiency virus infection do not have inferior outcomes after dialysis access creation. <i>Journal of Vascular Surgery</i> , 2020, 72, 2113-2119.	1.1	2
58	Economic benefit of a novel dual-mode ambulatory compression device for treatment of chronic venous leg ulcers in a randomized clinical trial. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2020, 8, 1031-1040.e1.	1.6	3
59	Lower extremity vascular injuries caused by firearms have a higher risk of amputation and death compared with non-firearm penetrating trauma. <i>Journal of Vascular Surgery</i> , 2020, 72, 1298-1304.e1.	1.1	19
60	Vascular repairs in gynecologic operations are uncommon but predict major morbidity and mortality. <i>Journal of Vascular Surgery</i> , 2020, 72, 1059-1066.e2.	1.1	6
61	Multiple-release paclitaxel-coated angioplasty balloon is a step forward, but focus needs to be on paclitaxel safety. <i>Journal of Vascular Surgery</i> , 2020, 71, 1758.	1.1	0
62	Association of Anesthesia Type with Outcomes after Outpatient Brachiocephalic Arteriovenous Fistula Creation. <i>Annals of Vascular Surgery</i> , 2020, 68, 67-75.	0.9	5
63	Open resection of inferior vena caval leiomyomatosis invading an intravascular filter. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2020, 8, 285-286.	1.6	0
64	Shunt intention during carotid endarterectomy in the early symptomatic period and perioperative stroke risk. <i>Journal of Vascular Surgery</i> , 2020, 72, 1385-1394.e2.	1.1	15
65	Anemia as an independent predictor of adverse outcomes after carotid revascularization. <i>Journal of Vascular Surgery</i> , 2020, 72, 1711-1719.e2.	1.1	4
66	Emergency Department Utilization after Lower Extremity Bypass for Critical Limb Ischemia. <i>Annals of Vascular Surgery</i> , 2019, 54, 134-143.	0.9	3
67	Patients with end-stage renal disease have poor outcomes after endovascular abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2019, 69, 405-413.	1.1	16
68	Hypoalbuminemia Predicts Increased Readmission and Emergency Department Visits After Lower Extremity Bypass. <i>Vascular and Endovascular Surgery</i> , 2019, 53, 629-635.	0.7	3
69	Comparison of Early and Late Post-operative Outcomes after Supra-inguinal Bypass for Aortoiliac Occlusive Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 529-537.	1.5	13
70	Endovascular exclusion and open resection of aberrant pulmonary artery aneurysm associated with intralobar pulmonary sequestration. <i>Journal of Vascular Surgery</i> , 2019, 70, 1328-1329.	1.1	5
71	Larger Sheath Size for Infrainguinal Endovascular Intervention Is Associated With Minor but Not Major Morbidity or Mortality. <i>Annals of Vascular Surgery</i> , 2019, 60, 327-334.e2.	0.9	8
72	The BEST-CLI trial is nearing the finish line and promises to be worth the wait. <i>Journal of Vascular Surgery</i> , 2019, 69, 470-481.e2.	1.1	33

#	ARTICLE	IF	CITATIONS
73	Tapered arteriovenous grafts do not provide significant advantage over nontapered grafts in upper extremity dialysis access. <i>Journal of Vascular Surgery</i> , 2019, 69, 1552-1558.	1.1	7
74	Removal of infected arteriovenous grafts is morbid and many patients do not receive a new access within 1 year. <i>Journal of Vascular Surgery</i> , 2019, 70, 193-198.	1.1	9
75	Differences in patient selection and outcomes based on abdominal aortic aneurysm diameter thresholds in the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2019, 70, 1446-1455.	1.1	22
76	The effect of the duration of preoperative smoking cessation timing on outcomes after elective open abdominal aortic aneurysm repair and lower extremity bypass. <i>Journal of Vascular Surgery</i> , 2019, 70, 1851-1861.	1.1	19
77	Patients with lower extremity dialysis access have poor primary patency and survival. <i>Journal of Vascular Surgery</i> , 2019, 70, 1913-1918.	1.1	13
78	Broad variation in prosthetic conduit use for femoral-popliteal bypass is not justified on the basis of contemporary outcomes favoring autologous great saphenous vein. <i>Journal of Vascular Surgery</i> , 2019, 70, 1514-1523.e2.	1.1	17
79	Most patients experiencing 30-day postoperative stroke after carotid endarterectomy will initially experience disability. <i>Journal of Vascular Surgery</i> , 2019, 70, 1499-1505.e1.	1.1	15
80	Vascular repair after firearm injury is associated with increased morbidity and mortality. <i>Journal of Vascular Surgery</i> , 2019, 69, 1524-1531.e1.	1.1	13
81	National criteria for academic appointment in vascular surgery. <i>Journal of Vascular Surgery</i> , 2019, 69, 1559-1565.	1.1	9
82	Comparison of specialties participating in the BEST-CLI trial to specialists treating peripheral arterial disease nationally. <i>Journal of Vascular Surgery</i> , 2019, 69, 1505-1509.	1.1	8
83	Snuffbox arteriovenous fistulas have similar outcomes and patency as wrist arteriovenous fistulas. <i>Journal of Vascular Surgery</i> , 2019, 70, 554-561.	1.1	9
84	Unique aspects of peripheral artery disease in patients with chronic kidney disease. <i>Vascular Medicine</i> , 2019, 24, 251-260.	1.5	33
85	Analysis of Thirty-Day Readmission after Infrainguinal Bypass. <i>Annals of Vascular Surgery</i> , 2019, 61, 34-47.	0.9	5
86	Intraoperative Heparin Use during Upper Extremity Arteriovenous Access Creation Does Not Affect Outcomes. <i>Annals of Vascular Surgery</i> , 2019, 55, 216-221.	0.9	1
87	Readmissions after Firearm Injury Requiring Vascular Repair. <i>Annals of Vascular Surgery</i> , 2019, 56, 36-45.	0.9	2
88	Association of frailty index with perioperative mortality and in-hospital morbidity after elective lower extremity bypass. <i>Journal of Vascular Surgery</i> , 2019, 69, 863-874.e1.	1.1	27
89	Comparison of one-stage and two-stage upper arm brachio basilic arteriovenous fistula in the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2019, 69, 1187-1195.e2.	1.1	12
90	Common femoral artery antegrade and retrograde approaches have similar access site complications. <i>Journal of Vascular Surgery</i> , 2019, 69, 1160-1166.e2.	1.1	24

#	ARTICLE	IF	CITATIONS
91	Trends and Outcomes of Pediatric Vascular Injuries in the United States: An Analysis of the National Trauma Data Bank. <i>Annals of Vascular Surgery</i> , 2019, 56, 52-61.	0.9	12
92	Retrograde popliteal access to treat femoropopliteal artery occlusive disease. <i>Journal of Vascular Surgery</i> , 2018, 68, 161-167.	1.1	13
93	Readmissions after thoracic endovascular aortic repair. <i>Journal of Vascular Surgery</i> , 2018, 68, 372-382.e3.	1.1	13
94	Outcomes of Peripheral Vascular Interventions in Select Patients With Lower Extremity Acute Limb Ischemia. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	10
95	Relationships Between Clinical Processes and Arteriovenous Fistula Cannulation and Maturation: AAMulticenter Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2018, 71, 677-689.	1.9	59
96	Comparison of access type on perioperative outcomes after endovascular aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2018, 68, 91-99.	1.1	33
97	Carotid Endarterectomy Performed before the Weekend is Associated with Increased Length of Stay. <i>Annals of Vascular Surgery</i> , 2018, 48, 119-126.	0.9	8
98	Preoperative Antiplatelet and Statin Use Does Not Affect Outcomes after Carotid Endarterectomy. <i>Annals of Vascular Surgery</i> , 2018, 46, 43-52.	0.9	7
99	Routine Use of Ultrasound Guidance in Femoral Arterial Access for Peripheral Vascular Intervention Decreases Groin Hematoma Rates in High-Volume Surgeons. <i>Annals of Vascular Surgery</i> , 2018, 51, 1-7.	0.9	20
100	Local anesthesia for percutaneous endovascular abdominal aortic aneurysm repair is associated with fewer pulmonary complications. <i>Journal of Vascular Surgery</i> , 2018, 68, 1023-1029.e2.	1.1	28
101	External validation of Vascular Study Group of New England risk predictive model of mortality after elective abdominal aorta aneurysm repair in the Vascular Quality Initiative and comparison against established models. <i>Journal of Vascular Surgery</i> , 2018, 67, 143-150.	1.1	27
102	Perioperative outcomes after reoperative carotid endarterectomy are worse than expected. <i>Journal of Vascular Surgery</i> , 2018, 67, 793-798.	1.1	8
103	Analysis of retracted articles in the surgical literature. <i>American Journal of Surgery</i> , 2018, 216, 851-855.	1.8	41
104	Patient and Aneurysm Characteristics Predicting Prolonged Length of Stay After Elective Open AAA Repair in the Endovascular Era. <i>Vascular and Endovascular Surgery</i> , 2018, 52, 5-10.	0.7	4
105	The effect of statin use and intensity on stroke and myocardial infarction after carotid endarterectomy. <i>Journal of Vascular Surgery</i> , 2018, 68, 1398-1405.	1.1	14
106	Improved access to health care in Massachusetts after 2006 Massachusetts Healthcare Reform Law is associated with a significant decrease in mortality among vascular surgery patients. <i>Journal of Vascular Surgery</i> , 2018, 68, 1193-1202.e1.	1.1	11
107	Chronic Limb-Threatening Ischemia. <i>New England Journal of Medicine</i> , 2018, 379, 171-180.	27.0	69
108	Never events after hepatopancreatobiliary operations. <i>American Journal of Surgery</i> , 2018, 216, 1129-1134.	1.8	5

#	ARTICLE	IF	CITATIONS
109	The Impact of Perioperative Ankle-Brachial Index and Clinical Status on Outcomes following Lower Extremity Bypass. <i>Annals of Vascular Surgery</i> , 2018, 53, 139-147.	0.9	3
110	A multi-institutional experience in adventitial cystic disease. <i>Journal of Vascular Surgery</i> , 2017, 65, 157-161.	1.1	38
111	Contemporary open repair of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 65, 1023-1028.	1.1	17
112	Feasibility and pilot efficacy of a brief smoking cessation intervention delivered by vascular surgeons in the Vascular Physician Offer and Report (VAPOR) Trial. <i>Journal of Vascular Surgery</i> , 2017, 65, 1152-1160.e2.	1.1	33
113	Index complications predict secondary complications after infrainguinal lower extremity bypass for critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2017, 65, 1344-1353.	1.1	14
114	Morbidity and mortality after emergency lower extremity embolectomy. <i>Journal of Vascular Surgery</i> , 2017, 65, 754-759.	1.1	8
115	Preoperative hypoalbuminemia is associated with poor clinical outcomes after open and endovascular abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2017, 66, 53-63.e1.	1.1	44
116	Thirty-day and 90-day hospital readmission after outpatient upper extremity hemodialysis access creation. <i>Journal of Vascular Surgery</i> , 2017, 65, 1376-1382.	1.1	25
117	Perioperative Infections after Open Abdominal Aortic Aneurysm Repair Lead to Increased Risk of Subsequent Complications. <i>Annals of Vascular Surgery</i> , 2017, 44, 203-210.	0.9	3
118	Characterization of Planned and Unplanned 30-Day Readmissions Following Vascular Surgical Procedures. <i>Vascular and Endovascular Surgery</i> , 2017, 51, 17-22.	0.7	15
119	The association of Carotid Revascularization Endarterectomy versus Stent Trial (CREST) and Centers for Medicare and Medicaid Services Carotid Guideline Publication on utilization and outcomes of carotid stenting among "high-risk" patients. <i>Journal of Vascular Surgery</i> , 2017, 66, 104-111.e1.	1.1	17
120	New predictors of complications in carotid body tumor resection. <i>Journal of Vascular Surgery</i> , 2017, 65, 1673-1679.	1.1	84
121	Role of language discordance in complication and readmission rate after infrainguinal bypass. <i>Journal of Vascular Surgery</i> , 2017, 66, 1473-1478.	1.1	21
122	Outcomes of endovascular and open surgical repair of ruptured abdominal aortic aneurysms in elderly patients. <i>Journal of Vascular Surgery</i> , 2017, 66, 64-70.	1.1	32
123	Is Open Vascular Surgery or Endovascular Surgery the Better Option for Lower Extremity Arterial Occlusive Disease?. <i>Advances in Surgery</i> , 2017, 51, 207-217.	1.3	6
124	The effect of ambulatory status on outcomes of percutaneous vascular interventions and lower extremity bypass for critical limb ischemia in the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2017, 65, 1706-1712.	1.1	15
125	Hypoalbuminemia Predicts Perioperative Morbidity and Mortality after Infrainguinal Lower Extremity Bypass for Critical Limb Ischemia. <i>Annals of Vascular Surgery</i> , 2017, 41, 169-175.e4.	0.9	35
126	Below-knee endovascular interventions have better outcomes compared to open bypass for patients with critical limb ischemia. <i>Vascular Medicine</i> , 2017, 22, 28-34.	1.5	22



#	ARTICLE	IF	CITATIONS
127	Endovascular treatment of the common femoral artery in the Vascular Quality Initiative. Journal of Vascular Surgery, 2017, 65, 1039-1046.	1.1	51
128	Baseline factors affecting closure of venous leg ulcers. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2017, 5, 829-835.e1.	1.6	18
129	Early carotid endarterectomy performed 2 to 5 days after the onset of neurologic symptoms leads to comparable results to carotid endarterectomy performed at later time points. Journal of Vascular Surgery, 2017, 66, 1719-1726.	1.1	24
130	Preoperative Risk Factors Predict Protracted Hospital Length of Stay after Elective Endovascular Abdominal Aortic Aneurysm Repair. Annals of Vascular Surgery, 2017, 43, 73-78.	0.9	13
131	Histopathology of Veins Obtained at Hemodialysis Arteriovenous Fistula Creation Surgery. Journal of the American Society of Nephrology: JASN, 2017, 28, 3076-3088.	6.1	39
132	Short- and long-term readmission rates after infrainguinal bypass in a safety net hospital are higher than expected. Journal of Vascular Surgery, 2017, 66, 1786-1791.	1.1	25
133	Impact and Duration of Brief Surgeon-Delivered Smoking Cessation Advice on Attitudes Regarding Nicotine Dependence and Tobacco Harms for Patients with Peripheral Arterial Disease. Annals of Vascular Surgery, 2017, 38, 113-121.	0.9	32
134	Description of a risk predictive model of 30-day postoperative mortality after elective abdominal aortic aneurysm repair. Journal of Vascular Surgery, 2017, 65, 65-74.e2.	1.1	19
135	Analysis of "never events" following adult cardiac surgical procedures in the United States. Journal of Cardiovascular Surgery, 2017, 58, 755-762.	0.6	1
136	Vascular Surgery in North America: Current Perspectives in Peripheral Arterial Disease. , 2017, , 91-94.		0
137	In Patients with Critical Limb Ischemia Does Bypass Improve Limb Salvage and Quality of Life When Compared to Endovascular Revascularization?. Difficult Decisions in Surgery: an Evidence-based Approach, 2017, , 163-170.	0.0	0
138	Improving the retrieval rate of inferior vena cava filters with a multidisciplinary team approach. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2016, 4, 276-282.	1.6	35
139	Design and initial enrollment in the Vascular Physicians Offer and Report (VAPOR) trial. Journal of Vascular Surgery, 2016, 63, 1121-1125.e2.	1.1	7
140	Assessment of open operative vascular surgical experience among general surgery residents. Journal of Vascular Surgery, 2016, 63, 1110-1115.	1.1	32
141	Outcomes of patients with type I endoleak at completion of endovascular abdominal aneurysm repair. Journal of Vascular Surgery, 2016, 63, 1420-1427.	1.1	28
142	An externally validated robust risk predictive model of adverse outcomes after carotid endarterectomy. Journal of Vascular Surgery, 2016, 63, 345-354.	1.1	19
143	Simple Predictive Model of Early Failure among Patients Undergoing First-Time Arteriovenous Fistula Creation. Annals of Vascular Surgery, 2016, 35, 46-52.	0.9	18
144	Design and Rationale of the Best Endovascular Versus Best Surgical Therapy for Patients With Critical Limb Ischemia (BESTâ€œCLI) Trial. Journal of the American Heart Association, 2016, 5, .	3.7	158

#	ARTICLE	IF	CITATIONS
145	Uncommon Diseases of The Popliteal Artery: A Pictorial Review. <i>Insights Into Imaging</i> , 2016, 7, 679-688.	3.4	27
146	The Current State of Critical Limb Ischemia. <i>JAMA Surgery</i> , 2016, 151, 1070.	4.3	213
147	Diabetes does not worsen outcomes following infrageniculate bypass or endovascular intervention for patients with critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2016, 64, 1667-1674.e1.	1.1	35
148	Reporting standards of the Society for Vascular Surgery for endovascular treatment of chronic lower extremity peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2016, 64, e1-e21.	1.1	285
149	Reporting standards of the Society for Vascular Surgery for endovascular treatment of chronic lower extremity peripheral artery disease: Executive summary. <i>Journal of Vascular Surgery</i> , 2016, 64, 227-228.	1.1	42
150	The Role of the Model of End-Stage Liver Disease Score in Predicting Outcomes of Carotid Endarterectomy. <i>Vascular and Endovascular Surgery</i> , 2016, 50, 380-384.	0.7	4
151	Alternative conduit for infrageniculate bypass in patients with critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2016, 64, 131-139.e1.	1.1	27
152	Smoking cessation counseling in vascular surgical practice using the results of interviews and focus groups in the Vascular Surgeon offer and report smoking cessation pilot trial. <i>Journal of Vascular Surgery</i> , 2016, 63, 1011-1017.e2.	1.1	13
153	Occurrence of "never events" after major open vascular surgery procedures. <i>Journal of Vascular Surgery</i> , 2016, 63, 738-745.e28.	1.1	21
154	The role of Model for End-Stage Liver Disease (MELD) score in predicting outcomes for lower extremity bypass. <i>Journal of Vascular Surgery</i> , 2016, 64, 124-130.	1.1	11
155	Comparison of open and endovascular treatment of patients with critical limb ischemia in the Vascular Quality Initiative. <i>Journal of Vascular Surgery</i> , 2016, 63, 958-965.e1.	1.1	82
156	The effect of trainee involvement on perioperative outcomes of abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2016, 63, 16-22.	1.1	17
157	The effect of anesthesia type on major lower extremity amputation in functionally impaired elderly patients. <i>Journal of Vascular Surgery</i> , 2016, 63, 696-701.	1.1	30
158	Multiple preoperative and intraoperative factors predict early fistula thrombosis in the Hemodialysis Fistula Maturation Study. <i>Journal of Vascular Surgery</i> , 2016, 63, 163-170.e6.	1.1	104
159	Recurrent Lower-Extremity Compartment Syndrome after Four-Compartment Fasciotomy Secondary to Acute Limb Ischemia. <i>Annals of Vascular Surgery</i> , 2016, 30, 306.e5-306.e7.	0.9	1
160	Perspectives on endovascular training in traditional 5+2 vascular surgery fellowship training programs. <i>Vascular</i> , 2016, 24, 134-143.	0.9	3
161	Mortality of acute mesenteric ischemia remains unchanged despite significant increase in utilization of endovascular techniques. <i>Vascular</i> , 2016, 24, 44-52.	0.9	42
162	Racial Differences in Treatment Approaches and Mortality Following Arterial Trauma. <i>Vascular and Endovascular Surgery</i> , 2015, 49, 180-187.	0.7	8

#	ARTICLE	IF	CITATIONS
163	Perioperative Outcomes in Patients Requiring Iliac Conduits or Direct Access for Endovascular Abdominal Aortic Aneurysm Repair. <i>Annals of Vascular Surgery</i> , 2015, 29, 1548-1553.	0.9	19
164	The Association of Publication of Center for Medicaid and Medicare Services Guidelines for Carotid Artery Angioplasty and Stenting (CAS) and CREST Results on the Utilization of CAS in Carotid Revascularization. <i>Annals of Vascular Surgery</i> , 2015, 29, 1606-1613.	0.9	6
165	Using Vascular Quality Initiative as a Platform for Organizing Multicenter, Prospective, Randomized Clinical Trials: OVERPAR Trial. <i>Annals of Vascular Surgery</i> , 2015, 29, 278-285.	0.9	20
166	Blood transfusion is associated with increased risk of perioperative complications and prolonged hospital duration of stay among patients undergoing amputation. <i>Surgery</i> , 2015, 158, 1609-1616.	1.9	16
167	Routine use of ultrasound guidance in femoral arterial access for peripheral vascular intervention decreases groin hematoma rates. <i>Journal of Vascular Surgery</i> , 2015, 61, 1231-1238.	1.1	82
168	Comparison of a Vascular Study Group of New England risk prediction model with established risk prediction models of in-hospital mortality after elective abdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 2015, 62, 1125-1133.e2.	1.1	47
169	The effect of location and configuration on forearm and upper arm hemodialysis arteriovenous grafts. <i>Journal of Vascular Surgery</i> , 2015, 62, 1258-1265.	1.1	25
170	Open repair of asymptomatic popliteal artery aneurysm is associated with better outcomes than endovascular repair. <i>Journal of Vascular Surgery</i> , 2015, 61, 663-669.	1.1	56
171	Interventions on the Superficial Venous System for Chronic Venous Insufficiency by Surgeons in the Modern Era. <i>Vascular and Endovascular Surgery</i> , 2014, 48, 482-490.	0.7	13
172	Care of patients undergoing vascular surgery at safety net public hospitals is associated with higher cost but similar mortality to nonsafety net hospitals. <i>Journal of Vascular Surgery</i> , 2014, 60, 1627-1634.	1.1	28
173	Fifty-nine-year-old man with abrupt-onset claudication. <i>Journal of Vascular Surgery</i> , 2014, 60, 1664.	1.1	0
174	The BEST-CLI trial: a multidisciplinary effort to assess whether surgical or endovascular therapy is better for patients with critical limb ischemia. <i>Seminars in Vascular Surgery</i> , 2014, 27, 82-84.	2.8	69
175	Contemporary comparison of supra-aortic trunk surgical reconstructions for occlusive disease. <i>Journal of Vascular Surgery</i> , 2014, 59, 1577-1582.e2.	1.1	20
176	Factors associated with surgical site infection after lower extremity bypass in the Society for Vascular Surgery (SVS) Vascular Quality Initiative (VQI). <i>Journal of Vascular Surgery</i> , 2014, 60, 1238-1246.	1.1	85
177	The need for treatment of hemodynamic instability following carotid endarterectomy is associated with increased perioperative and 1-year morbidity and mortality. <i>Journal of Vascular Surgery</i> , 2014, 59, 16-24.e2.	1.1	37
178	The BEST-CLI Trial: A Multidisciplinary Effort to Assess Which Therapy is Best for Patients With Critical Limb Ischemia. <i>Techniques in Vascular and Interventional Radiology</i> , 2014, 17, 221-224.	1.0	75
179	Observation and surgery are associated with low risk of amputation for blunt brachial artery injury in pediatric patients. <i>Journal of Vascular Surgery</i> , 2014, 60, 443-447.	1.1	3
180	Routine use of completion imaging after infrainguinal bypass is not associated with higher bypass graft patency. <i>Journal of Vascular Surgery</i> , 2014, 60, 678-685.e2.	1.1	15

#	ARTICLE	IF	CITATIONS
181	Blood Transfusion for Lower Extremity Bypass Is Associated with Increased Wound Infection and Graft Thrombosis. <i>Journal of the American College of Surgeons</i> , 2013, 216, 1005-1014.e2.	0.5	48
182	The influence of patient and wound variables on healing of venous leg ulcers in a randomized controlled trial of growth-arrested allogeneic keratinocytes and fibroblasts. <i>Journal of Vascular Surgery</i> , 2013, 58, 433-439.	1.1	52
183	Optimal selection of patients for elective abdominal aortic aneurysm repair based on life expectancy. <i>Journal of Vascular Surgery</i> , 2013, 58, 589-595.	1.1	48
184	Intraoperative use of dextran is associated with cardiac complications after carotid endarterectomy. <i>Journal of Vascular Surgery</i> , 2013, 57, 635-641.	1.1	12
185	Characterization and Outcomes of Iliac Vessel Injury in the 21st Century. <i>Vascular and Endovascular Surgery</i> , 2013, 47, 325-330.	0.7	26
186	Early fasciotomy in patients with extremity vascular injury is associated with decreased risk of adverse limb outcomes: A review of the National Trauma Data Bank. <i>Injury</i> , 2012, 43, 1486-1491.	1.7	108
187	Shorter Duration of Femoral-Popliteal Bypass Is Associated with Decreased Surgical Site Infection and Shorter Hospital Length of Stay. <i>Journal of the American College of Surgeons</i> , 2012, 215, 512-518.	0.5	68
188	The Postexercise Common Femoral Artery Doppler Waveform: A Powerful Noninvasive Vascular Laboratory Test to Exclude Aortoiliac Disease. <i>Journal for Vascular Ultrasound</i> , 2012, 36, 249-253.	0.1	1
189	Brachial-Basilic Autogenous Access. <i>Seminars in Vascular Surgery</i> , 2011, 24, 63-71.	2.8	19
190	Assessment of public knowledge about the scope of practice of vascular surgeons. <i>Journal of Vascular Surgery</i> , 2010, 51, 771-775.e4.	1.1	7
191	Biologic Grafts. , 2010, , 1350-1361.		1
192	Comparison of the efficacy of upper arm transposed arteriovenous fistulae and upper arm prosthetic grafts. <i>Journal of Vascular Surgery</i> , 2009, 50, 1405-1411.e2.	1.1	44
193	Evaluation of the efficacy of the transposed upper arm arteriovenous fistula: A single institutional review of 190 basilic and cephalic vein transposition procedures. <i>Journal of Vascular Surgery</i> , 2007, 46, 94-99.e3.	1.1	75
194	Transposed Arteriovenous Fistulae: Do the Results Justify the Effort?. <i>Seminars in Vascular Surgery</i> , 2007, 20, 148-157.	2.8	4
195	Acute Aortic Dissection Presenting as Rupture of the Femoral Artery. <i>Annals of Vascular Surgery</i> , 2004, 18, 11-13.	0.9	0
196	Spontaneous Infrarenal Abdominal Aortic Dissection Presenting as Claudication: Case Report and Review of the Literature. <i>Annals of Vascular Surgery</i> , 2004, 18, 4-10.	0.9	31
197	Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts. <i>Journal of Vascular Surgery</i> , 2003, 38, 15-21.	1.1	75
198	Isolated dissection of the abdominal aorta: Clinical presentation and therapeutic options. <i>Journal of Vascular Surgery</i> , 2002, 36, 205-210.	1.1	89

#	ARTICLE	IF	CITATIONS
199	BEST Endovascular Versus Best Surgical Therapy in Patients with Critical Limb Ischemia (BEST-CLI) Trial. <i>Vascular and Endovascular Review</i> , 0, 3, .	0.2	1