

# Max B Bell

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1179612/max-b-bell-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81  
papers

5,147  
citations

29  
h-index

71  
g-index

92  
ext. papers

6,106  
ext. citations

5.7  
avg. IF

5.32  
L-index

#	Paper	IF	Citations
81	Findings of the first consensus conference on medical emergency teams. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 2463-78	1.4	1097
80	Discovery and validation of cell cycle arrest biomarkers in human acute kidney injury. <i>Critical Care</i> , <b>2013</b> , 17, R25	10.8	718
79	Neutrophil gelatinase-associated lipocalin in adult septic patients with and without acute kidney injury. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 1333-40	14.5	681
78	Reducing in-hospital cardiac arrests and hospital mortality by introducing a medical emergency team. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 100-6	14.5	610
77	Novel biomarkers of acute kidney injury and failure: clinical applicability. <i>British Journal of Anaesthesia</i> , <b>2012</b> , 109, 843-50	5.4	177
76	Continuous renal replacement therapy is associated with less chronic renal failure than intermittent haemodialysis after acute renal failure. <i>Intensive Care Medicine</i> , <b>2007</b> , 33, 773-780	14.5	172
75	Optimal follow-up time after continuous renal replacement therapy in actual renal failure patients stratified with the RIFLE criteria. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 354-60	4.3	142
74	Quantification of postprandial triglyceride-rich lipoproteins in healthy men by retinyl ester labeling and simultaneous measurement of apolipoproteins B-48 and B-100. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1995</b> , 15, 199-207	9.4	124
73	Prevalence and sensitivity of MET-criteria in a Scandinavian University Hospital. <i>Resuscitation</i> , <b>2006</b> , 70, 66-73	4	93
72	Coeliac disease and risk of sepsis. <i>Gut</i> , <b>2008</b> , 57, 1074-80	19.2	84
71	Recommendations on Acute Kidney Injury Biomarkers From the Acute Disease Quality Initiative Consensus Conference: A Consensus Statement. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2019209	10.4	84
70	Medical emergency team admittance to intensive care versus conventional admittance: characteristics and outcome. <i>Critical Care</i> , <b>2012</b> , 16,	10.8	78
69	Immunoassays distinguishing between HNL/NGAL released in urine from kidney epithelial cells and neutrophils. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 1661-7	6.2	69
68	Opioid Prescribing After Surgery in the United States, Canada, and Sweden. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1910734	10.4	67
67	Evolution of chronic renal impairment and long-term mortality after de novo acute kidney injury in the critically ill; a Swedish multi-centre cohort study. <i>Critical Care</i> , <b>2015</b> , 19, 221	10.8	64
66	Cystatin C is correlated with mortality in patients with and without acute kidney injury. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 3096-102	4.3	51
65	Assessment of cell-cycle arrest biomarkers to predict early and delayed acute kidney injury. <i>Disease Markers</i> , <b>2015</b> , 2015, 158658	3.2	50

64	Long-term mortality and risk factors for development of end-stage renal disease in critically ill patients with and without chronic kidney disease. <i>Critical Care</i> , <b>2015</b> , 19, 383	10.8	46
63	Functional monocytic myeloid-derived suppressor cells increase in blood but not airways and predict COVID-19 severity. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	45
62	Acute kidney injury after coronary artery bypass grafting and long-term risk of myocardial infarction and death. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 190-5	3.2	42
61	ICU admittance by a rapid response team versus conventional admittance, characteristics, and outcome. <i>Critical Care Medicine</i> , <b>2013</b> , 41, 725-31	1.4	42
60	End-stage renal disease patients on renal replacement therapy in the intensive care unit: short- and long-term outcome. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 2773-8	1.4	41
59	Intraoperative hypotension is associated with acute kidney injury in noncardiac surgery: An observational study. <i>European Journal of Anaesthesiology</i> , <b>2018</b> , 35, 273-279	2.3	41
58	Acute kidney injury following coronary artery bypass grafting: early mortality and postoperative complications. <i>Scandinavian Cardiovascular Journal</i> , <b>2012</b> , 46, 114-20	2	36
57	Association of plasma neutrophil gelatinase-associated lipocalin (NGAL) with sepsis and acute kidney dysfunction. <i>Biomarkers</i> , <b>2013</b> , 18, 349-56	2.6	35
56	Impact of sepsis on levels of plasma cystatin C in AKI and non-AKI patients. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 576-81	4.3	35
55	Days at Home after Surgery: An Integrated and Efficient Outcome Measure for Clinical Trials and Quality Assurance. <i>EclinicalMedicine</i> , <b>2019</b> , 11, 18-26	11.3	33
54	Early lumbar puncture in adult bacterial meningitis--rationale for revised guidelines. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2013</b> , 45, 657-63		31
53	Superiority of Serum Cystatin C Over Creatinine in Prediction of Long-Term Prognosis at Discharge From ICU. <i>Critical Care Medicine</i> , <b>2017</b> , 45, e932-e940	1.4	29
52	The deteriorating ward patient: a Swedish-Australian comparison. <i>Intensive Care Medicine</i> , <b>2011</b> , 37, 1000-5	1.5	26
51	Pheochromocytoma-Induced Inverted Takotsubo-Like Cardiomyopathy Leading to Cardiogenic Shock Successfully Treated With Extracorporeal Membrane Oxygenation. <i>Journal of Intensive Care Medicine</i> , <b>2015</b> , 30, 365-72	3.3	25
50	LiFe: a liver injury score to predict outcome in critically ill patients. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 361-369	14.5	21
49	Limitations of medical treatment among patients attended by the rapid response team. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2013</b> , 57, 1268-74	1.9	20
48	Plasma endostatin may improve acute kidney injury risk prediction in critically ill patients. <i>Annals of Intensive Care</i> , <b>2016</b> , 6, 6	8.9	18
47	Time dependent influence of host factors on outcome after trauma. <i>European Journal of Epidemiology</i> , <b>2012</b> , 27, 233-41	12.1	17

46	Does prolonged propofol sedation of mechanically ventilated COVID-19 patients contribute to critical illness myopathy?. <i>British Journal of Anaesthesia</i> , <b>2020</b> , 125, e334-e336	5.4	13
45	Creatinine versus cystatin C based glomerular filtration rate in critically ill patients. <i>Journal of Critical Care</i> , <b>2019</b> , 52, 136-140	4	12
44	Long-term outcome after acute renal replacement therapy: a narrative review. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2012</b> , 56, 138-46	1.9	12
43	Assessment of plasma endostatin to predict acute kidney injury in critically ill patients. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2017</b> , 61, 1286-1295	1.9	10
42	Postoperative acute kidney injury in adult non-cardiac surgery: joint consensus report of the Acute Disease Quality Initiative and PeriOperative Quality Initiative. <i>Nature Reviews Nephrology</i> , <b>2021</b> , 17, 605-618	14.9	10
41	Calprotectin as an early biomarker of bacterial infections in critically ill patients: an exploratory cohort assessment. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2017</b> , 19, 205-213	2.8	10
40	Biomarker-guided management of acute kidney injury. <i>Current Opinion in Critical Care</i> , <b>2020</b> , 26, 556-562	3.5	9
39	The influence of gender on ICU admittance. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , <b>2015</b> , 23, 108	3.6	9
38	Long-term outcome after intensive care for COVID-19: differences between men and women-a nationwide cohort study. <i>Critical Care</i> , <b>2021</b> , 25, 86	10.8	9
37	Intraoperative Hypotension and Myocardial Infarction Development Among High-Risk Patients Undergoing Noncardiac Surgery: A Nested Case-Control Study. <i>Anesthesia and Analgesia</i> , <b>2021</b> , 133, 6-15	3.9	8
36	The Novel PrisMax Continuous Renal Replacement Therapy System in a Multinational, Multicentre Pilot Setting. <i>Blood Purification</i> , <b>2018</b> , 46, 220-227	3.1	8
35	Acute kidney injury: new concepts, renal recovery. <i>Nephron Clinical Practice</i> , <b>2008</b> , 109, c224-8		7
34	Sex and gender aspects on intensive care. A cohort study. <i>Journal of Critical Care</i> , <b>2020</b> , 55, 22-27	4	7
33	The impact of patient sex on intensive care unit admission: a blinded randomized survey. <i>Scientific Reports</i> , <b>2019</b> , 9, 14222	4.9	6
32	Hypothermia during CRRT, a comparative analysis. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2020</b> , 64, 1162-1166	1.6	5
31	Myocardial infarction after noncardiac surgery in Sweden: a national, retrospective observational cohort study. <i>British Journal of Anaesthesia</i> , <b>2020</b> , 125, 47-54	5.4	5
30	Airway antibodies emerge according to COVID-19 severity and wane rapidly but reappear after SARS-CoV-2 vaccination		5
29	Cystatin C predicts long term mortality better than creatinine in a nationwide study of intensive care patients. <i>Scientific Reports</i> , <b>2021</b> , 11, 5882	4.9	5

28	National Early Warning Score vs Rapid Response Team criteria-Prevalence, misclassification, and outcome. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 215-221	1.9	5
27	Understanding renal recovery. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 924-926	14.5	4
26	Shedding of infectious SARS-CoV-2 by hospitalized COVID-19 patients in relation to serum antibody responses. <i>BMC Infectious Diseases</i> , <b>2021</b> , 21, 494	4	4
25	Creatinine- and Cystatin C-Based Incidence of Chronic Kidney Disease and Acute Kidney Disease in AKI Survivors. <i>Critical Care Research and Practice</i> , <b>2018</b> , 2018, 7698090	1.5	4
24	Intra-day variability of cystatin C, creatinine and estimated GFR in intensive care patients. <i>Clinica Chimica Acta</i> , <b>2016</b> , 460, 1-4	6.2	3
23	Feasibility of renal resistive index measurements performed by an intermediate and novice sonographer in a volunteer population. <i>Ultrasound Journal</i> , <b>2020</b> , 12, 28	4.1	3
22	HMG-CoA reductase inhibitors and COVID-19 mortality in Stockholm, Sweden: A registry-based cohort study. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003820	11.6	3
21	Airway antibodies emerge according to COVID-19 severity and wane rapidly but reappear after SARS-CoV-2 vaccination. <i>JCI Insight</i> , <b>2021</b> , 6,	9.9	3
20	Comparison of the Accuracy of the Novel PrisMax Continuous Renal Replacement Therapy System to the Classic Prismaflex System. <i>Blood Purification</i> , <b>2019</b> , 47, 166-170	3.1	3
19	Renal resistive index is associated with acute kidney injury in COVID-19 patients treated in the intensive care unit. <i>Ultrasound Journal</i> , <b>2021</b> , 13, 3	4.1	3
18	Widespread Parenchymal Abnormalities and Pulmonary Embolism on Contrast-Enhanced CT Predict Disease Severity and Mortality in Hospitalized COVID-19 Patients. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 666723	4.9	2
17	The Relationship Between Heart Rate and Body Temperature in Critically Ill Patients. <i>Critical Care Medicine</i> , <b>2021</b> , 49, e327-e331	1.4	2
16	Risk factors for COVID-19-related death, hospitalization and intensive care: a population-wide study of all inhabitants in Stockholm.. <i>European Journal of Epidemiology</i> , <b>2022</b> , 37, 157	12.1	1
15	Heart Failure in Patients Undergoing Elective and Emergency Noncardiac Surgery: Still a Poorly Addressed Risk Factor. <i>Journal of Cardiac Failure</i> , <b>2020</b> , 26, 1034-1042	3.3	1
14	The effect of anaesthetic dose on response and remission in electroconvulsive therapy for major depressive disorder: nationwide register-based cohort study. <i>BJPsych Open</i> , <b>2021</b> , 7, e71	5	1
13	Addition of cystatin C predicts cardiovascular death better than creatinine in intensive care. <i>Heart</i> , <b>2021</b> ,	5.1	1
12	Clinical phenotypes and outcomes of SARS-CoV-2, influenza, RSV and seven other respiratory viruses: a retrospective study using complete hospital data. <i>Thorax</i> , <b>2021</b> ,	7.3	1
11	ASA classification and surgical severity grading used to identify a high-risk population, a multicenter prospective cohort study in Swedish tertiary hospitals. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 1168-1177	1.9	0

10	Experiences of Renal Replacement Therapy Delivery in Swedish Intensive Care Units during the COVID-19 Pandemic. <i>Blood Purification</i> , <b>2021</b> , 1-6	3.1	o
9	Authors' Response. <i>Journal of Intensive Care Medicine</i> , <b>2015</b> , 30, 448	3.3	
8	The authors reply. <i>Critical Care Medicine</i> , <b>2013</b> , 41, e102	1.4	
7	Continuous renal replacement therapy in septic patients: is it really harmful?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2677-8; author reply 2678	1.4	
6	Cost-effectiveness of the TherMax blood warmer during continuous renal replacement therapy.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0263054	3.7	
5	A cohort study investigating the occurrence of differences in care provided to men and women in an intensive care unit. <i>Scientific Reports</i> , <b>2021</b> , 11, 23396	4.9	
4	Rapid Response Teams in Teaching Hospitals <b>2017</b> , 309-313		
3	RRSs in Teaching Hospitals <b>2011</b> , 333-339		
2	Predicting peri-operative troponin elevation by advanced electrocardiography. <i>Journal of Electrocardiology</i> , <b>2021</b> , 68, 1-5	1.4	
1	Nephrology in Sweden <b>2021</b> , 657-667		