

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11796386/publications.pdf>

Version: 2024-02-01

328
papers

38,297
citations

2423

97
h-index

3563

181
g-index

347
all docs

347
docs citations

347
times ranked

31384
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitive Periods for the Effect of Childhood Adversity on DNA Methylation: Updated Results From a Prospective, Longitudinal Study. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 567-571.	1.0	3
2	Prefrontal cortex, amygdala, and threat processing: implications for PTSD. <i>Neuropsychopharmacology</i> , 2022, 47, 247-259.	2.8	96
3	Sex Differences in the Co-Occurrence of PTSD and Cardiovascular Disease. <i>Psychiatric Annals</i> , 2022, 52, 26-30.	0.1	3
4	Updates to data versions and analytic methods influence the reproducibility of results from epigenome-wide association studies. <i>Epigenetics</i> , 2022, 17, 1373-1388.	1.3	9
5	Post-traumatic stress disorder: clinical and translational neuroscience from cells to circuits. <i>Nature Reviews Neurology</i> , 2022, 18, 273-288.	4.9	111
6	Remodeling of the Cortical Structural Connectome in Posttraumatic Stress Disorder: Results From the ENIGMA-PGC Posttraumatic Stress Disorder Consortium. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 935-948.	1.1	2
7	Time of trauma prospectively affects PTSD symptom severity: The impact of circadian rhythms and cortisol. <i>Psychoneuroendocrinology</i> , 2022, 141, 105729.	1.3	3
8	Integrating human brain proteomes with genome-wide association data implicates novel proteins in post-traumatic stress disorder. <i>Molecular Psychiatry</i> , 2022, 27, 3075-3084.	4.1	13
9	Right inferior frontal gyrus and ventromedial prefrontal activation during response inhibition is implicated in the development of PTSD symptoms. <i>European Journal of Psychotraumatology</i> , 2022, 13, 2059993.	0.9	2
10	Persistent Dissociation and Its Neural Correlates in Predicting Outcomes After Trauma Exposure. <i>American Journal of Psychiatry</i> , 2022, 179, 661-672.	4.0	28
11	Involvement of the brain-heart axis in the link between PTSD and cardiovascular disease. <i>Depression and Anxiety</i> , 2022, 39, 663-674.	2.0	14
12	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021, 26, 4315-4330.	4.1	69
13	Epigenetic biotypes of post-traumatic stress disorder in war-zone exposed veteran and active duty males. <i>Molecular Psychiatry</i> , 2021, 26, 4300-4314.	4.1	22
14	PTSD is associated with increased DNA methylation across regions of HLA-DPB1 and SPATC1L. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 429-436.	2.0	17
15	Prior trauma-related experiences predict the development of posttraumatic stress disorder after a new traumatic event. <i>Depression and Anxiety</i> , 2021, 38, 40-47.	2.0	16
16	Multimodal structural neuroimaging markers of risk and recovery from posttrauma anhedonia: A prospective investigation. <i>Depression and Anxiety</i> , 2021, 38, 79-88.	2.0	19
17	The renin-angiotensin system in PTSD: a replication and extension. <i>Neuropsychopharmacology</i> , 2021, 46, 750-755.	2.8	29
18	Neurophysiological responses to safety signals and the role of cardiac vagal control. <i>Behavioural Brain Research</i> , 2021, 396, 112914.	1.2	10

#	ARTICLE	IF	CITATIONS
19	Large-Scale Functional Brain Network Architecture Changes Associated With Trauma-Related Dissociation. <i>American Journal of Psychiatry</i> , 2021, 178, 165-173.	4.0	57
20	Increasing the resolution and precision of psychiatric genome-wide association studies by re-imputing summary statistics using a large, diverse reference panel. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, 16-27.	1.1	4
21	Prognostic neuroimaging biomarkers of trauma-related psychopathology: resting-state fMRI shortly after trauma predicts future PTSD and depression symptoms in the AURORA study. <i>Neuropsychopharmacology</i> , 2021, 46, 1263-1271.	2.8	32
22	DSM-5 alternative model for personality disorders trait domains and PTSD symptoms in a sample of highly traumatized African American women and a prospective sample of trauma center patients.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2021, 12, 491-502.	1.0	4
23	Combined effects of genotype and childhood adversity shape variability of DNA methylation across age. <i>Translational Psychiatry</i> , 2021, 11, 88.	2.4	27
24	A Perspective for Understanding Trauma and the Criminal Juvenile Justice System: Using a Trauma-Informed Lens for Meaningful and Sustained Change. <i>Harvard Review of Psychiatry</i> , 2021, 29, 216-224.	0.9	3
25	The co-chaperone Fkbp5 shapes the acute stress response in the paraventricular nucleus of the hypothalamus of male mice. <i>Molecular Psychiatry</i> , 2021, 26, 3060-3076.	4.1	52
26	Integration of peripheral transcriptomics, genomics, and interactomics following trauma identifies causal genes for symptoms of post-traumatic stress and major depression. <i>Molecular Psychiatry</i> , 2021, 26, 3077-3092.	4.1	15
27	Trauma exposure and stress-related disorders in a large, urban, predominantly African-American, female sample. <i>Archives of Women's Mental Health</i> , 2021, 24, 893-901.	1.2	40
28	Epigenetic prediction of 17 β -estradiol and relationship to trauma-related outcomes in women. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 6, 100045.	0.7	2
29	Deep Transcranial Magnetic Stimulation Combined With Brief Exposure for Posttraumatic Stress Disorder: A Prospective Multisite Randomized Trial. <i>Biological Psychiatry</i> , 2021, 90, 721-728.	0.7	37
30	Genomic factors underlying sex differences in trauma-related disorders. <i>Neurobiology of Stress</i> , 2021, 14, 100330.	1.9	5
31	Translating Across Circuits and Genetics Toward Progress in Fear- and Anxiety-Related Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2021, 19, 247-255.	0.4	0
32	Transcriptome-wide association study of post-trauma symptom trajectories identified GRIN3B as a potential biomarker for PTSD development. <i>Neuropsychopharmacology</i> , 2021, 46, 1811-1820.	2.8	15
33	Mineralocorticoid receptors dampen glucocorticoid receptor sensitivity to stress via regulation of FKBP5. <i>Cell Reports</i> , 2021, 35, 109185.	2.9	42
34	Hippocampal activation during contextual fear inhibition related to resilience in the early aftermath of trauma. <i>Behavioural Brain Research</i> , 2021, 408, 113282.	1.2	16
35	Classification and Prediction of Post-Trauma Outcomes Related to PTSD Using Circadian Rhythm Changes Measured via Wrist-Worn Research Watch in a Large Longitudinal Cohort. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 2866-2876.	3.9	16
36	Association of Racial Discrimination With Neural Response to Threat in Black Women in the US Exposed to Trauma. <i>JAMA Psychiatry</i> , 2021, 78, 1005.	6.0	49

#	ARTICLE	IF	CITATIONS
37	Thalamic volume and fear extinction interact to predict acute posttraumatic stress severity. <i>Journal of Psychiatric Research</i> , 2021, 141, 325-332.	1.5	12
38	Randomized, Placebo-Controlled Trial of the Angiotensin Receptor Antagonist Losartan for Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2021, 90, 473-481.	0.7	21
39	A prospective examination of sex differences in posttraumatic autonomic functioning. <i>Neurobiology of Stress</i> , 2021, 15, 100384.	1.9	10
40	Multioomic biological approaches to the study of child abuse and neglect. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 210, 173271.	1.3	9
41	Brain-Based Biotypes of Psychiatric Vulnerability in the Acute Aftermath of Trauma. <i>American Journal of Psychiatry</i> , 2021, 178, 1037-1049.	4.0	36
42	The relationship between substance use, prior trauma history, and risk of developing post-traumatic stress disorder in the immediate aftermath of civilian trauma. <i>Journal of Psychiatric Research</i> , 2021, 144, 345-352.	1.5	2
43	Are all threats equal? Associations of childhood exposure to physical attack versus threatened violence with preadolescent brain structure.. <i>Developmental Cognitive Neuroscience</i> , 2021, 52, 101033.	1.9	2
44	Heart rate variability and HbA1c predict plasma interleukin-6 response to psychosocial stress challenge in trauma-exposed women with type 2 diabetes. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 19, 100400.	1.3	1
45	Association of Prospective Risk for Chronic PTSD Symptoms With Low TNF α and IFN γ Concentrations in the Immediate Aftermath of Trauma Exposure. <i>American Journal of Psychiatry</i> , 2020, 177, 58-65.	4.0	46
46	Circulating PACAP peptide and PAC1R genotype as possible transdiagnostic biomarkers for anxiety disorders in women: a preliminary study. <i>Neuropsychopharmacology</i> , 2020, 45, 1125-1133.	2.8	28
47	Literature review and methodological considerations for understanding circulating risk biomarkers following trauma exposure. <i>Molecular Psychiatry</i> , 2020, 25, 1986-1999.	4.1	7
48	Nervous and Endocrine System Dysfunction in Posttraumatic Stress Disorder: An Overview and Consideration of Sex as a Biological Variable. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 381-391.	1.1	16
49	Emotion dysregulation is associated with increased prospective risk for chronic PTSD development. <i>Journal of Psychiatric Research</i> , 2020, 121, 222-228.	1.5	43
50	Genome-wide translational profiling of amygdala Crh-expressing neurons reveals role for CREB in fear extinction learning. <i>Nature Communications</i> , 2020, 11, 5180.	5.8	15
51	Impact of ADCYAP1R1 genotype on longitudinal fear conditioning in children: interaction with trauma and sex. <i>Neuropsychopharmacology</i> , 2020, 45, 1603-1608.	2.8	16
52	Anxiety sensitivity and grit as mediators between childhood abuse and relapse risk for substance use. <i>Child Abuse and Neglect</i> , 2020, 107, 104568.	1.3	5
53	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies methylation changes in AHRH. <i>Nature Communications</i> , 2020, 11, 5965.	5.8	84
54	Acute Posttraumatic Symptoms Are Associated With Multimodal Neuroimaging Structural Covariance Patterns: A Possible Role for the Neural Substrates of Visual Processing in Posttraumatic Stress Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 7, 129-129.	1.1	9

#	ARTICLE	IF	CITATIONS
55	Evaluating the impact of trauma and PTSD on epigenetic prediction of lifespan and neural integrity. <i>Neuropsychopharmacology</i> , 2020, 45, 1609-1616.	2.8	63
56	Translating Across Circuits and Genetics Toward Progress in Fear- and Anxiety-Related Disorders. <i>American Journal of Psychiatry</i> , 2020, 177, 214-222.	4.0	59
57	Examining the cardiovascular response to fear extinction in a trauma-exposed sample. <i>Journal of Psychiatric Research</i> , 2020, 124, 85-90.	1.5	8
58	A validated predictive algorithm of post-traumatic stress course following emergency department admission after a traumatic stressor. <i>Nature Medicine</i> , 2020, 26, 1084-1088.	15.2	90
59	Translational studies of estradiol and progesterone in fear and PTSD. <i>HÅrge Utbildning</i> , 2020, 11, 1723857.	1.4	16
60	Post-trauma anhedonia is associated with increased substance use in a recently-traumatized population. <i>Psychiatry Research</i> , 2020, 285, 112777.	1.7	9
61	Effect of Combat Exposure and Posttraumatic Stress Disorder on Telomere Length and Amygdala Volume. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 678-687.	1.1	10
62	The glucocorticoid receptorâ€“FKBP51 complex contributes to fear conditioning and posttraumatic stress disorder. <i>Journal of Clinical Investigation</i> , 2020, 130, 877-889.	3.9	38
63	Reversing Behavioral, Neuroanatomical, and Germline Influences of Intergenerational Stress. <i>Biological Psychiatry</i> , 2019, 85, 248-256.	0.7	23
64	Increased Skin Conductance Response in the Immediate Aftermath of Trauma Predicts PTSD Risk. <i>Chronic Stress</i> , 2019, 3, 247054701984444.	1.7	44
65	The differential effects of PTSD, MDD, and dissociation on CRP in trauma-exposed women. <i>Comprehensive Psychiatry</i> , 2019, 93, 33-40.	1.5	30
66	Association of HLA locus alleles with posttraumatic stress disorder. <i>Brain, Behavior, and Immunity</i> , 2019, 81, 655-658.	2.0	30
67	Glucocorticoid-induced leucine zipper â€œquantifiesâ€ stressors and increases male susceptibility to PTSD. <i>Translational Psychiatry</i> , 2019, 9, 178.	2.4	25
68	Association between posttraumatic stress disorder severity and amygdala habituation to fearful stimuli. <i>Depression and Anxiety</i> , 2019, 36, 647-658.	2.0	33
69	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019, 10, 4558.	5.8	363
70	Sex-Dependent Changes in miRNA Expression in the Bed Nucleus of the Stria Terminalis Following Stress. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 236.	1.4	17
71	Augmentation of Exposure Therapy With Cholinergic Blockade: Promising Novel Approach or Too Early to Tell?. <i>Biological Psychiatry</i> , 2019, 86, 654-656.	0.7	1
72	Changes in Dosing and Dose Timing of D-Cycloserine Explain Its Apparent Declining Efficacy for Augmenting Exposure Therapy for Anxiety-related Disorders: An Individual Participant-data Meta-analysis. <i>Journal of Anxiety Disorders</i> , 2019, 68, 102149.	1.5	36

#	ARTICLE	IF	CITATIONS
73	Deletion of CRH From GABAergic Forebrain Neurons Promotes Stress Resilience and Dampens Stress-Induced Changes in Neuronal Activity. <i>Frontiers in Neuroscience</i> , 2019, 13, 986.	1.4	32
74	Augmentation of Extinction and Inhibitory Learning in Anxiety and Trauma-Related Disorders. <i>Annual Review of Clinical Psychology</i> , 2019, 15, 257-284.	6.3	58
75	Polygenic risk associated with post-traumatic stress disorder onset and severity. <i>Translational Psychiatry</i> , 2019, 9, 165.	2.4	23
76	Structural connectivity and risk for anhedonia after trauma: A prospective study and replication. <i>Journal of Psychiatric Research</i> , 2019, 116, 34-41.	1.5	25
77	Epigenetic upregulation of FKBP5 by aging and stress contributes to NF- κ B-driven inflammation and cardiovascular risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 11370-11379.	3.3	193
78	Powerful and Efficient Strategies for Genetic Association Testing of Symptom and Questionnaire Data in Psychiatric Genetic Studies. <i>Scientific Reports</i> , 2019, 9, 7523.	1.6	2
79	Fighting Females: Neural and Behavioral Consequences of Social Defeat Stress in Female Mice. <i>Biological Psychiatry</i> , 2019, 86, 657-668.	0.7	121
80	Autonomic responses to fear conditioning among women with PTSD and dissociation. <i>Depression and Anxiety</i> , 2019, 36, 625-634.	2.0	22
81	Memory formation in the absence of experience. <i>Nature Neuroscience</i> , 2019, 22, 933-940.	7.1	77
82	Deconstructing the Gestalt: Mechanisms of Fear, Threat, and Trauma Memory Encoding. <i>Neuron</i> , 2019, 102, 60-74.	3.8	90
83	Sensitive Periods for the Effect of Childhood Adversity on DNA Methylation: Results From a Prospective, Longitudinal Study. <i>Biological Psychiatry</i> , 2019, 85, 838-849.	0.7	203
84	Nausea in the peri-traumatic period is associated with prospective risk for PTSD symptom development. <i>Neuropsychopharmacology</i> , 2019, 44, 668-673.	2.8	10
85	Concordance of genetic variation that increases risk for anxiety disorders and posttraumatic stress disorders and that influences their underlying neurocircuitry. <i>Journal of Affective Disorders</i> , 2019, 245, 885-896.	2.0	21
86	Genomic updates in understanding PTSD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 90, 197-203.	2.5	23
87	Assessing Voice Hearing in Trauma Spectrum Disorders: A Comparison of Two Measures and a Review of the Literature. <i>Frontiers in Psychiatry</i> , 2019, 10, 1011.	1.3	17
88	Cognitive and neural facets of dissociation in a traumatized population.. <i>Emotion</i> , 2019, 19, 863-875.	1.5	14
89	A review of epigenetic contributions to post-traumatic stress disorder. <i>Dialogues in Clinical Neuroscience</i> , 2019, 21, 417-428.	1.8	46
90	Recent Genetics and Epigenetics Approaches to PTSD. <i>Current Psychiatry Reports</i> , 2018, 20, 30.	2.1	89

#	ARTICLE	IF	CITATIONS
91	Traumatic stress and accelerated DNA methylation age: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2018, 92, 123-134.	1.3	190
92	Serine Racemase and D-serine in the Amygdala Are Dynamically Involved in Fear Learning. <i>Biological Psychiatry</i> , 2018, 83, 273-283.	0.7	32
93	Problematic alcohol use associates with sodium channel and clathrin linker 1 (<i>SCLT1</i>) in trauma-exposed populations. <i>Addiction Biology</i> , 2018, 23, 1145-1159.	1.4	9
94	The Role of the Hippocampus in Predicting Future Posttraumatic Stress Disorder Symptoms in Recently Traumatized Civilians. <i>Biological Psychiatry</i> , 2018, 84, 106-115.	0.7	63
95	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018, 83, 244-253.	0.7	335
96	Coping strategies as mediators in relation to resilience and posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 153-159.	2.0	136
97	Expression of the PPM1F Gene Is Regulated by Stress and Associated With Anxiety and Depression. <i>Biological Psychiatry</i> , 2018, 83, 284-295.	0.7	38
98	A latent class analysis of PTSD symptoms among inner city primary care patients. <i>Journal of Psychiatric Research</i> , 2018, 98, 1-8.	1.5	10
99	Mechanisms of Sex Differences in Fear and Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2018, 83, 876-885.	0.7	76
100	Epigenetic meta-analysis across three civilian cohorts identifies <i>NRG1</i> and <i>HGS</i> as blood-based biomarkers for post-traumatic stress disorder. <i>Epigenomics</i> , 2018, 10, 1585-1601.	1.0	39
101	Brain circuit dysfunction in post-traumatic stress disorder: from mouse to man. <i>Nature Reviews Neuroscience</i> , 2018, 19, 535-551.	4.9	293
102	Introduction. <i>Harvard Review of Psychiatry</i> , 2018, 26, 97-98.	0.9	2
103	Cell-type-specific interrogation of CeA <i>Drd2</i> neurons to identify targets for pharmacological modulation of fear extinction. <i>Translational Psychiatry</i> , 2018, 8, 164.	2.4	24
104	Angiotensin Regulation of Amygdala Response to Threat in High-Trait-Anxiety Individuals. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 826-835.	1.1	21
105	Testing neurophysiological markers related to fear-potentiated startle. <i>Psychiatry Research</i> , 2018, 267, 195-200.	1.7	10
106	Affect, inflammation, and health in urban at-risk civilians. <i>Journal of Psychiatric Research</i> , 2018, 104, 24-31.	1.5	7
107	Translational studies support a role for serotonin 2B receptor (<i>HTR2B</i>) gene in aggression-related cannabis response. <i>Molecular Psychiatry</i> , 2018, 23, 2277-2286.	4.1	20
108	Dynamic Patterns of Threat-Associated Gene Expression in the Amygdala and Blood. <i>Frontiers in Psychiatry</i> , 2018, 9, 778.	1.3	15

#	ARTICLE	IF	CITATIONS
109	Episodic memory after trauma exposure: Medial temporal lobe function is positively related to re-experiencing and inversely related to negative affect symptoms. <i>NeuroImage: Clinical</i> , 2018, 17, 650-658.	1.4	27
110	Common Biological Mechanisms of Alcohol Use Disorder and Post-Traumatic Stress Disorder. <i>Alcohol Research: Current Reviews</i> , 2018, 39, 131-145.	1.9	11
111	Connections of the Mouse Orbitofrontal Cortex and Regulation of Goal-Directed Action Selection by Brain-Derived Neurotrophic Factor. <i>Biological Psychiatry</i> , 2017, 81, 366-377.	0.7	68
112	D-Cycloserine Augmentation of Exposure-Based Cognitive Behavior Therapy for Anxiety, Obsessive-Compulsive, and Posttraumatic Stress Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 501.	6.0	236
113	Mobile assessment of heightened skin conductance in posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2017, 34, 502-507.	2.0	50
114	An Integrated Neuroscience Perspective on Formulation and Treatment Planning for Posttraumatic Stress Disorder. <i>JAMA Psychiatry</i> , 2017, 74, 407.	6.0	118
115	Genetic approaches for the study of PTSD: Advances and challenges. <i>Neuroscience Letters</i> , 2017, 649, 139-146.	1.0	52
116	Perineuronal Nets in the Adult Sensory Cortex Are Necessary for Fear Learning. <i>Neuron</i> , 2017, 95, 169-179.e3.	3.8	117
117	Dexamethasone facilitates fear extinction and safety discrimination in PTSD: A placebo-controlled, double-blind study. <i>Psychoneuroendocrinology</i> , 2017, 83, 65-71.	1.3	44
118	Amygdala Reactivity and Anterior Cingulate Habituation Predict Posttraumatic Stress Disorder Symptom Maintenance After Acute Civilian Trauma. <i>Biological Psychiatry</i> , 2017, 81, 1023-1029.	0.7	145
119	A cross species study of heterogeneity in fear extinction learning in relation to FKBP5 variation and expression: Implications for the acute treatment of posttraumatic stress disorder. <i>Neuropharmacology</i> , 2017, 116, 188-195.	2.0	42
120	Epigenome-wide association of PTSD from heterogeneous cohorts with a common multi-site analysis pipeline. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 619-630.	1.1	69
121	Developmental pathway genes and neural plasticity underlying emotional learning and stress-related disorders. <i>Learning and Memory</i> , 2017, 24, 492-501.	0.5	7
122	Beyond the Buzz: The Maturing of Technology Use in Geriatric Psychiatry. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 815-818.	0.6	6
123	Inflammation in Fear- and Anxiety-Based Disorders: PTSD, GAD, and Beyond. <i>Neuropsychopharmacology</i> , 2017, 42, 254-270.	2.8	451
124	Associations Between Posttraumatic Stress Disorder, Emotion Dysregulation, and Alcohol Dependence Symptoms Among Inner City Females. <i>Journal of Clinical Psychology</i> , 2017, 73, 319-330.	1.0	24
125	Parabrachial Pituitary Adenylate Cyclase-Activating Polypeptide Activation of Amygdala Endosomal Extracellular Signal-Regulated Kinase Signaling Regulates the Emotional Component of Pain. <i>Biological Psychiatry</i> , 2017, 81, 671-682.	0.7	64
126	A Gene-Based Analysis of Acoustic Startle Latency. <i>Frontiers in Psychiatry</i> , 2017, 8, 117.	1.3	7

#	ARTICLE	IF	CITATIONS
127	Regulation of actions and habits by ventral hippocampal trkB and adolescent corticosteroid exposure. <i>PLoS Biology</i> , 2017, 15, e2003000.	2.6	33
128	Developmental disruption of amygdala transcriptome and socioemotional behavior in rats exposed to valproic acid prenatally. <i>Molecular Autism</i> , 2017, 8, 42.	2.6	49
129	Neural correlates and structural markers of emotion dysregulation in traumatized civilians. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 823-831.	1.5	18
130	Resilience and biomarkers of health risk in Black smokers and nonsmokers.. <i>Health Psychology</i> , 2017, 36, 1047-1058.	1.3	12
131	Psychological and psychobiological responses to immediate early intervention in the emergency department: Case report of one-session exposure therapy for the prevention of PTSD.. <i>Practice Innovations (Washington, D C)</i> , 2017, 2, 55-65.	0.5	9
132	Emotion Dysregulation and Inflammation in African-American Women with Type 2 Diabetes. <i>Neural Plasticity</i> , 2016, 2016, 1-10.	1.0	24
133	Childhood Trauma and COMT Genotype Interact to Increase Hippocampal Activation in Resilient Individuals. <i>Frontiers in Psychiatry</i> , 2016, 7, 156.	1.3	40
134	CHILDHOOD MALTREATMENT PREDICTS REDUCED INHIBITION-RELATED ACTIVITY IN THE ROSTRAL ANTERIOR CINGULATE IN PTSD, BUT NOT TRAUMA-EXPOSED CONTROLS. <i>Depression and Anxiety</i> , 2016, 33, 614-622.	2.0	30
135	STRUCTURAL AND FUNCTIONAL CONNECTIVITY IN POSTTRAUMATIC STRESS DISORDER: ASSOCIATIONS WITH FKBP5. <i>Depression and Anxiety</i> , 2016, 33, 300-307.	2.0	62
136	Childhood trauma, PTSD, and psychosis: Findings from a highly traumatized, minority sample. <i>Child Abuse and Neglect</i> , 2016, 58, 111-118.	1.3	53
137	GENOME-WIDE ASSOCIATION STUDY (GWAS) AND GENOME-WIDE BY ENVIRONMENT INTERACTION STUDY (GWEIS) OF DEPRESSIVE SYMPTOMS IN AFRICAN AMERICAN AND HISPANIC/LATINA WOMEN. <i>Depression and Anxiety</i> , 2016, 33, 265-280.	2.0	99
138	DNA methylation signatures of chronic low-grade inflammation are associated with complex diseases. <i>Genome Biology</i> , 2016, 17, 255.	3.8	251
139	Neuroimaging genetic approaches to Posttraumatic Stress Disorder. <i>Experimental Neurology</i> , 2016, 284, 141-152.	2.0	24
140	Baseline psychophysiological and cortisol reactivity as a predictor of PTSD treatment outcome in virtual reality exposure therapy. <i>Behaviour Research and Therapy</i> , 2016, 82, 28-37.	1.6	86
141	Trauma exposure and PTSD symptoms associate with violence in inner city civilians. <i>Journal of Psychiatric Research</i> , 2016, 83, 1-7.	1.5	52
142	A genome-wide association study of emotion dysregulation: Evidence for interleukin 2 receptor alpha. <i>Journal of Psychiatric Research</i> , 2016, 83, 195-202.	1.5	23
143	Exposure to Childhood Abuse and Later Substance Use: Indirect Effects of Emotion Dysregulation and Exposure to Trauma. <i>Journal of Traumatic Stress</i> , 2016, 29, 422-429.	1.0	96
144	Oxytocin Receptor Genetic and Epigenetic Variations: Association With Child Abuse and Adult Psychiatric Symptoms. <i>Child Development</i> , 2016, 87, 122-134.	1.7	127

#	ARTICLE	IF	CITATIONS
145	Epigenetic Signatures of Cigarette Smoking. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 436-447.	5.1	678
146	Discovery and replication of a peripheral tissue DNA methylation biosignature to augment a suicide prediction model. <i>Clinical Epigenetics</i> , 2016, 8, 113.	1.8	47
147	Molecular characterization of Thy1 expressing fear-inhibiting neurons within the basolateral amygdala. <i>Nature Communications</i> , 2016, 7, 13149.	5.8	39
148	Prioritizing individual genetic variants after kernel machine testing using variable selection. <i>Genetic Epidemiology</i> , 2016, 40, 722-731.	0.6	15
149	Amygdala-Dependent Molecular Mechanisms of the Tac2 Pathway in Fear Learning. <i>Neuropsychopharmacology</i> , 2016, 41, 2714-2722.	2.8	34
150	Childhood trauma and neighborhood-level crime interact in predicting adult posttraumatic stress and major depression symptoms. <i>Child Abuse and Neglect</i> , 2016, 51, 212-222.	1.3	36
151	Models of Intergenerational and Transgenerational Transmission of Risk for Psychopathology in Mice. <i>Neuropsychopharmacology</i> , 2016, 41, 219-231.	2.8	91
152	Gene – Environment Determinants of Stress- and Anxiety-Related Disorders. <i>Annual Review of Psychology</i> , 2016, 67, 239-261.	9.9	106
153	Dexamethasone Treatment Leads to Enhanced Fear Extinction and Dynamic Fkbp5 Regulation in Amygdala. <i>Neuropsychopharmacology</i> , 2016, 41, 832-846.	2.8	98
154	Fear-Potentiated Startle and Fear Extinction in a Sample of Undergraduate Women Exposed to a Campus Mass Shooting. <i>Frontiers in Psychology</i> , 2016, 7, 2031.	1.1	13
155	Stress-related disorders, pituitary adenylate cyclase-activating peptide (PACAP)ergic system, and sex differences. <i>Dialogues in Clinical Neuroscience</i> , 2016, 18, 403-413.	1.8	40
156	Mechanisms of PACAP in PTSD and Stress-Related Disorders in Humans. <i>Current Topics in Neurotoxicity</i> , 2016, , 767-780.	0.4	2
157	Genomic Regulation of the PACAP Receptor, PAC1, and Implications for Psychiatric Disease. <i>Epigenetics and Human Health</i> , 2016, , 23-41.	0.2	0
158	Kernel Approach for Modeling Interaction Effects in Genetic Association Studies of Complex Quantitative Traits. <i>Genetic Epidemiology</i> , 2015, 39, 366-375.	0.6	12
159	A genome-wide identified risk variant for PTSD is a methylation quantitative trait locus and confers decreased cortical activation to fearful faces. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 327-336.	1.1	70
160	The Psychiatric Genomics Consortium Posttraumatic Stress Disorder Workgroup: Posttraumatic Stress Disorder Enters the Age of Large-Scale Genomic Collaboration. <i>Neuropsychopharmacology</i> , 2015, 40, 2287-2297.	2.8	123
161	DICER1 and microRNA regulation in post-traumatic stress disorder with comorbid depression. <i>Nature Communications</i> , 2015, 6, 10106.	5.8	81
162	Lifetime stress accelerates epigenetic aging in an urban, African American cohort: relevance of glucocorticoid signaling. <i>Genome Biology</i> , 2015, 16, 266.	3.8	340

#	ARTICLE	IF	CITATIONS
163	Epigenetic mechanisms underlying learning and the inheritance of learned behaviors. Trends in Neurosciences, 2015, 38, 96-107.	4.2	105
164	Psychophysiology and posttraumatic stress disorder symptom profile in pregnant African-American women with trauma exposure. Archives of Women's Mental Health, 2015, 18, 639-648.	1.2	24
165	An Overview of Translationally Informed Treatments for Posttraumatic Stress Disorder: Animal Models of Pavlovian Fear Conditioning to Human Clinical Trials. Biological Psychiatry, 2015, 78, E15-E27.	0.7	122
166	GABA and NMDA receptors in CRF neurons have opposing effects in fear acquisition and anxiety in central amygdala vs. bed nucleus of the stria terminalis. Hormones and Behavior, 2015, 76, 136-142.	1.0	40
167	The mediating role of emotion dysregulation and depression on the relationship between childhood trauma exposure and emotional eating. Appetite, 2015, 91, 129-136.	1.8	128
168	Association of <i>CRP</i> Genetic Variation and CRP Level With Elevated PTSD Symptoms and Physiological Responses in a Civilian Population With High Levels of Trauma. American Journal of Psychiatry, 2015, 172, 353-362.	4.0	169
169	The Class I HDAC inhibitor RGFP963 enhances consolidation of cued fear extinction. Learning and Memory, 2015, 22, 225-231.	0.5	41
170	Cross-cultural gene-environment interactions in depression, post-traumatic stress disorder, and the cortisol awakening response: <i>FKBP5</i> polymorphisms and childhood trauma in South Asia. International Review of Psychiatry, 2015, 27, 180-196.	1.4	81
171	Extinction reverses olfactory fear-conditioned increases in neuron number and glomerular size. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 12846-12851.	3.3	39
172	Fear load: The psychophysiological over-expression of fear as an intermediate phenotype associated with trauma reactions. International Journal of Psychophysiology, 2015, 98, 270-275.	0.5	89
173	The Physiology of Fear: Reconceptualizing the Role of the Central Amygdala in Fear Learning. Physiology, 2015, 30, 389-401.	1.6	95
174	Gene-by-social-environment interaction (GxSE) between ADCYAP1R1 genotype and neighborhood crime predicts major depression symptoms in trauma-exposed women. Journal of Affective Disorders, 2015, 187, 147-150.	2.0	23
175	Fear-potentiated startle during extinction is associated with white matter microstructure and functional connectivity. Cortex, 2015, 64, 249-259.	1.1	53
176	Fear-Related Anxiety Disorders and Post-Traumatic Stress Disorder. , 2015, , 612-620.		6
177	DNA extracted from saliva for methylation studies of psychiatric traits: Evidence tissue specificity and relatedness to brain. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 36-44.	1.1	281
178	A comparative analysis of mouse and human medial geniculate nucleus connectivity: A DTI and anterograde tracing study. NeuroImage, 2015, 105, 53-66.	2.1	32
179	Interaction between the Cholecystokinin and Endogenous Cannabinoid Systems in Cued Fear Expression and Extinction Retention. Neuropsychopharmacology, 2015, 40, 688-700.	2.8	44
180	Early Intervention Following Trauma May Mitigate Genetic Risk for PTSD in Civilians. Journal of Clinical Psychiatry, 2014, 75, 1380-1387.	1.1	79

#	ARTICLE	IF	CITATIONS
181	Bdnf Deletion or TrkB Impairment in Amygdala Inhibits Both Appetitive and Aversive Learning. <i>Journal of Neuroscience</i> , 2014, 34, 2444-2450.	1.7	40
182	FKBP5 Genotype and Structural Integrity of the Posterior Cingulum. <i>Neuropsychopharmacology</i> , 2014, 39, 1206-1213.	2.8	60
183	A Randomized, Double-Blind Evaluation of D-Cycloserine or Alprazolam Combined With Virtual Reality Exposure Therapy for Posttraumatic Stress Disorder in Iraq and Afghanistan War Veterans. <i>American Journal of Psychiatry</i> , 2014, 171, 640-648.	4.0	354
184	Accounting for Population Stratification in DNA Methylation Studies. <i>Genetic Epidemiology</i> , 2014, 38, 231-241.	0.6	207
185	Correcting Systematic Inflation in Genetic Association Tests That Consider Interaction Effects. <i>JAMA Psychiatry</i> , 2014, 71, 1392.	6.0	42
186	Interaction of the ADRB2 Gene Polymorphism With Childhood Trauma in Predicting Adult Symptoms of Posttraumatic Stress Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 1174.	6.0	80
187	Resilience characteristics mitigate tendency for harmful alcohol and illicit drug use in adults with a history of childhood abuse: A cross-sectional study of 2024 inner-city men and women. <i>Journal of Psychiatric Research</i> , 2014, 51, 93-99.	1.5	95
188	FROM THE NEUROBIOLOGY OF EXTINCTION TO IMPROVED CLINICAL TREATMENTS. <i>Depression and Anxiety</i> , 2014, 31, 279-290.	2.0	88
189	PACAP receptor gene polymorphism impacts fear responses in the amygdala and hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3158-3163.	3.3	122
190	Angiotensin Type 1 Receptor Inhibition Enhances the Extinction of Fear Memory. <i>Biological Psychiatry</i> , 2014, 75, 864-872.	0.7	101
191	Parental olfactory experience influences behavior and neural structure in subsequent generations. <i>Nature Neuroscience</i> , 2014, 17, 89-96.	7.1	1,061
192	BDNF TrkB Receptor Regulation of Distributed Adult Neural Plasticity, Memory Formation, and Psychiatric Disorders. <i>Progress in Molecular Biology and Translational Science</i> , 2014, 122, 169-192.	0.9	150
193	A Role for Tac2, NkB, and Nk3 Receptor in Normal and Dysregulated Fear Memory Consolidation. <i>Neuron</i> , 2014, 83, 444-454.	3.8	94
194	Experimental evidence needed to demonstrate inter- and trans-generational effects of ancestral experiences in mammals. <i>BioEssays</i> , 2014, 36, 919-923.	1.2	35
195	Methylation quantitative trait loci (meQTLs) are consistently detected across ancestry, developmental stage, and tissue type. <i>BMC Genomics</i> , 2014, 15, 145.	1.2	217
196	Follow-up and Extension of a Prior Genome-wide Association Study of Posttraumatic Stress Disorder: Gene-Environment Associations and Structural Magnetic Resonance Imaging in a Highly Traumatized African-American Civilian Population. <i>Biological Psychiatry</i> , 2014, 76, e3-e4.	0.7	18
197	The association between childhood trauma and lipid levels in an adult low-income, minority population. <i>General Hospital Psychiatry</i> , 2014, 36, 150-155.	1.2	23
198	Childhood Abuse and the Experience of Pain in Adulthood: The Mediating Effects of PTSD and Emotion Dysregulation on Pain Levels and Pain-Related Functional Impairment. <i>Psychosomatics</i> , 2014, 55, 491-499.	2.5	33

#	ARTICLE	IF	CITATIONS
199	Genetic approaches to understanding post-traumatic stress disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 355-370.	1.0	97
200	Mapping of the mouse olfactory system with manganese-enhanced magnetic resonance imaging and diffusion tensor imaging. <i>Brain Structure and Function</i> , 2013, 218, 527-537.	1.2	19
201	Epigenomic association analysis identifies smoking-related DNA methylation sites in African Americans. <i>Human Genetics</i> , 2013, 132, 1027-1037.	1.8	153
202	DSM-5 and RDoC: progress in psychiatry research?. <i>Nature Reviews Neuroscience</i> , 2013, 14, 810-814.	4.9	326
203	Amygdala-Dependent Fear Is Regulated by <i>Oprl1</i> in Mice and Humans with PTSD. <i>Science Translational Medicine</i> , 2013, 5, 188ra73.	5.8	132
204	PACAP and the PAC1 Receptor in Post-Traumatic Stress Disorder. <i>Neuropsychopharmacology</i> , 2013, 38, 245-246.	2.8	51
205	Allele-specific FKBP5 DNA demethylation mediates gene-childhood trauma interactions. <i>Nature Neuroscience</i> , 2013, 16, 33-41.	7.1	1,216
206	Disrupted amygdala-prefrontal functional connectivity in civilian women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 1469-1478.	1.5	240
207	Escitalopram alters gene expression and HPA axis reactivity in rats following chronic overexpression of corticotropin-releasing factor from the central amygdala. <i>Psychoneuroendocrinology</i> , 2013, 38, 1349-1361.	1.3	35
208	Implications of memory modulation for post-traumatic stress and fear disorders. <i>Nature Neuroscience</i> , 2013, 16, 146-153.	7.1	385
209	<i>ADCYAP1R1</i> genotype associates with post-traumatic stress symptoms in highly traumatized African-American females. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 262-272.	1.1	94
210	Towards new approaches to disorders of fear and anxiety. <i>Current Opinion in Neurobiology</i> , 2013, 23, 346-352.	2.0	73
211	Thy1-Expressing Neurons in the Basolateral Amygdala May Mediate Fear Inhibition. <i>Journal of Neuroscience</i> , 2013, 33, 10396-10404.	1.7	83
212	Reduced neural activation during an inhibition task is associated with impaired fear inhibition in a traumatized civilian sample. <i>Cortex</i> , 2013, 49, 1884-1891.	1.1	114
213	Inhibition of fear is differentially associated with cycling estrogen levels in women. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 341-348.	1.4	75
214	Family environment and adult resilience: contributions of positive parenting and the oxytocin receptor gene. <i>HÅrgre Utbildning</i> , 2013, 4, .	1.4	92
215	Sex dependent influence of a functional polymorphism in steroid 5 α -reductase type 2 (<i>SRD5A2</i>) on post-traumatic stress symptoms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 283-292.	1.1	32
216	Childhood maltreatment is associated with distinct genomic and epigenetic profiles in posttraumatic stress disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8302-8307.	3.3	482

#	ARTICLE	IF	CITATIONS
217	FKBP5 and Attention Bias for Threat. <i>JAMA Psychiatry</i> , 2013, 70, 392.	6.0	118
218	Exploring Epigenetic Regulation of Fear Memory and Biomarkers Associated with Post-Traumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2013, 4, 62.	1.3	52
219	Differential Genetic and Epigenetic Regulation of catechol-O-methyltransferase is Associated with Impaired Fear Inhibition in Posttraumatic Stress Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 30.	1.0	93
220	White Matter Integrity in Highly Traumatized Adults With and Without Post-Traumatic Stress Disorder. <i>Neuropsychopharmacology</i> , 2012, 37, 2740-2746.	2.8	111
221	Cell-type specific deletion of $\text{GABA(A)}_{\pm 1}$ in corticotropin-releasing factor-containing neurons enhances anxiety and disrupts fear extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16330-16335.	3.3	90
222	Emerging methods in the molecular biology of neuropsychiatric disorders. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 191-209.	1.0	1
223	Dark-Enhanced Startle Responses and Heart Rate Variability in a Traumatized Civilian Sample. <i>Psychosomatic Medicine</i> , 2012, 74, 153-159.	1.3	46
224	Acute and Posttraumatic Stress Symptoms in a Prospective Gene-Environment Study of a University Campus Shooting. <i>Archives of General Psychiatry</i> , 2012, 69, 89.	13.8	56
225	PTSD and gene variants: New pathways and new thinking. <i>Neuropharmacology</i> , 2012, 62, 628-637.	2.0	153
226	The dynamic role of beta-catenin in synaptic plasticity. <i>Neuropharmacology</i> , 2012, 62, 78-88.	2.0	51
227	Fear conditioning, synaptic plasticity and the amygdala: implications for posttraumatic stress disorder. <i>Trends in Neurosciences</i> , 2012, 35, 24-35.	4.2	503
228	Neural correlates of attention bias to threat in post-traumatic stress disorder. <i>Biological Psychology</i> , 2012, 90, 134-142.	1.1	127
229	EARLY INTERVENTIONS FOR PTSD: A REVIEW. <i>Depression and Anxiety</i> , 2012, 29, 833-842.	2.0	242
230	T Lymphocytes and Vascular Inflammation Contribute to Stress-Dependent Hypertension. <i>Biological Psychiatry</i> , 2012, 71, 774-782.	0.7	78
231	Estrogen Levels Are Associated with Extinction Deficits in Women with Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2012, 72, 19-24.	0.7	237
232	Early Intervention May Prevent the Development of Posttraumatic Stress Disorder: A Randomized Pilot Civilian Study with Modified Prolonged Exposure. <i>Biological Psychiatry</i> , 2012, 72, 957-963.	0.7	238
233	A DTI tractography analysis of infralimbic and prelimbic connectivity in the mouse using high-throughput MRI. <i>NeuroImage</i> , 2012, 63, 800-811.	2.1	35
234	Neuropeptide regulation of fear and anxiety: Implications of cholecystokinin, endogenous opioids, and neuropeptide Y. <i>Physiology and Behavior</i> , 2012, 107, 699-710.	1.0	134

#	ARTICLE	IF	CITATIONS
235	A Role for WNT/ β -Catenin Signaling in the Neural Mechanisms of Behavior. <i>Journal of NeuroImmune Pharmacology</i> , 2012, 7, 763-773.	2.1	58
236	The Renin-Angiotensin Pathway in Posttraumatic Stress Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 849-855.	1.1	113
237	Epigenetic Modulation of Homer1a Transcription Regulation in Amygdala and Hippocampus with Pavlovian Fear Conditioning. <i>Journal of Neuroscience</i> , 2012, 32, 4651-4659.	1.7	103
238	Chronic overexpression of corticotropin-releasing factor from the central amygdala produces HPA axis hyperactivity and behavioral anxiety associated with gene-expression changes in the hippocampus and paraventricular nucleus of the hypothalamus. <i>Psychoneuroendocrinology</i> , 2012, 37, 27-38.	1.3	111
239	Civilian PTSD symptoms and risk for involvement in the criminal justice system. <i>Journal of the American Academy of Psychiatry and the Law</i> , 2012, 40, 522-9.	0.2	31
240	Fear Extinction in Traumatized Civilians with Posttraumatic Stress Disorder: Relation to Symptom Severity. <i>Biological Psychiatry</i> , 2011, 69, 556-563.	0.7	335
241	The differential effects of child abuse and posttraumatic stress disorder on schizotypal personality disorder. <i>Comprehensive Psychiatry</i> , 2011, 52, 438-445.	1.5	35
242	The Neuronal Transporter Gene SLC6A15 Confers Risk to Major Depression. <i>Neuron</i> , 2011, 70, 252-265.	3.8	189
243	Perceived neighborhood disorder, community cohesion, and PTSD symptoms among low-income African Americans in an urban health setting.. <i>American Journal of Orthopsychiatry</i> , 2011, 81, 31-37.	1.0	106
244	Emotion Dysregulation and Negative Affect. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 685-691.	1.1	234
245	Substance Use Disorders Assessed Using the Kreekâ€“McHughâ€“Schlugerâ€“Kellogg (KMSK) Scale in an Urban Lowâ€“Income and Predominantly African American Sample of Primary Care Patients. <i>American Journal on Addictions</i> , 2011, 20, 292-299.	1.3	21
246	Post-traumatic stress disorder is associated with PACAP and the PAC1 receptor. <i>Nature</i> , 2011, 470, 492-497.	13.7	695
247	Physiological markers of anxiety are increased in children of abused mothers. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011, 52, 844-852.	3.1	73
248	Cortisol suppression by dexamethasone reduces exaggerated fear responses in posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2011, 36, 1540-1552.	1.3	52
249	Pain symptomatology and pain medication use in civilian PTSD. <i>Pain</i> , 2011, 152, 2233-2240.	2.0	86
250	Posttraumatic stress disorder is a risk factor for metabolic syndrome in an impoverished urban population. <i>General Hospital Psychiatry</i> , 2011, 33, 135-142.	1.2	73
251	Differential brain-derived neurotrophic factor expression in limbic brain regions following social defeat or territorial aggression.. <i>Behavioral Neuroscience</i> , 2011, 125, 911-920.	0.6	42
252	Attention Bias in Adult Survivors of Childhood Maltreatment with and without Posttraumatic Stress Disorder. <i>Cognitive Therapy and Research</i> , 2011, 35, 57-67.	1.2	63

#	ARTICLE	IF	CITATIONS
253	Differential immune system DNA methylation and cytokine regulation in post-traumatic stress disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 700-708.	1.1	294
254	Tools for translational neuroscience: PTSD is associated with heightened fear responses using acoustic startle but not skin conductance measures. <i>Depression and Anxiety</i> , 2011, 28, 1058-1066.	2.0	110
255	Wnt Signaling in Amygdala-Dependent Learning and Memory. <i>Journal of Neuroscience</i> , 2011, 31, 13057-13067.	1.7	84
256	The Effect of Resilience on Posttraumatic Stress Disorder in Trauma-Exposed Inner-City Primary Care Patients. <i>Journal of the National Medical Association</i> , 2011, 103, 560-566.	0.6	69
257	Effect of 7,8-Dihydroxyflavone, a Small-Molecule TrkB Agonist, on Emotional Learning. <i>American Journal of Psychiatry</i> , 2011, 168, 163-172.	4.0	196
258	Using Polymorphisms in FKBP5 to Define Biologically Distinct Subtypes of Posttraumatic Stress Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 901.	13.8	186
259	Fear Conditioning and Extinction as a Model of PTSD in Mice. <i>Neuromethods</i> , 2011, , 171-184.	0.2	2
260	Polymorphisms in <i>CRHR1</i> and the serotonin transporter loci: Gene-Environment interactions on depressive symptoms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 812-824.	1.1	83
261	Moderating effects of resilience on depression in individuals with a history of childhood abuse or trauma exposure. <i>Journal of Affective Disorders</i> , 2010, 126, 411-414.	2.0	268
262	Impaired fear inhibition is a biomarker of PTSD but not depression. <i>Depression and Anxiety</i> , 2010, 27, 244-251.	2.0	398
263	Psychological resilience and neurocognitive performance in a traumatized community sample. <i>Depression and Anxiety</i> , 2010, 27, 768-774.	2.0	37
264	Substance use, childhood traumatic experience, and Posttraumatic Stress Disorder in an urban civilian population. <i>Depression and Anxiety</i> , 2010, 27, 1077-1086.	2.0	330
265	Deoxygedunin, a Natural Product with Potent Neurotrophic Activity in Mice. <i>PLoS ONE</i> , 2010, 5, e11528.	1.1	87
266	Amygdala-Specific Reduction of $\hat{A}1$ -GABAA Receptors Disrupts the Anticonvulsant, Locomotor, and Sedative, But Not Anxiolytic, Effects of Benzodiazepines in Mice. <i>Journal of Neuroscience</i> , 2010, 30, 7139-7151.	1.7	34
267	Neuronal Abelson helper integration site-1 (Ahi1) deficiency in mice alters TrkB signaling with a depressive phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19126-19131.	3.3	45
268	Association of Genetic Variants in the Neurotrophic Receptor-encoding Gene <i>NTRK2</i> and a Lifetime History of Suicide Attempts in Depressed Patients. <i>Archives of General Psychiatry</i> , 2010, 67, 348.	13.8	82
269	A Novel Transgenic Mouse for Gene-Targeting Within Cells That Express Corticotropin-Releasing Factor. <i>Biological Psychiatry</i> , 2010, 67, 1212-1216.	0.7	41
270	Amygdala Activity, Fear, and Anxiety: Modulation by Stress. <i>Biological Psychiatry</i> , 2010, 67, 1117-1119.	0.7	196

#	ARTICLE	IF	CITATIONS
271	How the Neurocircuitry and Genetics of Fear Inhibition May Inform Our Understanding of PTSD. <i>American Journal of Psychiatry</i> , 2010, 167, 648-662.	4.0	419
272	Genotype-controlled analysis of serum dopamine β -hydroxylase activity in civilian post-traumatic stress disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1396-1401.	2.5	15
273	The Neurobiology of Anxiety Disorders: Brain Imaging, Genetics, and Psychoneuroendocrinology. <i>Clinics in Laboratory Medicine</i> , 2010, 30, 865-891.	0.7	81
274	Prelimbic cortical BDNF is required for memory of learned fear but not extinction or innate fear. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2675-2680.	3.3	183
275	The use of lentiviral vectors combined with Cre/loxP to investigate the function of genes in complex behaviors. <i>Frontiers in Molecular Neuroscience</i> , 2009, 2, 22.	1.4	14
276	Distinct Subtypes of Cholecystokinin (CCK)-Containing Interneurons of the Basolateral Amygdala Identified Using a CCK Promoter-Specific Lentivirus. <i>Journal of Neurophysiology</i> , 2009, 101, 1494-1506.	0.9	52
277	Pharmacological Enhancement of Behavioral Therapy: Focus on Posttraumatic Stress Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2009, 2, 279-299.	0.8	37
278	Functional Interactions between Endocannabinoid and CCK Neurotransmitter Systems May Be Critical for Extinction Learning. <i>Neuropsychopharmacology</i> , 2009, 34, 509-521.	2.8	72
279	Trauma exposure and stress-related disorders in inner city primary care patients. <i>General Hospital Psychiatry</i> , 2009, 31, 505-514.	1.2	401
280	The protective role of friendship on the effects of childhood abuse and depression. <i>Depression and Anxiety</i> , 2009, 26, 46-53.	2.0	129
281	Childhood abuse is associated with increased startle reactivity in adulthood. <i>Depression and Anxiety</i> , 2009, 26, 1018-1026.	2.0	88
282	Risk and resilience: Genetic and environmental influences on development of the stress response. <i>Depression and Anxiety</i> , 2009, 26, 984-992.	2.0	295
283	The Neurobiology of Anxiety Disorders: Brain Imaging, Genetics, and Psychoneuroendocrinology. <i>Psychiatric Clinics of North America</i> , 2009, 32, 549-575.	0.7	326
284	Effect of childhood trauma on adult depression and neuroendocrine function: sex-specific moderation by CRH receptor 1 gene. <i>Frontiers in Behavioral Neuroscience</i> , 2009, 3, 41.	1.0	206
285	Physiology of the Amygdala: Implications for PTSD. , 2009, , 39-78.		6
286	Treatment barriers for low-income, urban African Americans with undiagnosed posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2008, 21, 218-222.	1.0	132
287	β -catenin is required for memory consolidation. <i>Nature Neuroscience</i> , 2008, 11, 1319-1326.	7.1	117
288	Learning-Dependent Structural Plasticity in the Adult Olfactory Pathway. <i>Journal of Neuroscience</i> , 2008, 28, 13106-13111.	1.7	117

#	ARTICLE	IF	CITATIONS
289	Influence of Child Abuse on Adult Depression. Archives of General Psychiatry, 2008, 65, 190.	13.8	583
290	The Role of Neuropeptide Y in the Expression and Extinction of Fear-Potentiated Startle. Journal of Neuroscience, 2008, 28, 12682-12690.	1.7	112
291	Association of <emph type="ital">FKBP5</emph> Polymorphisms and Childhood Abuse With Risk of Posttraumatic Stress Disorder Symptoms in Adults. JAMA - Journal of the American Medical Association, 2008, 299, 1291.	3.8	1,190
292	Differential regional expression of brain-derived neurotrophic factor following olfactory fear learning. Learning and Memory, 2007, 14, 816-820.	0.5	35
293	Modulation of Fear and Anxiety by the Endogenous Cannabinoid System. CNS Spectrums, 2007, 12, 211-220.	0.7	63
294	Learning and memory deficits in mice lacking protease activated receptor-1. Neurobiology of Learning and Memory, 2007, 88, 295-304.	1.0	47
295	Targeting abnormal neural circuits in mood and anxiety disorders: from the laboratory to the clinic. Nature Neuroscience, 2007, 10, 1116-1124.	7.1	852
296	Training-induced changes in the expression of GABA_A-associated genes in the amygdala after the acquisition and extinction of Pavlovian fear. European Journal of Neuroscience, 2007, 26, 3631-3644.	1.2	115
297	Pharmacological enhancement of learning in exposure therapy. , 2007, , 335-345.		1
298	Pain Medication Use Among Patients With Posttraumatic Stress Disorder. Psychosomatics, 2006, 47, 136-142.	2.5	82
299	Different mechanisms of fear extinction dependent on length of time since fear acquisition. Learning and Memory, 2006, 13, 216-223.	0.5	271
300	Amygdala BDNF signaling is required for consolidation but not encoding of extinction. Nature Neuroscience, 2006, 9, 870-872.	7.1	219
301	Pharmacological treatments that facilitate extinction of fear: Relevance to psychotherapy. NeuroRx, 2006, 3, 82-96.	6.0	161
302	Lesions of the habenula produce stress- and dopamine-dependent alterations in prepulse inhibition and locomotion. Brain Research, 2006, 1073-1074, 229-239.	1.1	59
303	Olfactory-Mediated Fear Conditioning in Mice: Simultaneous Measurements of Fear-Potentiated Startle and Freezing.. Behavioral Neuroscience, 2005, 119, 329-335.	0.6	52
304	Emotional Learning and Glutamate: Translational Perspectives. CNS Spectrums, 2005, 10, 831-839.	0.7	28
305	Posttraumatic Stress Disorder Among African Americans in an Inner City Mental Health Clinic. Psychiatric Services, 2005, 56, 212-215.	1.1	169
306	Regulation of Gephyrin and GABAA Receptor Binding within the Amygdala after Fear Acquisition and Extinction. Journal of Neuroscience, 2005, 25, 502-506.	1.7	204

#	ARTICLE	IF	CITATIONS
307	Facilitation of Extinction of Conditioned Fear by D-Cycloserine. <i>Current Directions in Psychological Science</i> , 2005, 14, 214-219.	2.8	37
308	Brain-Derived Neurotrophic Factor in Amygdala-Dependent Learning. <i>Neuroscientist</i> , 2005, 11, 323-333.	2.6	130
309	Enhancing Cannabinoid Neurotransmission Augments the Extinction of Conditioned Fear. <i>Neuropsychopharmacology</i> , 2005, 30, 516-524.	2.8	326
310	Prepulse Inhibition Deficits in GAD65 Knockout Mice and the Effect of Antipsychotic Treatment. <i>Neuropsychopharmacology</i> , 2004, 29, 1610-1619.	2.8	59
311	Cognitive Enhancers as Adjuncts to Psychotherapy. <i>Archives of General Psychiatry</i> , 2004, 61, 1136.	13.8	1,023
312	Differential regulation of brain-derived neurotrophic factor transcripts during the consolidation of fear learning. <i>Learning and Memory</i> , 2004, 11, 727-731.	0.5	117
313	Brain-Derived Neurotrophic Factor and Tyrosine Kinase Receptor B Involvement in Amygdala-Dependent Fear Conditioning. <i>Journal of Neuroscience</i> , 2004, 24, 4796-4806.	1.7	315
314	Olfactory receptor surface expression is driven by association with the $\hat{A}2$ -adrenergic receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13672-13676.	3.3	102
315	Facilitation of Conditioned Fear Extinction by Systemic Administration or Intra-Amygdala Infusions of d-Cycloserine as Assessed with Fear-Potentiated Startle in Rats. <i>Journal of Neuroscience</i> , 2002, 22, 2343-2351.	1.7	776
316	Regulation of Synaptic Plasticity Genes during Consolidation of Fear Conditioning. <i>Journal of Neuroscience</i> , 2002, 22, 7892-7902.	1.7	197
317	Role of Norepinephrine in the Pathophysiology of Neuropsychiatric Disorders. <i>CNS Spectrums</i> , 2001, 6, 663-670.	0.7	49
318	Role of serotonergic and noradrenergic systems in the pathophysiology of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2000, 12, 2-19.	2.0	746
319	Role of serotonergic and noradrenergic systems in the pathophysiology of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2000, 12, 2-19.	2.0	510
320	Role of norepinephrine in the pathophysiology and treatment of mood disorders. <i>Biological Psychiatry</i> , 1999, 46, 1219-1233.	0.7	254
321	Spatial patterning and information coding in the olfactory system. <i>Current Opinion in Genetics and Development</i> , 1995, 5, 516-523.	1.5	64
322	Target-independent pattern specification in the olfactory epithelium. <i>Neuron</i> , 1995, 15, 779-789.	3.8	145
323	Information coding in the olfactory system: Evidence for a stereotyped and highly organized epitope map in the olfactory bulb. <i>Cell</i> , 1994, 79, 1245-1255.	13.5	1,086
324	A molecular dissection of spatial patterning in the olfactory system. <i>Current Opinion in Neurobiology</i> , 1994, 4, 588-596.	2.0	113

#	ARTICLE	IF	CITATIONS
325	Olfactory Receptor Family: Diversity and Spatial Patterning. , 1994, , 127-131.		0
326	A zonal organization of odorant receptor gene expression in the olfactory epithelium. Cell, 1993, 73, 597-609.	13.5	1,008
327	Translational approaches to the treatment of anxiety disorders. , 0, , 14-26.		0
328	Associations among civilian mild traumatic brain injury with loss of consciousness, posttraumatic stress disorder symptom trajectories, and structural brain volumetric data. Journal of Traumatic Stress, 0, , .	1.0	2