## Hans Tore Rapp

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11796617/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dissolved organic carbon ( <scp>DOC</scp> ) is essential to balance the metabolic demands of four dominant <scp>Northâ€Atlantic</scp> deepâ€sea sponges. Limnology and Oceanography, 2021, 66, 925-938.	3.1	21
2	Macro and Microstructural Characteristics of North Atlantic Deep-Sea Sponges as Bioinspired Models for Tissue Engineering Scaffolding. Frontiers in Marine Science, 2021, 7, .	2.5	11
3	Seasonal Variability in Near-bed Environmental Conditions in the Vazella pourtalesii Glass Sponge Grounds of the Scotian Shelf. Frontiers in Marine Science, 2021, 7, .	2.5	7
4	Longâ€ŧerm Observations Reveal Environmental Conditions and Food Supply Mechanisms at an Arctic Deep‣ea Sponge Ground. Journal of Geophysical Research: Oceans, 2021, 126, e2020JC016776.	2.6	10
5	The Hexactinellid Deep-Water Sponge Vazella pourtalesii (Schmidt, 1870) (Rossellidae) Copes With Temporarily Elevated Concentrations of Suspended Natural Sediment. Frontiers in Marine Science, 2021, 8, .	2.5	10
6	A Microbial Nitrogen Engine Modulated by Bacteriosyncytia in Hexactinellid Sponges: Ecological Implications for Deep-Sea Communities. Frontiers in Marine Science, 2021, 8, .	2.5	15
7	A Deep-Sea Sponge Loop? Sponges Transfer Dissolved and Particulate Organic Carbon and Nitrogen to Associated Fauna. Frontiers in Marine Science, 2021, 8, .	2.5	37
8	In situ observation of sponge trails suggests common sponge locomotion in the deep central Arctic. Current Biology, 2021, 31, R368-R370.	3.9	9
9	Bioactivity of Biosilica Obtained From North Atlantic Deep-Sea Sponges. Frontiers in Marine Science, 2021, 8, .	2.5	2
10	Myogenesis of Siboglinum fiordicum sheds light on body regionalisation in beard worms (Siboglinidae, Annelida). Frontiers in Zoology, 2021, 18, 44.	2.0	4
11	Benthic Communities on the Mohn's Treasure Mound: Implications for Management of Seabed Mining in the Arctic Mid-Ocean Ridge. Frontiers in Marine Science, 2020, 7, .	2.5	13
12	Differential processing of dissolved and particulate organic matter by deep-sea sponges and their microbial symbionts. Scientific Reports, 2020, 10, 17515.	3.3	33
13	The Molecular Machinery of Gametogenesis in <i>Geodia</i> Demosponges (Porifera): Evolutionary Origins of a Conserved Toolkit across Animals. Molecular Biology and Evolution, 2020, 37, 3485-3506.	8.9	19
14	Reproductive Biology of Geodia Species (Porifera, Tetractinellida) From Boreo-Arctic North-Atlantic Deep-Sea Sponge Grounds. Frontiers in Marine Science, 2020, 7, .	2.5	12
15	Deep-sea sponge grounds as nutrient sinks: denitrification is common in boreo-Arctic sponges. Biogeosciences, 2020, 17, 1231-1245.	3.3	21
16	A New Species of Osedax (Siboglinidae: Annelida) From Colonization Experiments in the Arctic Deep Sea. Frontiers in Marine Science, 2020, 7, .	2.5	5
17	On giant shoulders: how a seamount affects the microbial community composition of seawater and sponges. Biogeosciences, 2020, 17, 3471-3486.	3.3	20
18	Rock sponges (lithistid Demospongiae) of the Northeast Atlantic seamounts, with description of ten new species. PeerJ, 2020, 8, e8703.	2.0	8

#	Article	lF	CITATIONS
19	sFDvent: A global trait database for deepâ€sea hydrothermalâ€vent fauna. Global Ecology and Biogeography, 2019, 28, 1538-1551.	5.8	42
20	Deep-Sea Carnivorous Sponges From the Mariana Islands. Frontiers in Marine Science, 2019, 6, .	2.5	7
21	Description of new chiactine-bearing sponges provides insights into the higher classification of Calcaronea (Porifera: Calcarea). Zootaxa, 2019, 4615, zootaxa.4615.2.1.	0.5	6
22	Temporal changes in benthic macrofauna on the west coast of Norway resulting from human activities. Marine Pollution Bulletin, 2018, 128, 483-495.	5.0	29
23	Polymastiidae (Porifera: Demospongiae) of the Nordic and Siberian Seas. Journal of the Marine Biological Association of the United Kingdom, 2018, 98, 1273-1335.	0.8	17
24	Predicted distribution of the glass sponge Vazella pourtalesi on the Scotian Shelf and its persistence in the face of climatic variability. PLoS ONE, 2018, 13, e0205505.	2.5	36
25	Increased taxon sampling provides new insights into the phylogeny and evolution of the subclass Calcaronea (Porifera, Calcarea). Organisms Diversity and Evolution, 2018, 18, 279-290.	1.6	17
26	Carnivorous sponges (Porifera, Cladorhizidae) from the Southwest Indian Ocean Ridge seamounts. Deep-Sea Research Part II: Topical Studies in Oceanography, 2017, 137, 166-189.	1.4	12
27	Polymastiidae (Demospongiae: Hadromerida) with ornamented exotyles: a review of morphological affinities and description of a new genus and three new species. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 1351-1406.	0.8	8
28	Sponge Grounds as Key Marine Habitats: A Synthetic Review of Types, Structure, Functional Roles, and Conservation Concerns. , 2017, , 145-183.		72
29	New species of Ampharetidae (Annelida: Polychaeta) from the Arctic Loki Castle vent field. Deep-Sea Research Part II: Topical Studies in Oceanography, 2017, 137, 232-245.	1.4	19
30	The Relative Abundance and Transcriptional Activity of Marine Sponge-Associated Microorganisms Emphasizing Groups Involved in Sulfur Cycle. Microbial Ecology, 2017, 73, 668-676.	2.8	41
31	Molecular phylogenies challenge the classification of Polymastiidae (Porifera, Demospongiae) based on morphology. Organisms Diversity and Evolution, 2017, 17, 45-66.	1.6	13
32	A review of carnivorous sponges (Porifera: Cladorhizidae) from the Boreal North Atlantic and Arctic. Zoological Journal of the Linnean Society, 2017, 181, 1-69.	2.3	35
33	Metabolic Profiling as a Screening Tool for Cytotoxic Compounds: Identification of 3-Alkyl Pyridine Alkaloids from Sponges Collected at a Shallow Water Hydrothermal Vent Site North of Iceland. Marine Drugs, 2017, 15, 52.	4.6	13
34	3,7-Isoquinoline quinones from the ascidian tunicate Ascidia virginea. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2017, 72, 259-264.	1.4	3
35	Taxonomy of <i>Cladorhiza</i> in the deep SW Atlantic: <i>C. nicoleae</i> sp. nov. and redescription of <i>C. inversa</i> (Cladorhizidae, Poecilosclerida, Demospongiae). Journal of the Marine Biological Association of the United Kingdom, 2016, 96, 297-303.	0.8	3
36	The cladorhizid fauna (Porifera, Poecilosclerida) of the Caribbean and adjacent waters. Zootaxa, 2016, 4175, 521-538.	0.5	8

#	Article	lF	CITATIONS
37	The systematics of carnivorous sponges. Molecular Phylogenetics and Evolution, 2016, 94, 327-345.	2.7	40
38	Demosponges from the Northern Mid-Atlantic Ridge shed more light on the diversity and biogeography of North Atlantic deep-sea sponges. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 1475-1516.	0.8	40
39	Systematics and biodiversity of deep-sea sponges of the Atlanto-Mediterranean region. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 1285-1286.	0.8	7
40	A monograph of the calcareous sponges (Porifera, Calcarea) of Greenland. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 1395-1459.	0.8	14
41	The influence of vent systems on pelagic eukaryotic micro-organism composition in the Nordic Seas. Polar Biology, 2015, 38, 547-558.	1.2	7
42	Novel Barite Chimneys at the Loki's Castle Vent Field Shed Light on Key Factors Shaping Microbial Communities and Functions in Hydrothermal Systems. Frontiers in Microbiology, 2015, 6, 1510.	3.5	36
43	Sponge Grounds as Key Marine Habitats: A Synthetic Review of Types, Structure, Functional Roles, and Conservation Concerns. , 2015, , 1-39.		52
44	Developmental gene expression provides clues to relationships between sponge and eumetazoan body plans. Nature Communications, 2014, 5, 3905.	12.8	110
45	A molecular gut content study of <i><scp>T</scp>hemisto abyssorum</i> ( <scp>A</scp> mphipoda) from <scp>A</scp> rctic hydrothermal vent and cold seep systems. Molecular Ecology, 2014, 23, 3877-3889.	3.9	15
46	Taxonomy, biogeography and DNA barcodes of <i>Geodia</i> species (Porifera, Demospongiae,) Tj ETQq0 0 0 rgE 169, 251-311.	3T /Overloc 2.3	ck 10 Tf 50 38 70
47	Disrupted spiculogenesis in deepâ€water Geodiidae (Porifera, Demospongiae) growing in shallow waters. Invertebrate Biology, 2013, 132, 173-194.	0.9	33
48	A Molecular Phylogeny for the Order Clathrinida Rekindles and Refines Haeckel's Taxonomic Proposal for Calcareous Sponges. Integrative and Comparative Biology, 2013, 53, 447-461.	2.0	33
49	A new species of <i>Exitomelita</i> (Amphipoda: Melitidae) from a deep-water wood fall in the northern Norwegian Sea. Journal of Natural History, 2013, 47, 1875-1889.	0.5	9
50	<p class="HeadingRunIn"><strong>Two new species of calcareous sponges (Porifera:) Tj ETQq0 0 0 rg waters</strong></p> . Zootaxa, 2013, 3692, 149.	BT /Overlo 0.5	ock 10 Tf 50 2 13
51	Taxonomic revision of Leucascus Dendy, 1892 (Porifera: Calcarea) with revalidation of Ascoleucetta Dendy & Frederick, 1924 and description of three new species. Zootaxa, 2013, 3619, 275-314.	0.5	15
52	Relationships between Host Phylogeny, Host Type and Bacterial Community Diversity in Cold-Water Coral Reef Sponges. PLoS ONE, 2013, 8, e55505.	2.5	64
53	PCR-DHPLC assay for the identification of predator-prey interactions. Journal of Plankton Research, 2012, 34, 277-285.	1.8	7
54	Genome-wide analysis of the sox family in the calcareous sponge Sycon ciliatum: multiple genes with unique expression patterns. EvoDevo, 2012, 3, 14.	3.2	59

#	Article	IF	CITATIONS
55	A review of Norwegian streptaster-bearing Astrophorida (Porifera: Demospongiae: Tetractinellida), new records and a new species. Zootaxa, 2012, 3253, 1.	0.5	31
56	Exitomelita sigynae gen. et sp. nov.: a new amphipod from the Arctic Loki Castle vent field with potential gill ectosymbionts. Polar Biology, 2012, 35, 705-716.	1.2	20
57	Ammoniaâ€oxidizing archaea as main drivers of nitrification in coldâ€water sponges. Environmental Microbiology, 2012, 14, 909-923.	3.8	135
58	Metatranscriptomics of the marine sponge <i>Geodia barretti</i> : tackling phylogeny and function of its microbial community. Environmental Microbiology, 2012, 14, 1308-1324.	3.8	124
59	Nicomache (Loxochona) lokii sp. nov. (Annelida: Polychaeta: Maldanidae) from the Loki's Castle vent field: an important structure builder in an Arctic vent system. Polar Biology, 2012, 35, 161-170.	1.2	28
60	Calcareous sponges from abyssal and bathyal depths in the Weddell Sea, Antarctica. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 58-67.	1.4	22
61	Redescription of Jenkina articulata BrĄ̃,ndsted from the deep Eckström Shelf, E-Weddell Sea, Antarctica and a comment on the possible mass occurrence of this species. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 2022-2026.	1.4	7
62	Phylogenetic signal in the evolution of body colour and spicule skeleton in calcareous sponges. Zoological Journal of the Linnean Society, 2011, 163, 1026-1034.	2.3	21
63	Xandarovula patula (Gastropoda: Ovulidae) new to Scandinavia. Marine Biodiversity Records, 2011, 4, .	1.2	3
64	Molecular Phylogeny of the Astrophorida (Porifera, Demospongiaep) Reveals an Unexpected High Level of Spicule Homoplasy. PLoS ONE, 2011, 6, e18318.	2.5	74
65	Molecular taxonomy and phylogeny of the Geodiidae (Porifera, <i>Demospongiae</i> , Astrophorida) – combining phylogenetic and Linnaean classification. Zoologica Scripta, 2010, 39, 89-106.	1.7	66
66	A case of co-occurrence between Sclerolinum pogonophoran (Siboglinidae: Annelida) and Xylophaga (Bivalvia) from a north-east Atlantic wood-fall. Marine Biodiversity Records, 2010, 3, .	1.2	7
67	The fauna of hydrothermal vents on the Mohn Ridge (North Atlantic). Marine Biology Research, 2010, 6, 155-171.	0.7	88
68	Discovery of a black smoker vent field and vent fauna at the Arctic Mid-Ocean Ridge. Nature Communications, 2010, 1, 126.	12.8	156
69	Morphological description and DNA barcodes of shallow-water Tetractinellida (Porifera:) Tj ETQq1 1 0.784314 rgB 1-39.	T /Overloc 0.5	ck 10 Tf 50 1 40
70	Inter- and intra-habitat bacterial diversity associated with cold-water corals. ISME Journal, 2009, 3, 756-759.	9.8	57
71	Revalidation of <i>Leucetta floridana</i> (Haeckel, 1872) (Porifera, Calcarea): a widespread species in the tropical western Atlantic. Zoological Journal of the Linnean Society, 2009, 157, 1-16.	2.3	21
72	Complex nitrogen cycling in the sponge <i>Geodia barretti</i> . Environmental Microbiology, 2009, 11, 2228-2243.	3.8	286

#	Article	IF	CITATIONS
73	The chitonHanleya nagelfar(Polyplacophora, Mollusca) and its association with sponges in the European Northern Atlantic. Marine Biology Research, 2009, 5, 408-411.	0.7	13
74	Redescription and resurrection of Pachymatisma normani (Demospongiae: Geodiidae), with remarks on the genus Pachymatisma. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 1511-1525.	0.8	17
75	Calcareous sponges of the genera Clathrina and Guancha (Calcinea, Calcarea, Porifera) of Norway (north-east Atlantic) with the description of five new species. Zoological Journal of the Linnean Society, 2006, 147, 331-365.	2.3	35
76	Monitoring Microbial Community Composition by Fluorescence In Situ Hybridization During Cultivation of the Marine Cold-Water Sponge Geodia barretti. Marine Biotechnology, 2006, 8, 373-379.	2.4	34
77	Oxygen dynamics in choanosomal sponge explants. Marine Biology Research, 2005, 1, 160-163.	0.7	42
78	An Anaerobic World in Sponges. Geomicrobiology Journal, 2005, 22, 1-10.	2.0	198
79	Sedimentary inclusions in the deepâ€water sponge Geodia barretti (Geodiidae, Demospongiae) from the Korsfjord, western Norway. Sarsia, 2004, 89, 245-252.	0.5	16
80	Growth and regeneration in cultivated fragments of the boreal deep water sponge Geodia barretti Bowerbank, 1858 (Geodiidae, Tetractinellida, Demospongiae). Journal of Biotechnology, 2003, 100, 109-118.	3.8	56
81	Two new species of <i>Clathrina</i> (Porifera, Calcarea) from the Norwegian coast. Sarsia, 2001, 86, 69-74.	0.5	16