

# Jaroslav Meluzin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/11800561/jaroslav-meluzin-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47  
papers

1,144  
citations

14  
h-index

33  
g-index

47  
ext. papers

1,229  
ext. citations

2.2  
avg, IF

3.22  
L-index

#	Paper	IF	Citations
47	Prognostic value of the amount of dysfunctional but viable myocardium in revascularized patients with coronary artery disease and left ventricular dysfunction. Investigators of this Multicenter Study. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 32, 912-20	15.1	194
46	Prognostic importance of various echocardiographic right ventricular functional parameters in patients with symptomatic heart failure. <i>Journal of the American Society of Echocardiography</i> , <b>2005</b> , 18, 435-44	5.8	155
45	Autologous transplantation of mononuclear bone marrow cells in patients with acute myocardial infarction: the effect of the dose of transplanted cells on myocardial function. <i>American Heart Journal</i> , <b>2006</b> , 152, 975.e9-15	4.9	143
44	Three-, 6-, and 12-month results of autologous transplantation of mononuclear bone marrow cells in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , <b>2008</b> , 128, 185-92	3.2	90
43	Combined right ventricular systolic and diastolic dysfunction represents a strong determinant of poor prognosis in patients with symptomatic heart failure. <i>International Journal of Cardiology</i> , <b>2005</b> , 105, 164-73	3.2	76
42	A fast and simple echocardiographic method of determination of the optimal atrioventricular delay in patients after biventricular stimulation. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2004</b> , 27, 58-64	1.6	74
41	Left ventricular mechanics in idiopathic dilated cardiomyopathy: systolic-diastolic coupling and torsion. <i>Journal of the American Society of Echocardiography</i> , <b>2009</b> , 22, 486-93	5.8	55
40	Dobutamine echocardiography in predicting improvement in global left ventricular systolic function after coronary bypass or angioplasty in patients with healed myocardial infarcts. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 877-80	3	55
39	Estimation of left ventricular filling pressures by speckle tracking echocardiography in patients with idiopathic dilated cardiomyopathy. <i>European Journal of Echocardiography</i> , <b>2011</b> , 12, 11-8		54
38	Prognosis of patients with chronic coronary artery disease and severe left ventricular dysfunction. The importance of myocardial viability. <i>European Journal of Heart Failure</i> , <b>2003</b> , 5, 85-93	12.3	26
37	Association of coronary artery disease, erectile dysfunction, and endothelial nitric oxide synthase polymorphisms. <i>Heart and Vessels</i> , <b>2009</b> , 24, 157-63	2.1	24
36	The role of exercise echocardiography in the diagnostics of heart failure with normal left ventricular ejection fraction. <i>European Journal of Echocardiography</i> , <b>2011</b> , 12, 591-602		23
35	Prevalence and Predictors of Early Heart Failure With Preserved Ejection Fraction in Patients With Paroxysmal Atrial Fibrillation. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 558-562	3.3	17
34	Cell therapy in patients with left ventricular dysfunction due to myocardial infarction. <i>Echocardiography</i> , <b>2008</b> , 25, 888-97	1.5	16
33	Ventricular dyssynchrony assessment using ultra-high frequency ECG technique. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2017</b> , 49, 245-254	2.4	12
32	Individual differences in the effectiveness of intracoronary bone marrow cell transplantation assessed by gated sestamibi SPECT/FDG PET imaging. <i>Journal of Nuclear Cardiology</i> , <b>2008</b> , 15, 392-9	2.1	12
31	Noninvasive prediction of the exercise-induced elevation in left ventricular filling pressure in post-heart transplant patients with normal left ventricular ejection fraction. <i>Experimental and Clinical Cardiology</i> , <b>2013</b> , 18, 63-72		12

30	The unique value of cardiovascular magnetic resonance in patients with suspected acute coronary syndrome and culprit-free coronary angiograms. <i>BMC Cardiovascular Disorders</i> , <b>2017</b> , 17, 170	2.3	9
29	Czech Society of Cardiology Guidelines for the Diagnosis and Treatment of Chronic Heart Failure 2011. <i>Cor Et Vasa</i> , <b>2012</b> , 54, e113-e134	0.3	9
28	Can biomarkers help to diagnose early heart failure with preserved ejection fraction?. <i>Disease Markers</i> , <b>2015</b> , 2015, 426045	3.2	8
27	Matrix Metalloproteinase 13 Genotype in rs640198 Polymorphism Is Associated with Severe Coronary Artery Disease. <i>Disease Markers</i> , <b>2012</b> , 33, 43-49	3.2	8
26	Variability of changes in Doppler transmitral filling pattern during stress echocardiography in patients with stable angina pectoris. <i>International Journal of Cardiology</i> , <b>1994</b> , 45, 209-17	3.2	8
25	Intracoronary delivery of bone marrow cells to the acutely infarcted myocardium. Optimization of the delivery technique. <i>Cardiology</i> , <b>2009</b> , 112, 98-106	1.6	7
24	The prognostic impact of myocardial late gadolinium enhancement. <i>Cardiology in Review</i> , <b>2014</b> , 22, 128-39	3.2	6
23	Prognostic importance of the quantification of myocardial viability in revascularized patients with coronary artery disease and moderate-to-severe left ventricular dysfunction. <i>International Journal of Cardiology</i> , <b>2003</b> , 90, 23-31; discussion 31-2	3.2	6
22	Longitudinal, circumferential and radial systolic left ventricular function in patients with heart failure and preserved ejection fraction. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2016</b> , 160, 385-92	1.7	6
21	Left atrium assessment: the evolving role of MRI. <i>Journal of Cardiovascular Medicine</i> , <b>2015</b> , 16, 671-80	1.9	4
20	Long-term results of intracoronary bone marrow cell transplantation: the potential of gated sestamibi SPECT/FDG PET imaging to select patients with maximum benefit from cell therapy. <i>Clinical Nuclear Medicine</i> , <b>2010</b> , 35, 780-7	1.7	4
19	Autologous transplantation of mononuclear bone marrow cells in patients with chronic myocardial infarction. <i>Cor Et Vasa</i> , <b>2007</b> , 49, 46-54	0.3	4
18	Can markers of collagen turnover or other biomarkers contribute to the diagnostics of heart failure with normal left ventricular ejection fraction?. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2013</b> , 157, 331-9	1.7	4
17	High prevalence of exercise-induced heart failure with normal ejection fraction in post-heart transplant patients. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2014</b> , 158, 295-302	1.7	4
16	New echocardiographic parameters in the diagnosis of heart failure with preserved ejection fraction. <i>International Journal of Cardiovascular Imaging</i> , <b>2018</b> , 34, 229-235	2.5	3
15	Post-systolic shortening influences early diastolic filling in patients with dilated cardiomyopathy. <i>Cor Et Vasa</i> , <b>2012</b> , 54, e62-e67	0.3	3
14	Speckle tracking echocardiography - a new tool for quantification of myocardial function. <i>Cor Et Vasa</i> , <b>2008</b> , 50, 28-33	0.3	3
13	Superparamagnetic iron oxide-enhanced magnetic resonance for imaging cardiac inflammation. A minireview. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2015</b> , 159, 378-81	1.7	3

12	The prognostic effect of different types of cardiac rehabilitation in patients with coronary artery disease. <i>Acta Cardiologica</i> , <b>2013</b> , 68, 575-581	0.9	2
11	Usefulness of left ventricle dyssynchrony assessment before cardiac resynchronization implantation. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2010</b> , 154, 39-46	1.7	2
10	Improvement in the prediction of exercise-induced elevation of left ventricular filling pressure in patients with normal left ventricular ejection fraction. <i>Echocardiography</i> , <b>2017</b> , 34, 78-86	1.5	1
9	Variability of post-exercise pulmonary capillary wedge pressure recovery. Implications for noninvasive echocardiographic diagnostics. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2015</b> , 159, 114-9	1.7	1
8	The prognostic effect of different types of cardiac rehabilitation in patients with coronary artery disease. <i>Acta Cardiologica</i> , <b>2013</b> , 68, 575-81	0.9	1
7	Comparison of clinical guidelines for the diagnosis and treatment of chronic heart failure of $\text{K}$ S and ESC 2012. <i>Cor Et Vasa</i> , <b>2013</b> , 55, e301-e308	0.3	
6	Risk stratification in patients with chronic heart failure by assessment of right ventricular isovolumic relaxation time using tissue Doppler imaging. <i>Cor Et Vasa</i> , <b>2006</b> , 48, 305-310	0.3	
5	Do we always consistently define the clinically important echocardiographic parameters?. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2014</b> , 158, 313-4	1.7	
4	Can we diagnose isolated, exercise-induced heart failure with normal ejection fraction?. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2015</b> , 159, 513-8	1.7	
3	The role of exercise echocardiography in the diagnosis of heart failure with preserved left ventricular ejection fraction (primary diastolic heart failure). <i>Cor Et Vasa</i> , <b>2010</b> , 52, 162-167	0.3	
2	Are our criteria for selection of candidates for cardiac resynchronization therapy correct?. <i>Cor Et Vasa</i> , <b>2011</b> , 53, 535-541	0.3	
1	Which echocardiographic parameters do we need for the diagnostics of primary diastolic heart failure?. <i>Cor Et Vasa</i> , <b>2011</b> , 53, 630-636	0.3	