

Jung-Min Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1180313/publications.pdf>

Version: 2024-02-01

24
papers

187
citations

1163117

8
h-index

1125743

13
g-index

25
all docs

25
docs citations

25
times ranked

305
citing authors

#	ARTICLE	IF	CITATIONS
1	Nrf2 Negatively Regulates Melanogenesis by Modulating PI3K/Akt Signaling. <i>PLoS ONE</i> , 2014, 9, e96035.	2.5	47
2	Induction of alopecia areata in C3H/HeJ mice using polyinosinic-polycytidylic acid (poly[I:C]) and interferon-gamma. <i>Scientific Reports</i> , 2018, 8, 12518.	3.3	22
3	Double-stranded RNA induces inflammation via the NF- κ B pathway and inflammasome activation in the outer root sheath cells of hair follicles. <i>Scientific Reports</i> , 2017, 7, 44127.	3.3	21
4	Regulation of keratinocyte differentiation by O-GlcNAcylation. <i>Journal of Dermatological Science</i> , 2014, 75, 10-15.	1.9	13
5	Clinical significance of serum high-mobility group box 1 level in alopecia areata. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 742-747.	1.2	12
6	The inhibitory effect of A20 on the inflammatory reaction of epidermal keratinocytes. <i>International Journal of Molecular Medicine</i> , 2016, 37, 1099-1104.	4.0	11
7	Inhibitory effect of cucurbitacin B on imiquimod-induced skin inflammation. <i>Biochemical and Biophysical Research Communications</i> , 2015, 459, 673-678.	2.1	10
8	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. <i>PLoS ONE</i> , 2020, 15, e0232206.	2.5	10
9	The expression pattern and functional role of REIC/Dkk-3 in the development of cutaneous squamous cell carcinoma. <i>Journal of Dermatological Science</i> , 2016, 84, 88-96.	1.9	8
10	Putative therapeutic mechanisms of simvastatin in the treatment of alopecia areata. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 782-784.	1.2	7
11	Activation of NLRP3 Inflammasome by Palmitic Acid in Human Sebocytes. <i>Annals of Dermatology</i> , 2021, 33, 541.	0.9	7
12	Clinical Relevance for Serum Cold-Inducible RNA-Binding Protein Level in Alopecia Areata. <i>Annals of Dermatology</i> , 2019, 31, 387.	0.9	5
13	Exome sequencing reveals novel candidate gene variants associated with clinical characteristics in alopecia areata patients. <i>Journal of Dermatological Science</i> , 2020, 99, 216-220.	1.9	5
14	Identification of a possible susceptibility locus for UVB-induced skin tanning phenotype in Korean females using genomewide association study. <i>Experimental Dermatology</i> , 2015, 24, 942-946.	2.9	3
15	Kaposi Sarcoma-Like Lesions Caused by <i>Candida guilliermondii</i> Infection in a Kidney Transplant Patient. <i>Annals of Dermatology</i> , 2021, 33, 91.	0.9	2
16	Azidothymidine Downregulates Insulin-Like Growth Factor-1 Induced Lipogenesis by Suppressing Mitochondrial Biogenesis and Mitophagy in Immortalized Human Sebocytes. <i>Annals of Dermatology</i> , 2021, 33, 425.	0.9	2
17	Possible role of tropomyosin-receptor kinase fused gene on skin collagen remodeling. <i>Journal of Dermatological Science</i> , 2017, 88, 375-377.	1.9	1
18	Possible Role of Single Stranded DNA Binding Protein 3 on Skin Hydration by Regulating Epidermal Differentiation. <i>Annals of Dermatology</i> , 2018, 30, 432.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. , 2020, 15, e0232206.		0
20	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. , 2020, 15, e0232206.		0
21	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. , 2020, 15, e0232206.		0
22	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. , 2020, 15, e0232206.		0
23	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. , 2020, 15, e0232206.		0
24	Deficiency of Crif1 in hair follicle stem cells retards hair growth cycle in adult mice. , 2020, 15, e0232206.		0