Lars N Jørgensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1180320/publications.pdf

Version: 2024-02-01

| | | 136950 | 149698 |
|----------|----------------|--------------|----------------|
| 135 | 3,925 | 32 | 56 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 139 | 139 | 139 | 3780 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Effect of High Perioperative Oxygen Fraction on Surgical Site Infection and Pulmonary Complications After Abdominal Surgery. JAMA - Journal of the American Medical Association, 2009, 302, 1543. | 7.4 | 360 |
| 2 | Anastomotic Leak Increases Distant Recurrence and Long-Term Mortality After Curative Resection for Colonic Cancer. Annals of Surgery, 2014, 259, 930-938. | 4.2 | 212 |
| 3 | Nationwide Prospective Study of Outcomes after Elective Incisional Hernia Repair. Journal of the American College of Surgeons, 2013, 216, 217-228. | 0.5 | 195 |
| 4 | Update of Guidelines for laparoscopic treatment of ventral and incisional abdominal wall hernias (International Endohernia Society (IEHS))—Part A. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 3069-3139. | 2.4 | 185 |
| 5 | A nationwide study on anastomotic leakage after colonic cancer surgery. Colorectal Disease, 2012, 14, e661-7. | 1.4 | 160 |
| 6 | Increased Long-Term Mortality After a High Perioperative Inspiratory Oxygen Fraction During Abdominal Surgery. Anesthesia and Analgesia, 2012, 115, 849-854. | 2.2 | 148 |
| 7 | Prophylaxis of postoperative thromboembolism with low molecular weight heparins. British Journal of Surgery, 2005, 80, 689-704. | 0.3 | 147 |
| 8 | Update of Guidelines for laparoscopic treatment of ventral and incisional abdominal wall hernias (International Endohernia Society (IEHS)): Part B. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 3511-3549. | 2.4 | 97 |
| 9 | Comparison of hernia registries: the CORE project. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 561-575. | 2.0 | 86 |
| 10 | Matrix metalloproteinase 9 level predicts optimal collagen deposition during early wound repair in humans. British Journal of Surgery, 2003, 85, 68-71. | 0.3 | 70 |
| 11 | Management of Anastomotic Leakage in a Nationwide Cohort of Colonic Cancer Patients. Journal of the American College of Surgeons, 2014, 218, 940-949. | 0.5 | 67 |
| 12 | Perioperative hyperoxia â€" Long-term impact on cardiovascular complications after abdominal surgery, a post hoc analysis of the PROXI trial. International Journal of Cardiology, 2016, 215, 238-243. | 1.7 | 66 |
| 13 | Short-term spheroid culture of primary colorectal cancer cells as an in vitro model for personalizing cancer medicine. PLoS ONE, 2017, 12, e0183074. | 2.5 | 66 |
| 14 | Establishment and initial experiences from the Danish Ventral Hernia Database. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2010, 14, 131-135. | 2.0 | 60 |
| 15 | Less collagen production in smokers. Surgery, 1998, 123, 450-5. | 1.9 | 59 |
| 16 | Randomized clinical trial of self-gripping mesh <i>versus</i> sutured mesh for Lichtenstein hernia repair. British Journal of Surgery, 2013, 100, 474-481. | 0.3 | 56 |
| 17 | Risk of new or recurrent cancer after a high perioperative inspiratory oxygen fraction during abdominal surgery. British Journal of Anaesthesia, 2014, 113, i74-i81. | 3.4 | 55 |
| 18 | Randomized clinical trial of single- <i>versus</i> multi-incision laparoscopic cholecystectomy. British Journal of Surgery, 2014, 101, 347-355. | 0.3 | 53 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The collagen turnover profile is altered in patients with inguinal and incisional hernia. Surgery, 2015, 157, 312-321. | 1.9 | 52 |
| 20 | Abdominal wall hernia repair with a composite ePTFE/polypropylene mesh: clinical outcome and quality of life in 152 patients. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2010, 14, 555-560. | 2.0 | 46 |
| 21 | Abdominal Wall Reconstruction for Incisional Hernia Optimizes Truncal Function and Quality of Life. Annals of Surgery, 2017, 265, 1235-1240. | 4.2 | 46 |
| 22 | Serum YKL-40 in Risk Assessment for Colorectal Cancer: A Prospective Study of 4,496 Subjects at Risk of Colorectal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 621-626. | 2.5 | 45 |
| 23 | Abdominal wall hernia and pregnancy: a systematic review. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2015, 19, 689-696. | 2.0 | 45 |
| 24 | Pharmacological interventions for improved colonic anastomotic healing: A meta-analysis. World Journal of Gastroenterology, 2014, 20, 12637. | 3.3 | 42 |
| 25 | Enhanced recovery after giant ventral hernia repair. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2016, 20, 249-256. | 2.0 | 42 |
| 26 | Unsuspected femoral hernia in patients with a preoperative diagnosis of recurrent inguinal hernia. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2012, 16, 381-385. | 2.0 | 41 |
| 27 | Fluorescence spectroscopy as a potential metabonomic tool for early detection of colorectal cancer. Metabolomics, 2012, 8, 111-121. | 3.0 | 40 |
| 28 | Botulinum Toxin A as an Adjunct to Abdominal Wall Reconstruction for Incisional Hernia. Plastic and Reconstructive Surgery - Global Open, 2017, 5, e1358. | 0.6 | 40 |
| 29 | Premenopausal women deposit more collagen than men during healing of an experimental wound. Surgery, 2002, 131, 338-343. | 1.9 | 39 |
| 30 | Occurrence and survival of synchronous pulmonary metastases in colorectal cancer: A nationwide cohort study. European Journal of Cancer, 2014, 50, 447-456. | 2.8 | 38 |
| 31 | Incisional hernias after open versus laparoscopic surgery for colonic cancer: a nationwide cohort study. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 4469-4479. | 2.4 | 37 |
| 32 | Detection of colorectal neoplasia: Combination of eight blood-based, cancer-associated protein biomarkers. International Journal of Cancer, 2017, 140, 1436-1446. | 5.1 | 37 |
| 33 | Factors affecting patient adherence to publicly funded colorectal cancer screening programmes: a systematic review. Public Health, 2021, 190, 67-74. | 2.9 | 37 |
| 34 | Continuous vital sign monitoring after major abdominal surgery—Quantification of micro events. Acta Anaesthesiologica Scandinavica, 2018, 62, 1200-1208. | 1.6 | 36 |
| 35 | The Danish Ventral Hernia Database & Database amp; ndash; a valuable tool for quality assessment and research. Clinical Epidemiology, 2016, Volume 8, 719-723. | 3.0 | 34 |
| 36 | Perioperative oxygen fraction – effect on surgical site infection and pulmonary complications after abdominal surgery: a randomized clinical trial. Rationale and design of the PROXI-Trial. Trials, 2008, 9, 58. | 1.6 | 32 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | No difference in incidence of port-site hernia and chronic pain after single-incision laparoscopic cholecystectomy versus conventional laparoscopic cholecystectomy: a nationwide prospective, matched cohort study. Surgical Endoscopy and Other Interventional Techniques, 2015, 29, 3239-3245. | 2.4 | 32 |
| 38 | Genomic alterations accompanying tumour evolution in colorectal cancer: tracking the differences between primary tumours and synchronous liver metastases by whole-exome sequencing. BMC Cancer, 2018, 18, 752. | 2.6 | 29 |
| 39 | A randomised controlled trial of bilateral dual transversus abdominis plane blockade for laparoscopic appendicectomy. Anaesthesia, 2015, 70, 1395-1400. | 3.8 | 27 |
| 40 | Primary ventral or groin hernia in pregnancy: a cohort study of 20,714 women. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2017, 21, 335-339. | 2.0 | 27 |
| 41 | Increased risk of ventral hernia recurrence after pregnancy: AÂnationwide register-based study. American Journal of Surgery, 2017, 214, 474-478. | 1.8 | 26 |
| 42 | Evaluation of the wound healing potential in human beings from the subcutaneous insertion of expanded polytetrafluoroethylene tubes. A methodologic study. Wound Repair and Regeneration, 1994, 2, 20-30. | 3.0 | 24 |
| 43 | Laparoscopic intraperitoneal versus enhanced-view totally extraperitoneal retromuscular mesh repair for ventral hernia: a retrospective cohort study. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 1500-1506. | 2.4 | 24 |
| 44 | Recurrent umbilical or epigastric hernia during and after pregnancy: AÂnationwide cohort study. Surgery, 2016, 159, 1677-1683. | 1.9 | 23 |
| 45 | Abdominal wall reconstruction for large incisional hernia restores expiratory lung function. Surgery, 2017, 161, 517-524. | 1.9 | 23 |
| 46 | Hyperoxia and Antioxidants for Myocardial Injury in Noncardiac Surgery: A 2 \tilde{A} — 2 Factorial, Blinded, Randomized Clinical Trial. Anesthesiology, 2022, 136, 408-419. | 2.5 | 23 |
| 47 | Vastatin (the NC1 domain of human type VIII collagen a1 chain) is linked to stromal reactivity and elevated in serum from patients with colorectal cancer. Cancer Biology and Therapy, 2019, 20, 692-699. | 3.4 | 22 |
| 48 | Outcomes of a new slowly resorbable biosynthetic mesh (Phasixâ,,¢) in potentially contaminated incisional hernias: A prospective, multi-center, single-arm trial. International Journal of Surgery, 2020, 83, 31-36. | 2.7 | 21 |
| 49 | Noninvasive prognostic biomarker potential of quantifying the propeptides of <scp>Type XI</scp> collagen alphaâ€1 chain (<scp>PROâ€C11</scp>) in patients with pancreatic ductal adenocarcinoma. International Journal of Cancer, 2021, 149, 228-238. | 5.1 | 21 |
| 50 | Continuous monitoring of vital sign abnormalities; association to clinical complications in 500 postoperative patients. Acta Anaesthesiologica Scandinavica, 2022, 66, 552-562. | 1.6 | 20 |
| 51 | No increased incidence of postoperative sore throat after administration of suxamethonium in endotracheal anaesthesia. Acta Anaesthesiologica Scandinavica, 1987, 31, 768-770. | 1.6 | 19 |
| 52 | Dose-Dependent Impairment of Collagen Deposition by Topical Granulocyte-Macrophage Colony-Stimulating Factor in Human Experimental Wounds. Annals of Surgery, 2002, 236, 684-692. | 4.2 | 19 |
| 53 | Selective matrix metalloproteinase inhibition increases breaking strength and reduces anastomotic leakage in experimentally obstructed colon. International Journal of Colorectal Disease, 2017, 32, 1277-1284. | 2.2 | 19 |
| 54 | Comment to: Meta-analysis and systematic review of laparoscopic versus open mesh repair for elective incisional hernia. Awaiz A et al. Hernia 2015;19:449–463. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2015, 19, 1025-1026. | 2.0 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Abdominal wall hernias—A local manifestation of systemically impaired quality of the extracellular matrix. Surgery, 2016, 160, 220-227. | 1.9 | 18 |
| 56 | Serum type <scp>XVI</scp> collagen is associated with colorectal cancer and ulcerative colitis indicating a pathological role in gastrointestinal disorders. Cancer Medicine, 2018, 7, 4619-4626. | 2.8 | 18 |
| 57 | Differential recurrence after laparoscopic incisional hernia repair: importance of a nationwide registry-based mesh surveillance. British Journal of Surgery, 2020, 107, 1130-1136. | 0.3 | 18 |
| 58 | Impact of the COVID-19 pandemic on the management of colorectal cancer in Denmark. BJS Open, 2021, 5, | 1.7 | 18 |
| 59 | WHO Guidelines to prevent surgical site infections. Lancet Infectious Diseases, The, 2017, 17, 261-262. | 9.1 | 17 |
| 60 | Large Incisional Hernias Increase in Size. Journal of Surgical Research, 2019, 244, 160-165. | 1.6 | 17 |
| 61 | Histopathological risk factors for lymph node metastases in T1 colorectal cancer: meta-analysis. British Journal of Surgery, 2021, 108, 769-776. | 0.3 | 17 |
| 62 | Circulating levels of matrix metalloproteinases and tissue inhibitors of metalloproteinases in patients with incisional hernia. Wound Repair and Regeneration, 2013, 21, 661-666. | 3.0 | 16 |
| 63 | Therapeutic improvement of colonic anastomotic healing under complicated conditions: A systematic review. World Journal of Gastrointestinal Surgery, 2016, 8, 389. | 1.5 | 16 |
| 64 | Noninvasive measurement of reepithelialization and microvascularity of suctionâ€blister wounds with benchmarking to histology. Wound Repair and Regeneration, 2017, 25, 984-993. | 3.0 | 16 |
| 65 | The effect of gender on early colonic anastomotic wound healing. International Journal of Colorectal Disease, 2018, 33, 1269-1276. | 2.2 | 16 |
| 66 | A post-market, prospective, multi-center, single-arm clinical investigation of Phasixâ,,¢ mesh for VHWG grade 3 midline incisional hernia repair: a research protocol. BMC Surgery, 2018, 18, 104. | 1.3 | 15 |
| 67 | Protocol Outlines for Parts 1 and 2 of the Prospective Endoscopy III Study for the Early Detection of Colorectal Cancer: Validation of a Concept Based on Blood Biomarkers. JMIR Research Protocols, 2016, 5, e182. | 1.0 | 15 |
| 68 | Increased collagen deposition in an uncomplicated surgical wound compared to a minimal subcutaneous test wound. Wound Repair and Regeneration, 2001, 9, 194-199. | 3.0 | 14 |
| 69 | Nationwide Propensityâ€Score Matched Study of Mesh Versus Suture Repair of Primary Ventral Hernias in Women with a Subsequent Pregnancy. World Journal of Surgery, 2019, 43, 1497-1504. | 1.6 | 14 |
| 70 | The wound healing process in surgical patients evaluated by the expanded polytetrafluoroethylene and the polyvinyl alcohol sponge: a comparison with special reference to intrapatient variability. Wound Repair and Regeneration, 1995, 3, 527-532. | 3.0 | 13 |
| 71 | Recurrence After Operative Treatment of Adhesive Small-Bowel Obstruction. Journal of Gastrointestinal Surgery, 2018, 22, 329-334. | 1.7 | 13 |
| 72 | Preoperative, single, high-dose glucocorticoid administration in abdominal wall reconstruction: A randomized, double-blinded clinical trial. Surgery, 2020, 167, 757-764. | 1.9 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Visceral obesity is a predictor of surgical site occurrence and hernia recurrence after open abdominal wall reconstruction. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2022, 26, 149-155. | 2.0 | 13 |
| 74 | Slowly resorbable biosynthetic mesh: 2-year results in VHWG grade 3 hernia repair. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2021, , 1. | 2.0 | 12 |
| 75 | Open <i>versus</i> laparoscopic incisional hernia repair: nationwide database study. BJS Open, 2021, 5, . | 1.7 | 12 |
| 76 | Quality of Life after Ventral Hernia Repair with Endoscopic Component Separation Technique. Scandinavian Journal of Surgery, 2016, 105, 11-16. | 2.6 | 11 |
| 77 | Mesh <i>versus </i> suture in elective repair of umbilical hernia: systematic review and meta-analysis. BJS Open, 2020, 4, 369-379. | 1.7 | 11 |
| 78 | Reporting guideline for interventional trials of primary and incisional ventral hernia repair. British Journal of Surgery, 2021, 108, 1050-1055. | 0.3 | 11 |
| 79 | Type XX Collagen Is Elevated in Circulation of Patients with Solid Tumors. International Journal of Molecular Sciences, 2022, 23, 4144. | 4.1 | 11 |
| 80 | Isometric abdominal wall muscle strength assessment in individuals with incisional hernia: a prospective reliability study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2016, 20, 831-837. | 2.0 | 10 |
| 81 | Clinical outcomes after parastomal hernia repair with a polyester monofilament composite mesh: a cohort study of 79 consecutive patients. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 371-377. | 2.0 | 10 |
| 82 | Current clinical algorithms for predicting common bile duct stones have only moderate accuracy. Digestive Endoscopy, 2018, 30, 477-484. | 2.3 | 10 |
| 83 | Evolution of Endoscopic Anterior Component Separation to a Precostal Access with a New Cylindrical Balloon Trocar. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2018, 28, 730-735. | 1.0 | 10 |
| 84 | Anastomotic Leakage After Stoma Reversal Combined with Incisional Hernia Repair. World Journal of Surgery, 2019, 43, 988-997. | 1.6 | 10 |
| 85 | Preoperative risk factors including serum levels of potassium, sodium, and creatinine for early mortality after open abdominal surgery: a retrospective cohort study. BMC Surgery, 2021, 21, 62. | 1.3 | 10 |
| 86 | Association between perioperative hyperoxia and cerebrovascular complications after laparotomy—A postâ€hoc followâ€up study. Acta Anaesthesiologica Scandinavica, 2019, 63, 164-170. | 1.6 | 9 |
| 87 | Preoperative Hypoalbuminemia Predicts Early Mortality Following Open Abdominal Surgery in Patients Above 60 Years of Age. Scandinavian Journal of Surgery, 2021, 110, 29-36. | 2.6 | 9 |
| 88 | Open versus laparoscopic umbilical and epigastric hernia repair: nationwide data on short- and long-term outcomes. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 526-532. | 2.4 | 9 |
| 89 | Increased serological cancer-associated biomarker levels at large bowel endoscopy and risk of subsequent primary cancer ^{â€} . Scandinavian Journal of Gastroenterology, 2016, 51, 860-865. | 1.5 | 8 |
| 90 | Colonic diverticulosis is associated with abdominal wall hernia. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2017, 21, 525-529. | 2.0 | 8 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Open ventral hernia repair with a composite ventral patch - final results of a multicenter prospective study. BMC Surgery, 2019, 19, 93. | 1.3 | 8 |
| 92 | Association of Primary Ventral Hernia and Pregnancy. Annals of Surgery, 2020, 272, 170-176. | 4.2 | 8 |
| 93 | Multinutrient Supplementation Increases Collagen Synthesis during Early Wound Repair in a Randomized Controlled Trial in Patients with Inguinal Hernia. Journal of Nutrition, 2020, 150, 792-799. | 2.9 | 8 |
| 94 | Blood-based Biomarkers at Large Bowel Endoscopy and Prediction of Future Malignancies. Biomarkers in Cancer, 2015, 7, BIC.S31330. | 3.6 | 7 |
| 95 | Discovery and Validation of Plasma-Protein Biomarker Panels for the Detection of Colorectal Cancer and Advanced Adenoma in a Danish Collection of Samples from Patients Referred for Diagnostic Colonoscopy. journal of applied laboratory medicine, The, 2016, 1, 181-193. | 1.3 | 7 |
| 96 | Impaired collagen synthesis in the rectum may be a molecular target in anastomotic leakage prophylaxis. Wound Repair and Regeneration, 2017, 25, 532-535. | 3.0 | 7 |
| 97 | A multicenter prospective study of patients undergoing open ventral hernia repair with intraperitoneal positioning using the monofilament polyester composite ventral patch: interim results of the PANACEA study. Medical Devices: Evidence and Research, 2017, Volume 10, 81-88. | 0.8 | 7 |
| 98 | KRAS mutations in the parental tumour accelerate in vitro growth of tumoroids established from colorectal adenocarcinoma. International Journal of Experimental Pathology, 2019, 100, 12-18. | 1.3 | 7 |
| 99 | Histology and Function of the Rectus Abdominis Muscle in Patients With Incisional Hernia. Journal of Surgical Research, 2020, 253, 245-251. | 1.6 | 7 |
| 100 | A Human Cellular Model for Colorectal Anastomotic Repair: The Effect of Localization and Transforming Growth Factor- \hat{l}^21 Treatment on Collagen Deposition and Biomarkers. International Journal of Molecular Sciences, 2021, 22, 1616. | 4.1 | 7 |
| 101 | Prevention of parastomal hernia in the emergency setting. Langenbeck's Archives of Surgery, 2017, 402, 949-955. | 1.9 | 6 |
| 102 | Antibiotics during childhood and development of appendicitis—a nationwide cohort study. Alimentary Pharmacology and Therapeutics, 2021, 53, 87-93. | 3.7 | 6 |
| 103 | Incidence of Incisional Hernia Repair After Laparoscopic Compared to Open Resection of Colonic Cancer: A Nationwide Analysis of 17,717ÂPatients. World Journal of Surgery, 2020, 44, 1627-1636. | 1.6 | 6 |
| 104 | Unique insight into microenvironmental changes in colorectal cancer: Ex vivo assessment of matrix metalloprotease-mediated molecular changes in human colorectal tumor tissue and corresponding non-neoplastic adjacent tissue. Oncology Letters, 2017, 13, 3774-3780. | 1.8 | 6 |
| 105 | Type V Collagen is Persistently Altered After Inguinal Hernia Repair. Scandinavian Journal of Surgery, 2018, 107, 212-217. | 2.6 | 5 |
| 106 | Spatial expression of metallothionein, matrix metalloproteinase-1 and Ki-67 in human epidermal wounds treated with zinc and determined by quantitative immunohistochemistry: A randomised double-blind trial. European Journal of Cell Biology, 2021, 100, 151147. | 3.6 | 5 |
| 107 | The current role of blood-based biomarkers in surgical decision-making in patients with localised pancreatic cancer: A systematic review. European Journal of Cancer, 2021, 154, 73-81. | 2.8 | 5 |
| 108 | Clean Colorectum at Diagnostic Colonoscopy: Subsequent Detection of Extracolonic Malignancies by Plasma Protein Biomarkers?. Biomarkers in Cancer, 2018, 10, 1179299X1877697. | 3.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Incisional hernia repair in women of childbearing age: A nationwide propensity-score matched study. Scandinavian Journal of Surgery, 2020, 109, 295-300. | 2.6 | 4 |
| 110 | Changes in the abdominal wall after anterior, posterior, and combined component separation. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2022, 26, 17-27. | 2.0 | 4 |
| 111 | Acute Ultraviolet Radiation Perturbs Epithelialization but not the Biomechanical Strength of Fullâ€thickness Cutaneous Wounds. Photochemistry and Photobiology, 2016, 92, 187-192. | 2.5 | 3 |
| 112 | Pancreatic function following postâ€endoscopic retrograde cholangiopancreatography pancreatitis: A controlled cohort study with longâ€term followâ€up. United European Gastroenterology Journal, 2018, 6, 586-594. | 3.8 | 3 |
| 113 | Comment to: Hernia research in developing countries: are we looking for needles in haystacks? Insights from the Danish model. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2020, 24, 691-692. | 2.0 | 3 |
| 114 | Wireless Single-Lead ECG Monitoring to Detect New-Onset Postoperative Atrial Fibrillation in Patients After Major Noncardiac Surgery: A Prospective Observational Study. Anesthesia and Analgesia, 2022, 135, 100-109. | 2.2 | 3 |
| 115 | Trial & Guidelines. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2015, 19, S43-S49. | 2.0 | 2 |
| 116 | Hyperoxia and antioxidants during major nonâ€eardiac surgery and risk of cardiovascular events: Protocol for a 2Â×Â2 factorial randomised clinical trial. Acta Anaesthesiologica Scandinavica, 2020, 64, 400-409. | 1.6 | 2 |
| 117 | Glucagon-Like Peptide-2 Analogue ZP1849 Augments Colonic Anastomotic Wound Healing. Gastroenterology Research and Practice, 2020, 2020, 1-9. | 1.5 | 2 |
| 118 | Longâ€term mortality in the Intermediate care after emergency abdominal surgery (InCare) trial—A postâ€hoc followâ€up study. Acta Anaesthesiologica Scandinavica, 2020, 64, 1100-1105. | 1.6 | 2 |
| 119 | Abstract 523: Type XX collagen is elevated in circulation of patients with solid tumors and high levels are associated with higher overall mortality in pancreatic cancer. Cancer Research, 2022, 82, 523-523. | 0.9 | 2 |
| 120 | Authors' reply: Randomized clinical trial of self-gripping mesh versus sutured mesh for Lichtenstein hernia repair (Br J Surg 2013; 100: 474–481). British Journal of Surgery, 2013, 100, 1539-1539. | 0.3 | 1 |
| 121 | High oxygen concentration to prevent surgical site infection after rectal cancer surgery. American Journal of Surgery, 2015, 209, 771. | 1.8 | 1 |
| 122 | The use of expanding ports in laparo-endoscopic single-site surgery may cause more pain: a meta-analysis of randomized clinical trials. Surgical Endoscopy and Other Interventional Techniques, 2017, 31, 4400-4411. | 2.4 | 1 |
| 123 | The density of infiltrating T cells and macrophages in the parental tumour correlates with growth rate of tumoroids established from colorectal adenocarcinoma. International Journal of Experimental Pathology, 2019, 100, 304-310. | 1.3 | 1 |
| 124 | Increased serological, cancer-associated protein biomarker levels at diagnosis of large bowel adenoma: Risk of subsequent primary malignancy?. Acta Oncológica, 2019, 58, S42-S48. | 1.8 | 1 |
| 125 | O50 ALTERATIONS IN THE ABDOMINAL WALL MUSCULATURE AFTER ENDOSCOPIC ANTERIOR AND OPEN POSTERIOR COMPONENT SEPARATION. British Journal of Surgery, 2021, 108, . | 0.3 | 1 |
| 126 | Commentary on: Effect of local anaesthetics on wound healing. An experimental study with special reference to carbocain. Acta Anaesthesiologica Scandinavica, 2007, 51, 1004-1004. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The Defined Daily Doses of Low Molecular Weight Heparins Do Not Reflect Current Clinical Practice. Acta Haematologica, 2012, 127, 31-33. | 1.4 | O |
| 128 | Unsuspected femoral hernia in patients with a preoperative diagnosis of a recurrent inguinal hernia, author reply. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2012, 16, 571-571. | 2.0 | 0 |
| 129 | Topic: Incisional Hernia — "Easy case―as daily case: open vs lap, where the mesh, which fixation…in center midline cases. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2015, 19, S237-S243. | 2.0 | O |
| 130 | The Effect of a Synthetic Heparan Sulfate on the Healing of Colonic Anastomoses. Gastroenterology Research and Practice, 2017, 2017, 1-6. | 1.5 | 0 |
| 131 | Predictors of Postoperative Atrial Fibrillation After Abdominal Surgery and Insights from Other Surgery Types , Research Reports in Clinical Cardiology, 2020, Volume 11, 31-38. | 0.2 | O |
| 132 | Comment to: Ventral hernia recurrence in women of childbearing age: a systematic review and meta-analysis. T. Nouh, F. S. Ali, K. J. Krause, I. Zaimi. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2021, 25, 233-234. | 2.0 | 0 |
| 133 | P127â€∱ROBOTIC TRANSABDOMINAL RETRO-RECTUS HERNIA REPAIR VS. LAPAROSCOPIC INTRAPERITONEAL ONLAY MESH REPAIR: IMPROVING POSTOPERATIVE OUTCOMES. British Journal of Surgery, 2021, 108, . | 0.3 | O |
| 134 | PO20â€∱ESTABLISHING PEER-CONSENSUS ABOUT THE USE OF LONG-TERM BIOSYNTHETIC ABSORBABLE MESH FOR VENTRAL HERNIA (GRADE 2-3) AS THE STANDARD OF CARE. British Journal of Surgery, 2021, 108, . | 0.3 | 0 |
| 135 | P030â€∱OPEN VERSUS LAPAROSCOPIC UMBILICAL AND EPIGASTRIC HERNIA REPAIR: NATIONWIDE DATA ON SHORT- AND LONG-TERM OUTCOMES. British Journal of Surgery, 2021, 108, . | 0.3 | O |