

# Marianne Lebbad

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11804983/publications.pdf>

Version: 2024-02-01

38  
papers

1,766  
citations

218677

26  
h-index

289244

40  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1702  
citing authors

#	ARTICLE	IF	CITATIONS
1	High Diversity of <i>Cryptosporidium</i> Species and Subtypes Identified in Cryptosporidiosis Acquired in Sweden and Abroad. <i>Pathogens</i> , 2021, 10, 523.	2.8	34
2	<i>Cryptosporidium</i> chipmunk genotype I “ An emerging cause of human cryptosporidiosis in Sweden. <i>Infection, Genetics and Evolution</i> , 2021, 92, 104895.	2.3	9
3	Differentiation of <i>Blastocystis</i> and parasitic archamoebids encountered in untreated wastewater samples by amplicon-based next-generation sequencing. <i>Parasite Epidemiology and Control</i> , 2020, 9, e00131.	1.8	37
4	From mice to men: Three cases of human infection with <i>Cryptosporidium ditrichi</i> . <i>Infection, Genetics and Evolution</i> , 2020, 78, 104120.	2.3	17
5	Subtype distribution of zoonotic pathogen <i>Cryptosporidium felis</i> in humans and animals in several countries. <i>Emerging Microbes and Infections</i> , 2020, 9, 2446-2454.	6.5	19
6	Evaluation of a PCR Method for Detection of <i>Entamoeba polecki</i> , with an Overview of Its Molecular Epidemiology. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	3.9	22
7	A novel high-resolution multilocus sequence typing of <i>Giardia intestinalis</i> Assemblage A isolates reveals zoonotic transmission, clonal outbreaks and recombination. <i>Infection, Genetics and Evolution</i> , 2018, 60, 7-16.	2.3	42
8	Molecular characterization and epidemiological investigation of <i>Cryptosporidium hominis</i> I kA18G1 and C. homini s monkey genotype I iA17, two unusual subtypes diagnosed in Swedish patients. <i>Experimental Parasitology</i> , 2018, 188, 50-57.	1.2	14
9	Occurrence of <i>Cryptosporidium</i> spp. and <i>Cystoisospora belli</i> among adult patients with diarrhoea in Maputo, Mozambique. <i>Heliyon</i> , 2018, 4, e00769.	3.2	17
10	Early outbreak detection by linking health advice line calls to water distribution areas retrospectively demonstrated in a large waterborne outbreak of cryptosporidiosis in Sweden. <i>BMC Public Health</i> , 2017, 17, 328.	2.9	19
11	Improving the genotyping resolution of <i>Cryptosporidium hominis</i> subtype I bA10G2 using one step PCR-based amplicon sequencing. <i>Infection, Genetics and Evolution</i> , 2017, 55, 297-304.	2.3	20
12	Comparative genomic analyses of freshly isolated <i>Giardia intestinalis</i> assemblage A isolates. <i>BMC Genomics</i> , 2015, 16, 697.	2.8	55
13	Possible zoonotic transmission of <i>Cryptosporidium felis</i> in a household. <i>Infection Ecology and Epidemiology</i> , 2015, 5, 28463.	0.8	26
14	Subtyping Novel Zoonotic Pathogen <i>Cryptosporidium</i> Chipmunk Genotype I. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1648-1654.	3.9	57
15	Large Outbreak of <i>Cryptosporidium hominis</i> Infection Transmitted through the Public Water Supply, Sweden. <i>Emerging Infectious Diseases</i> , 2014, 20, 581-589.	4.3	136
16	High Applicability of a Novel Method for gp60-Based Subtyping of <i>Cryptosporidium meleagridis</i> . <i>Journal of Clinical Microbiology</i> , 2014, 52, 2311-2319.	3.9	74
17	Low host-specific <i>Enterocytozoon bienersi</i> genotype BEB6 is common in Swedish lambs. <i>Veterinary Parasitology</i> , 2014, 205, 371-374.	1.8	27
18	On-Chip Imaging of <i>Schistosoma haematobium</i> Eggs in Urine for Diagnosis by Computer Vision. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2547.	3.0	36

#	ARTICLE	IF	CITATIONS
19	Unusual cryptosporidiosis cases in Swedish patients: extended molecular characterization of <i>Cryptosporidium</i> viatorum and <i>Cryptosporidium</i> chipmunk genotype I. <i>Parasitology</i> , 2013, 140, 1735-1740.	1.5	33
20	Common Coinfections of <i>Giardia intestinalis</i> and <i>Helicobacter pylori</i> in Non-Symptomatic Ugandan Children. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1780.	3.0	71
21	Detection of <i>Giardia duodenalis</i> Assemblages A and B in Human Feces by Simple, Assemblage-Specific PCR Assays. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1776.	3.0	38
22	Zoonotic transmission of <i>Cryptosporidium meleagridis</i> on an organic Swedish farm. <i>International Journal for Parasitology</i> , 2012, 42, 963-967.	3.1	61
23	Allelic sequence heterozygosity in single <i>Giardia</i> parasites. <i>BMC Microbiology</i> , 2012, 12, 65.	3.3	47
24	Population-based analyses of <i>Giardia duodenalis</i> is consistent with the clonal assemblage structure. <i>Parasites and Vectors</i> , 2012, 5, 168.	2.5	21
25	Last of the Human Protists: The Phylogeny and Genetic Diversity of <i>Iodamoeba</i> . <i>Molecular Biology and Evolution</i> , 2012, 29, 39-42.	8.9	33
26	Multilocus Genotyping of Human <i>Giardia</i> Isolates Suggests Limited Zoonotic Transmission and Association between Assemblage B and Flatulence in Children. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1262.	3.0	118
27	The impact of genetic diversity in protozoa on molecular diagnostics. <i>Trends in Parasitology</i> , 2011, 27, 53-58.	3.3	57
28	Increased Sampling Reveals Novel Lineages of <i>Entamoeba</i> : Consequences of Genetic Diversity and Host Specificity for Taxonomy and Molecular Detection. <i>Protist</i> , 2011, 162, 525-541.	1.5	103
29	Real-time polymerase chain reaction followed by fast sequencing allows rapid genotyping of microbial pathogens. <i>Scandinavian Journal of Infectious Diseases</i> , 2011, 43, 95-99.	1.5	2
30	Genetic characterisation of uninucleated cyst-producing <i>Entamoeba</i> spp. from ruminants. <i>International Journal for Parasitology</i> , 2010, 40, 775-778.	3.1	37
31	From mouse to moose: Multilocus genotyping of <i>Giardia</i> isolates from various animal species. <i>Veterinary Parasitology</i> , 2010, 168, 231-239.	1.8	188
32	Identification and delineation of members of the <i>Entamoeba</i> complex by pyrosequencing. <i>Molecular and Cellular Probes</i> , 2010, 24, 403-406.	2.1	28
33	Comment on article by Eligio-Garcia et al. entitled "Frequency of <i>Giardia intestinalis</i> assemblages isolated from dogs and humans in a community from Culiacan, Sinaloa, Mexico using beta-giardin restriction gene". <i>Veterinary Parasitology</i> , 2008, 158, 159-160.	1.8	4
34	Dominance of <i>Giardia</i> assemblage B in León, Nicaragua. <i>Acta Tropica</i> , 2008, 106, 44-53.	2.0	104
35	Web-Based Virtual Microscopy for Parasitology: A Novel Tool for Education and Quality Assurance. <i>PLoS Neglected Tropical Diseases</i> , 2008, 2, e315.	3.0	31
36	Overdiagnosis of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i> in Nicaragua: A Microscopic, Triage Parasite Panel and PCR Study. <i>Archives of Medical Research</i> , 2006, 37, 529-534.	3.3	38

#	ARTICLE	IF	CITATIONS
37	PCR differentiation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i> from patients with amoeba infection initially diagnosed by microscopy. <i>Scandinavian Journal of Infectious Diseases</i> , 2005, 37, 680-685.	1.5	38
38	An outbreak of cryptosporidiosis associated with exposure to swimming pool water. <i>Scandinavian Journal of Infectious Diseases</i> , 2005, 37, 354-360.	1.5	49