

Asbjörn Mohr Drewes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1180529/publications.pdf>

Version: 2024-02-01

60
papers

1,473
citations

430442

18
h-index

344852

36
g-index

60
all docs

60
docs citations

60
times ranked

2135
citing authors

#	ARTICLE	IF	CITATIONS
1	Overlap and cumulative effects of pancreatic duct obstruction, abnormal pain processing and psychological distress on patient-reported outcomes in chronic pancreatitis. <i>Gut</i> , 2022, 71, 2518-2525.	6.1	13
2	Confusion with the definition and diagnostic criteria for acute on chronic pancreatitis: review and recommendations. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-7.	0.6	1
3	Quantification of gastric emptying with magnetic resonance imaging in healthy volunteers: A systematic review. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14371.	1.6	9
4	Contractility patterns and gastrointestinal movements monitored by a combined magnetic tracking and motility testing unit. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14306.	1.6	1
5	Gastrointestinal symptoms and cardiac vagal tone in type 1 diabetes correlates with gut transit times and motility index. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13885.	1.6	10
6	Is Cambridge scoring in chronic pancreatitis the same using ERCP and MRCP?: A need for revision of standards. <i>Abdominal Radiology</i> , 2021, 46, 647-654.	1.0	8
7	Although tapentadol and oxycodone both increase colonic volume, tapentadol treatment resulted in softer stools and less constipation: a mechanistic study in healthy volunteers. <i>Scandinavian Journal of Pain</i> , 2021, 21, 406-414.	0.5	9
8	Gastrointestinal pH, Motility Patterns, and Transit Times After Roux-en-Y Gastric Bypass. <i>Obesity Surgery</i> , 2021, 31, 2632-2640.	1.1	8
9	Subcutaneous adipose tissue composition and function are unaffected by liraglutide-induced weight loss in adults with type 1 diabetes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 773-782.	1.2	3
10	The antroduodenal transition time is prolonged in adults with type 1 diabetes. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14144.	1.6	5
11	Tapentadol results in less deterioration of gastrointestinal function and symptoms than standard opioid therapy in healthy male volunteers. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14131.	1.6	12
12	Practical and clinical applications of pancreatic magnetic resonance elastography: a systematic review. <i>Abdominal Radiology</i> , 2021, 46, 4744-4764.	1.0	13
13	Oral absorption of oxycodone in patients with short bowel syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1023-1029.	0.6	1
14	Effect of Roux-en-Y gastric bypass on the pharmacokinetic-pharmacodynamic relationships of liquid and controlled-release formulations of oxycodone. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 232-245.	1.2	3
15	Tapentadol and oxycodone reduce cingulate glutamate in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 2021, , .	1.1	2
16	T1 relaxation times and MR elastography-derived stiffness: new potential imaging biomarkers for the assessment of chronic pancreatitis. <i>Abdominal Radiology</i> , 2021, 46, 5598-5608.	1.0	7
17	Pancreatic atrophy and exocrine insufficiency associate with the presence of diabetes in chronic pancreatitis patients, but additional mediators are operative. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 321-328.	0.6	7
18	Gastrointestinal function in diabetes is affected regardless of asymptomatic appearance. <i>Journal of Internal Medicine</i> , 2021, , .	2.7	1

#	ARTICLE	IF	CITATIONS
19	Effects of the peripherally acting μ -opioid receptor antagonist methylnaltrexone on acute pancreatitis severity: study protocol for a multicentre double-blind randomised placebo-controlled interventional trial, the PAMORA-AP trial. <i>Trials</i> , 2021, 22, 940.	0.7	2
20	Normative values for region-specific colonic and gastrointestinal transit times in 111 healthy volunteers using the 3D-transit electromagnet tracking system: Influence of age, gender, and body mass index. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13734.	1.6	45
21	Ambulatory assessment of colonic motility using the electromagnetic capsule tracking system: Effect of opioids. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13753.	1.6	11
22	Analyzing and Benchmarking Global Consumption Statistics for Opioid Analgesics 2015: Inequality Continues to Increase. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2020, 34, 1-12.	0.5	9
23	Gastrointestinal pain. <i>Nature Reviews Disease Primers</i> , 2020, 6, 1.	18.1	246
24	A clinically feasible method for the assessment and characterization of pain in patients with chronic pancreatitis. <i>Pancreatology</i> , 2020, 20, 25-34.	0.5	30
25	Progression of pancreatic morphology in chronic pancreatitis is not associated with changes in quality of life and pain. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1099-1107.	0.6	9
26	Systematic approach for assessment of imaging features in chronic pancreatitis: a feasibility and validation study from the Scandinavian Baltic Pancreatic Club (SBPC) database. <i>Abdominal Radiology</i> , 2020, 45, 1468-1480.	1.0	9
27	International consensus guidelines on interventional endoscopy in chronic pancreatitis. Recommendations from the working group for the international consensus guidelines for chronic pancreatitis in collaboration with the International Association of Pancreatology, the American Pancreatic Association, the Japan Pancreas Society, and European Pancreatic Club. <i>Pancreatology</i> , 2020, 20, 1045-1055.	0.5	53
28	Pancreatic magnetic resonance imaging texture analysis in chronic pancreatitis: a feasibility and validation study. <i>Abdominal Radiology</i> , 2020, 45, 1497-1506.	1.0	12
29	Impact of age on the diagnostic performance of pancreatic ductal diameters in detecting chronic pancreatitis. <i>Abdominal Radiology</i> , 2020, 45, 1488-1494.	1.0	1
30	Magnetic tracking of gastrointestinal motility. <i>Physiological Measurement</i> , 2020, 41, 12TR01.	1.2	10
31	Ambulatory assessment of colonic motility using the electromagnetic capsule tracking system. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13451.	1.6	30
32	Liraglutide treatment reduced interleukin-6 in adults with type 1 diabetes but did not improve established autonomic or polyneuropathy. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2512-2523.	1.1	50
33	Pancreatic calcifications associate with diverse aetiological risk factors in patients with chronic pancreatitis: A multicentre study of 1500 cases. <i>Pancreatology</i> , 2019, 19, 922-928.	0.5	7
34	Mechanism-based pain management in chronic pancreatitis "is it time for a paradigm shift?". <i>Expert Review of Clinical Pharmacology</i> , 2019, 12, 249-258.	1.3	22
35	Controversies on the endoscopic and surgical management of pain in patients with chronic pancreatitis: pros and cons!. <i>Gut</i> , 2019, 68, 1343-1351.	6.1	54
36	The Effects of Filter's Class, Cutoff Frequencies, and Independent Component Analysis on the Amplitude of Somatosensory Evoked Potentials Recorded from Healthy Volunteers. <i>Sensors</i> , 2019, 19, 2610.	2.1	9

#	ARTICLE	IF	CITATIONS
37	The sentinel acute pancreatitis event hypothesis revisited. <i>Pancreatology</i> , 2019, 19, 614-615.	0.5	10
38	MRI analysis of fecal volume and dryness: Validation study using an experimental oxycodone-induced constipation model. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 733-745.	1.9	7
39	Sarcopenia associates with increased hospitalization rates and reduced survival in patients with chronic pancreatitis. <i>Pancreatology</i> , 2019, 19, 245-251.	0.5	65
40	Pain in pancreatic ductal adenocarcinoma: A multidisciplinary, International guideline for optimized management. <i>Pancreatology</i> , 2018, 18, 446-457.	0.5	46
41	Quantification of parenchymal calcifications in chronic pancreatitis: relation to atrophy, ductal changes, fibrosis and clinical parameters. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 218-224.	0.6	22
42	Diabetic Enteropathy: From Molecule to Mechanism-Based Treatment. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-12.	1.0	45
43	Recommendations from the United European Gastroenterology evidence-based guidelines for the diagnosis and therapy of chronic pancreatitis. <i>Pancreatology</i> , 2018, 18, 847-854.	0.5	116
44	Guidelines for the Diagnostic Cross Sectional Imaging and Severity Scoring of Chronic Pancreatitis. <i>Pancreatology</i> , 2018, 18, 764-773.	0.5	73
45	Established and emerging methods for assessment of small and large intestinal motility. <i>Neurogastroenterology and Motility</i> , 2017, 29, e13008.	1.6	35
46	Patients with Barrett's esophagus are hypersensitive to acid but hyposensitive to other stimuli compared with healthy controls. <i>Neurogastroenterology and Motility</i> , 2017, 29, e12992.	1.6	10
47	Cortical and spinal assessment - a comparative study using encephalography and the nociceptive withdrawal reflex. <i>Journal of Pharmacological and Toxicological Methods</i> , 2017, 84, 37-43.	0.3	3
48	Prolonged-Release Oxycodone/Naloxone Improves Anal Sphincter Relaxation Compared to Oxycodone Plus Macrogol 3350. <i>Digestive Diseases and Sciences</i> , 2017, 62, 3156-3166.	1.1	11
49	Assessment of colorectal length using the electromagnetic capsule tracking system: a comparative validation study in healthy subjects. <i>Colorectal Disease</i> , 2017, 19, O350-O357.	0.7	16
50	Predictors of opioid efficacy in patients with chronic pain: A prospective multicenter observational cohort study. <i>PLoS ONE</i> , 2017, 12, e0171723.	1.1	16
51	New spectral thresholds improve the utility of the electroencephalogram for the diagnosis of hepatic encephalopathy. <i>Clinical Neurophysiology</i> , 2016, 127, 2933-2941.	0.7	22
52	A New Method for Sham-Controlled Acupuncture in Experimental Visceral Pain - a Randomized, Single-Blinded Study. <i>Pain Practice</i> , 2016, 16, 669-679.	0.9	12
53	Short-term oxycodone treatment does not affect electrogenic ion transport in isolated mucosa from the human rectosigmoid colon. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 538-547.	0.6	2
54	Population pharmacokinetics of morphine and morphine-6-glucuronide following rectal administration - A dose escalation study. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 68, 78-86.	1.9	8

#	ARTICLE	IF	CITATIONS
55	Objective markers of the analgesic response to morphine in experimental pain research. <i>Journal of Pharmacological and Toxicological Methods</i> , 2015, 73, 7-14.	0.3	7
56	A novel semi-automatic segmentation method for volumetric assessment of the colon based on magnetic resonance imaging. <i>Abdominal Imaging</i> , 2015, 40, 2232-2241.	2.0	37
57	Rectal Sensitivity in Diabetes Patients with Symptoms of Gastroparesis. <i>Journal of Diabetes Research</i> , 2014, 2014, 1-8.	1.0	18
58	Proton pump inhibitor use may not prevent high-grade dysplasia and oesophageal adenocarcinoma in Barrett's oesophagus: a nationwide study of 9883 patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 984-991.	1.9	83
59	Can quantitative sensory testing predict responses to analgesic treatment?. <i>European Journal of Pain</i> , 2013, 17, 1267-1280.	1.4	72
60	The Pain System in Oesophageal Disorders: Mechanisms, Clinical Characteristics, and Treatment. <i>Gastroenterology Research and Practice</i> , 2011, 2011, 1-14.	0.7	15