

Anne Forster

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1180759/publications.pdf>

Version: 2024-02-01

144
papers

5,269
citations

126907

33
h-index

118850

62
g-index

150
all docs

150
docs citations

150
times ranked

5701
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical rehabilitation approaches for the recovery of function and mobility following stroke. The Cochrane Library, 2023, 2023, CD001920.	2.8	288
2	Information provision for stroke survivors and their carers. The Cochrane Library, 2023, 2023, CD001919.	2.8	37
3	A qualitative study of sedentary behaviours in stroke survivors: non-participant observations and interviews with stroke service staff in stroke units and community services. Disability and Rehabilitation, 2022, 44, 5964-5973.	1.8	2
4	Risk factors for manifestations of frailty in hospitalized older adults: A qualitative study. Journal of Advanced Nursing, 2022, 78, 1688-1703.	3.3	5
5	Systematic review of process evaluations of interventions in trials investigating sedentary behaviour in adults. BMJ Open, 2022, 12, e053945.	1.9	1
6	An investigation into the optimal wear time criteria necessary to reliably estimate physical activity and sedentary behaviour from ActiGraph wGT3X+ accelerometer data in older care home residents. BMC Geriatrics, 2022, 22, 136.	2.7	9
7	A new opportunity for enhancing trial efficiency: Can we investigate intervention implementation processes within trials using SWAT (study within a trial) methodology?. Research Methods in Medicine & Health Sciences, 2022, 3, 66-73.	1.2	4
8	Information Provision for Stroke Survivors and Their Carers: Cochrane Review. Stroke, 2022, 53, .	2.0	1
9	Investigating the rigour of research findings in experimental studies assessing the effects of breaking up prolonged sitting “ extended scoping review. Brazilian Journal of Physical Therapy, 2021, 25, 4-16.	2.5	2
10	Community-based complex interventions to sustain independence in older people, stratified by frailty: a protocol for a systematic review and network meta-analysis. BMJ Open, 2021, 11, e045637.	1.9	10
11	Longer-term health and social care strategies for stroke survivors and their carers: the LoTS2Care research programme including cluster feasibility RCT. Programme Grants for Applied Research, 2021, 9, 1-268.	1.0	2
12	The Prevention of Delirium system of care for older patients admitted to hospital for emergency care: the POD research programme including feasibility RCT. Programme Grants for Applied Research, 2021, 9, 1-180.	1.0	0
13	Randomised controlled feasibility trial of an active communication education programme plus hearing aid provision versus hearing aid provision alone (ACE To HEAR). BMJ Open, 2021, 11, e043364.	1.9	0
14	Experiences and views of receiving and delivering information about recovery in acquired neurological conditions: a systematic review of qualitative literature. BMJ Open, 2021, 11, e045297.	1.9	9
15	An intervention to increase physical activity in care home residents: results of a cluster-randomised, controlled feasibility trial (the REACH trial). Age and Ageing, 2021, 50, 2063-2078.	1.6	9
16	Strategies to enhance routine physical activity in care home residents: the REACH research programme including a cluster feasibility RCT. Programme Grants for Applied Research, 2021, 9, 1-314.	1.0	0
17	Home-based Extended Rehabilitation for Older people (HERO): study protocol for an individually randomised controlled multi-centre trial to determine the clinical and cost-effectiveness of a home-based exercise intervention for older people with frailty as extended rehabilitation following acute illness or injury, including embedded process evaluation. Trials, 2021, 22, 783.	1.6	7
18	Development of a self-management intervention for stroke survivors with aphasia using co-production and behaviour change theory: An outline of methods and processes. PLoS ONE, 2021, 16, e0259103.	2.5	7

#	ARTICLE	IF	CITATIONS
19	A co-production approach guided by the behaviour change wheel to develop an intervention for reducing sedentary behaviour after stroke. Pilot and Feasibility Studies, 2020, 6, 115.	1.2	22
20	Factors influencing sedentary behaviours after stroke: findings from qualitative observations and interviews with stroke survivors and their caregivers. BMC Public Health, 2020, 20, 967.	2.9	26
21	Network neuroscience of apathy in cerebrovascular disease. Progress in Neurobiology, 2020, 188, 101785.	5.7	27
22	“Guiding them to take responsibility” exploring UK speech and language therapists’ views of supporting self-management of aphasia. Aphasiology, 2020, 34, 411-430.	2.2	9
23	A posture and mobility training package for care home staff: results of a cluster randomised controlled feasibility trial (the PATCH trial). Age and Ageing, 2020, 49, 821-828.	1.6	11
24	An extended stroke rehabilitation service for people who have had a stroke: the EXTRAS RCT. Health Technology Assessment, 2020, 24, 1-202.	2.8	12
25	Family-led rehabilitation in India (ATTEND) – Findings from the process evaluation of a randomized controlled trial. International Journal of Stroke, 2019, 14, 53-60.	5.9	10
26	Sedentary behavior after stroke: A new target for therapeutic intervention. International Journal of Stroke, 2019, 14, 9-11.	5.9	11
27	How do stroke survivors with communication difficulties manage life after stroke in the first year? A qualitative study. International Journal of Language and Communication Disorders, 2019, 54, 814-827.	1.5	14
28	Supporting carers of stroke survivors to reduce carer burden: development of the Preparing is Caring intervention using Intervention Mapping. BMC Public Health, 2019, 19, 1408.	2.9	10
29	Evaluation of an Extended Stroke Rehabilitation Service (EXTRAS). Stroke, 2019, 50, 3561-3568.	2.0	17
30	A protocol for a systematic review of process evaluations of interventions investigating sedentary behaviour in adults. BMJ Open, 2019, 9, e031291.	1.9	2
31	Community-based rehabilitation training after stroke: results of a pilot randomised controlled trial (ReTrain) investigating acceptability and feasibility. BMJ Open, 2018, 8, e018409.	1.9	31
32	Why do stroke survivors not receive recommended amounts of active therapy? Findings from the ReACT study, a mixed-methods case-study evaluation in eight stroke units. Clinical Rehabilitation, 2018, 32, 1119-1132.	2.2	61
33	Post-stroke self-management interventions: a systematic review of effectiveness and investigation of the inclusion of stroke survivors with aphasia. Disability and Rehabilitation, 2018, 40, 1237-1251.	1.8	46
34	Incidence of first stroke and ethnic differences in stroke pattern in Bradford, UK: Bradford Stroke Study. International Journal of Stroke, 2018, 13, 374-378.	5.9	5
35	Randomised controlled feasibility trial of the Active Communication Education programme plus hearing aid provision versus hearing aid provision alone (ACE to HEAR): a study protocol. BMJ Open, 2018, 8, e021502.	1.9	7
36	Recruiting care homes to a randomised controlled trial. Trials, 2018, 19, 535.	1.6	14

#	ARTICLE	IF	CITATIONS
37	PATCH: posture and mobility training for care staff versus usual care in care homes: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 521.	1.6	3
38	An intervention to support stroke survivors and their carers in the longer term (LoTS2Care): study protocol for a cluster randomised controlled feasibility trial. <i>Trials</i> , 2018, 19, 317.	1.6	10
39	An intervention to support stroke survivors and their carers in the longer term (LoTS2Care): study protocol for the process evaluation of a cluster randomised controlled feasibility trial. <i>Trials</i> , 2018, 19, 368.	1.6	6
40	Improving the development, monitoring and reporting of stroke rehabilitation research: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2017, 12, 472-479.	5.9	97
41	Poststroke Trajectories: The Process of Recovery Over the Longer Term Following Stroke. <i>Global Qualitative Nursing Research</i> , 2017, 4, 233339361773020.	1.4	15
42	Research Exploring Physical Activity in Care Homes (REACH): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 182.	1.6	15
43	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017, 12, 208-210.	5.9	4
44	Community-based Rehabilitation Training after stroke: protocol of a pilot randomised controlled trial (ReTrain). <i>BMJ Open</i> , 2016, 6, e012375.	1.9	16
45	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. <i>BMJ Open</i> , 2016, 6, e012027.	1.9	17
46	The validity of the Memory Alteration Test and the Test Your MemoryÂtest for communityâ€based identification of amnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 987-995.	0.8	18
47	Repetitive arm functional tasks after stroke (RAFTAS): a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 50.	1.2	19
48	The PiTSTOP study: a feasibility cluster randomized trial of delirium prevention in care homes for older people. <i>Age and Ageing</i> , 2016, 45, 651-660.	1.6	31
49	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 13.	1.6	22
50	A systematic review of the economic evidence for interventions for family carers of stroke patients. <i>Clinical Rehabilitation</i> , 2016, 30, 119-133.	2.2	13
51	A qualitative exploration of self-reported unmet need one year after stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 2000-2007.	1.8	14
52	Medical day hospital care for older people versus alternative forms of care. <i>The Cochrane Library</i> , 2015, 2015, CD001730.	2.8	16
53	Family-Led RehabiliTaTion aftEr Stroke in INDia: The ATTEND Pilot Study. <i>International Journal of Stroke</i> , 2015, 10, 609-614.	5.9	30
54	Prevention of delirium (POD) for older people in hospital: study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2015, 16, 340.	1.6	24

#	ARTICLE	IF	CITATIONS
55	Questions people ask about stroke: Whatâ€™s changed in 20â€‰%years?. SAGE Open Medicine, 2015, 3, 205031211559162.	1.8	2
56	Improving post-stroke recovery: the role of the multidisciplinary health care team. Journal of Multidisciplinary Healthcare, 2015, 8, 433.	2.7	123
57	Motivators for uptake and maintenance of exercise: perceptions of long-term stroke survivors and implications for design of exercise programmes. Disability and Rehabilitation, 2015, 37, 795-801.	1.8	42
58	The development and implementation of the structured training programme for caregivers of inpatients after stroke (TRACS) intervention: The London Stroke Carers Training Course. Clinical Rehabilitation, 2015, 29, 211-220.	2.2	16
59	User involvement in a Cochrane systematic review: using structured methods to enhance the clinical relevance, usefulness and usability of a systematic review update. Systematic Reviews, 2015, 4, 55.	5.3	24
60	Evaluating an extended rehabilitation service for stroke patients (EXTRAS): study protocol for a randomised controlled trial. Trials, 2015, 16, 205.	1.6	11
61	Protocol of a Cluster Randomized Trial Evaluation of a Patient and Carer-Centered System of Longer-Term Stroke Care (LoTS Care). International Journal of Stroke, 2015, 10, 259-263.	5.9	8
62	Why do patients with stroke not receive the recommended amount of active therapy (ReAct)? Study protocol for a multisite case study investigation. BMJ Open, 2015, 5, e008443.	1.9	9
63	Cluster Randomized Controlled Trial. Stroke, 2015, 46, 2212-2219.	2.0	31
64	Very early mobilisation within 24 hours of stroke results in a less favourable outcome at 3 months [commentary 1]. Journal of Physiotherapy, 2015, 61, 219.	1.7	0
65	Physical Rehabilitation Approaches for the Recovery of Function and Mobility After Stroke. Stroke, 2014, 45, .	2.0	25
66	Pilot trial of Stop Delirium! (PiTStop) - a complex intervention to prevent delirium in care homes for older people: study protocol for a cluster randomised controlled trial. Trials, 2014, 15, 47.	1.6	8
67	Challenges in Integrating International Evidence Relating to Stroke Rehabilitation: Experiences from a Cochrane Systematic Review. International Journal of Stroke, 2014, 9, 965-967.	5.9	5
68	The Home-based Older People's Exercise (HOPE) trial: a pilot randomised controlled trial of a home-based exercise intervention for older people with frailty. Age and Ageing, 2014, 43, 687-695.	1.6	94
69	Economic evaluation of a patient and carer centred system of longer-term stroke care from a cluster randomised trial (the LoTS care trial). BMC Health Services Research, 2014, 14, .	2.2	0
70	Development and evaluation of tools and an intervention to improve patient- and carer-centred outcomes in Longer-Term Stroke care and exploration of adjustment post stroke: the LoTS care research programme. Programme Grants for Applied Research, 2014, 2, 1-224.	1.0	11
71	A structured training programme for caregivers of inpatients after stroke (TRACS): a cluster randomised controlled trial and cost-effectiveness analysis. Lancet, The, 2013, 382, 2069-2076.	13.7	112
72	Synthesising practice guidelines for the development of community-based exercise programmes after stroke. Implementation Science, 2013, 8, 115.	6.9	11

#	ARTICLE	IF	CITATIONS
73	Implementing a training intervention to support caregivers after stroke: a process evaluation examining the initiation and embedding of programme change. Implementation Science, 2013, 8, 96.	6.9	58
74	Informing the design of a randomised controlled trial of an exercise-based programme for long term stroke survivors: lessons from a before-and-after case series study. BMC Research Notes, 2013, 6, 324.	1.4	5
75	Physical rehabilitation for older people in long-term care. The Cochrane Library, 2013, , CD004294.	2.8	123
76	Validation of the Longer-term Unmet Needs after Stroke (LUNS) monitoring tool: a multicentre study. Clinical Rehabilitation, 2013, 27, 1020-1028.	2.2	37
77	The effect of physical rehabilitation on activities of daily living in older residents of long-term care facilities: systematic review with meta-analysis. Age and Ageing, 2013, 42, 682-688.	1.6	65
78	A systematic review of case-mix adjustment models for stroke. Clinical Rehabilitation, 2012, 26, 771-786.	2.2	40
79	Do home-based exercise interventions improve outcomes for frail older people? Findings from a systematic review. Reviews in Clinical Gerontology, 2012, 22, 68-78.	0.5	71
80	Information provision for stroke patients and their caregivers. The Cochrane Library, 2012, 11, CD001919.	2.8	175
81	A Cluster Randomized Controlled Trial of a Structured Training Programme for Caregivers of Inpatients after Stroke (TRACS). International Journal of Stroke, 2012, 7, 94-99.	5.9	30
82	Interdisciplinary health research: perspectives from a process evaluation research team. Quality in Primary Care, 2012, 20, 179-89.	0.8	8
83	The Home-Based Older People's Exercise (HOPE) trial: study protocol for a randomised controlled trial. Trials, 2011, 12, 143.	1.6	20
84	Community rehabilitation for older people: day hospital or home-based services?. Age and Ageing, 2011, 40, 2-4.	1.6	14
85	Is physical rehabilitation for older people in long-term care effective? Findings from a systematic review. Age and Ageing, 2010, 39, 169-175.	1.6	69
86	Caregiver Needs and Their Management in Stroke. , 2010, , 315-329.		0
87	Measuring outcomes in the longer term after a stroke. Clinical Rehabilitation, 2009, 23, 918-921.	2.2	16
88	Cochrane review: information provision for stroke patients and their caregivers. Clinical Rehabilitation, 2009, 23, 195-206.	2.2	85
89	Repetitive Task Training for Improving Functional Ability After Stroke. Stroke, 2009, 40, .	2.0	38
90	Do physiotherapy staff record treatment time accurately? An observational study. Clinical Rehabilitation, 2009, 23, 841-845.	2.2	19

#	ARTICLE	IF	CITATIONS
91	Post-acute rehabilitation care for older people in community hospitals and general hospitals – Philosophies of care and patients' and caregivers' reported experiences: A qualitative study. Disability and Rehabilitation, 2009, 31, 1862-1872.	1.8	17
92	Structured re-assessment system at 6 months after a disabling stroke: a randomised controlled trial with resource use and cost study. Age and Ageing, 2009, 38, 576-583.	1.6	38
93	Rehabilitation for older people in long-term care. , 2009, , CD004294.		61
94	Medical day hospital care for the elderly versus alternative forms of care. , 2008, , CD001730.		21
95	The geriatric day hospital: past, present and future. Age and Ageing, 2008, 37, 613-615.	1.6	6
96	Post-acute care for older people in community hospitals – a cost-effectiveness analysis within a multi-centre randomised controlled trial. Age and Ageing, 2008, 37, 513-520.	1.6	31
97	Survey to investigate the role of the community stroke care coordinator. British Journal of Community Nursing, 2008, 13, 31-36.	0.4	12
98	Information provision for stroke patients and their caregivers. , 2008, , CD001919.		58
99	Post-acute transfer of older people to intermediate care services: the sooner the better?. Age and Ageing, 2007, 36, 589-592.	1.6	15
100	Review of stroke rehabilitation. BMJ: British Medical Journal, 2007, 334, 86-90.	2.3	127
101	Review of longer-term problems after a disabling stroke. Reviews in Clinical Gerontology, 2007, 17, 277.	0.5	19
102	Response and completion rates for postal outcomes booklets in stroke rehabilitation. International Journal of Therapy and Rehabilitation, 2007, 14, 440-445.	0.3	6
103	Repetitive task training for improving functional ability after stroke. , 2007, , CD006073.		204
104	The patient experience of community hospital ? the process of care as a determinant of satisfaction. Journal of Evaluation in Clinical Practice, 2007, 13, 95-101.	1.8	18
105	Postacute Care for Older People in Community Hospitals: A Multicenter Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2007, 55, 1995-2002.	2.6	62
106	A cost effectiveness analysis within a randomised controlled trial of post-acute care of older people in a community hospital. BMJ: British Medical Journal, 2006, 333, 228.	2.3	17
107	Background to the post-acute care trial of community hospital rehabilitation for older people. International Journal of Therapy and Rehabilitation, 2006, 13, 66-73.	0.3	10
108	Use of the –STRATIFY– falls risk assessment in patients recovering from acute stroke. Age and Ageing, 2006, 35, 138-143.	1.6	64

#	ARTICLE	IF	CITATIONS
109	Feasibility study of a primary care-based model for stroke aftercare. British Journal of General Practice, 2006, 56, 775-80.	1.4	18
110	Effects of locality based community hospital care on independence in older people needing rehabilitation: randomised controlled trial. BMJ: British Medical Journal, 2005, 331, 317-322.	2.3	51
111	Research networks for stroke rehabilitation: opportunities and barriers. Clinical Medicine, 2005, 5, 42-46.	1.9	8
112	A randomized trial evaluation of the Oswestry Standing Frame for patients after stroke. Clinical Rehabilitation, 2005, 19, 354-364.	2.2	27
113	A randomized trial to evaluate an education programme for patients and carers after stroke. Clinical Rehabilitation, 2004, 18, 726-736.	2.2	78
114	A survey to investigate the role of the district nurse in stroke care. British Journal of Community Nursing, 2004, 9, 318-324.	0.4	5
115	Combined analysis of two randomized trials of community physiotherapy for patients more than one year post stroke. Clinical Rehabilitation, 2004, 18, 249-252.	2.2	29
116	An estimate of post-acute intermediate care need in an elderly care department for older people. Health and Social Care in the Community, 2003, 11, 229-231.	1.6	18
117	Bradford elderly care and rehabilitation research department: research related to the national service framework for older people. Clinical Effectiveness in Nursing, 2003, 7, 115-123.	0.1	0
118	Review of longer-term problems after disabling stroke. Reviews in Clinical Gerontology, 2003, 13, .	0.5	30
119	Developing a primary care-based stroke service: a review of the qualitative literature. British Journal of General Practice, 2003, 53, 137-42.	1.4	88
120	Developing a primary care-based stroke model: the prevalence of longer-term problems experienced by patients and carers. British Journal of General Practice, 2003, 53, 803-7.	1.4	54
121	Reliability of gait speed measured by a timed walking test in patients one year after stroke. Clinical Rehabilitation, 2002, 16, 306-314.	2.2	146
122	Physiotherapy for patients with mobility problems more than 1 year after stroke: a randomised controlled trial. Lancet, The, 2002, 359, 199-203.	13.7	182
123	Information provision for stroke patients and their caregivers. , 2001, , CD001919.		55
124	Determinants of Social Outcome Measured by the Frenchay Activities Index at One Year after Stroke Onset. Cerebrovascular Diseases, 2001, 12, 114-120.	1.7	24
125	Investigating recovery from stroke: a qualitative study. Journal of Clinical Nursing, 2000, 9, 507-515.	3.0	165
126	A survey of community physiotherapy provision after 1year post-stroke. International Journal of Therapy and Rehabilitation, 1999, 6, 216-221.	0.1	5

#	ARTICLE	IF	CITATIONS
127	Systematic review of day hospital care for elderly people. BMJ: British Medical Journal, 1999, 318, 837-841.	2.3	84
128	Recovering from stroke: a qualitative investigation of the role of goal setting in late stroke recovery. Journal of Advanced Nursing, 1999, 30, 401-409.	3.3	55
129	The development of a collaborative stroke training programme for nurses. Journal of Clinical Nursing, 1999, 8, 743-752.	3.0	19
130	Medical day hospital care for the elderly versus alternative forms of care. , 1999, , CD001730.		26
131	An overview of rehabilitation for older people. Reviews in Clinical Gerontology, 1999, 9, 183-196.	0.5	21
132	Effect of a physiotherapist-led training programme on attitudes of nurses caring for patients after stroke. Clinical Rehabilitation, 1999, 13, 113-122.	2.2	15
133	A preliminary investigation of patient and carer expectations of their general practitioner in longer-term stroke care. Journal of Evaluation in Clinical Practice, 1998, 4, 237-241.	1.8	15
134	Specialist nurse support for patients with stroke in the community: a randomised controlled trial. BMJ: British Medical Journal, 1996, 312, 1642-1646.	2.3	182
135	Longer-term Psycho-social Support after Stroke. Physiotherapy, 1995, 81, 604.	0.4	0
136	Contact Point. Geriatric Day Care. Physiotherapy, 1995, 81, 575.	0.4	2
137	Incidence and consequences offalls due to stroke: a systematic inquiry. BMJ: British Medical Journal, 1995, 311, 83-86.	2.3	510
138	The painful hemiplegic shoulder: physiotherapy treatment. Reviews in Clinical Gerontology, 1994, 4, 343-348.	0.5	10
139	The Bradford community stroke trial: eight week results. Clinical Rehabilitation, 1991, 5, 283-292.	2.2	34
140	The Role of Community Physiotherapy for Stroke Patients. Physiotherapy, 1990, 76, 495-497.	0.4	9
141	Day hospital and stroke patients. International Disability Studies, 1989, 11, 181-183.	0.4	13
142	Mary Godfrey 1953â€“2020. Age and Ageing, 0, , .	1.6	0
143	Non-pharmacological interventions for longer-term stroke survivors or their carers: an overview of Cochrane Reviews. The Cochrane Library, 0, , .	2.8	1
144	Is two better than one? Maximising follow-up of self-reported outcome measures for a stroke survivor population: Results from a study within a trial in the LoTS2Care feasibility study. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	1.2	0