

Frank J H Gijzen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/118155/publications.pdf>

Version: 2024-02-01

95
papers

3,792
citations

126858

33
h-index

138417

58
g-index

97
all docs

97
docs citations

97
times ranked

4212
citing authors

#	ARTICLE	IF	CITATIONS
1	Multicomponent material property characterization of atherosclerotic human carotid arteries through a Bayesian Optimization based inverse finite element approach. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022, 126, 104996.	1.5	7
2	Thrombus mechanics: How can we contribute to improve diagnostics and treatment?. <i>Journal of Biomechanics</i> , 2022, 132, 110935.	0.9	0
3	Lipid-rich Plaques Detected by Near-infrared Spectroscopy Are More Frequently Exposed to High Shear Stress. <i>Journal of Cardiovascular Translational Research</i> , 2021, 14, 416-425.	1.1	10
4	Morphometric and Mechanical Analyses of Calcifications and Fibrous Plaque Tissue in Carotid Arteries for Plaque Rupture Risk Assessment. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 1429-1438.	2.5	13
5	Lipid signature of advanced human carotid atherosclerosis assessed by mass spectrometry imaging. <i>Journal of Lipid Research</i> , 2021, 62, 100020.	2.0	27
6	Identification of the haemodynamic environment permissive for plaque erosion. <i>Scientific Reports</i> , 2021, 11, 7253.	1.6	20
7	Mechanical Characterization of Thrombi Retrieved With Endovascular Thrombectomy in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2021, 52, 2510-2517.	1.0	39
8	The first virtual patient-specific thrombectomy procedure. <i>Journal of Biomechanics</i> , 2021, 126, 110622.	0.9	25
9	In vitro and in silico modeling of endovascular stroke treatments for acute ischemic stroke. <i>Journal of Biomechanics</i> , 2021, 127, 110693.	0.9	16
10	A review on the association of thrombus composition with mechanical and radiological imaging characteristics in acute ischemic stroke. <i>Journal of Biomechanics</i> , 2021, 129, 110816.	0.9	11
11	The definition of low wall shear stress and its effect on plaque progression estimation in human coronary arteries. <i>Scientific Reports</i> , 2021, 11, 22086.	1.6	13
12	The Association Between Time-Varying Wall Shear Stress and the Development of Plaque Ulcerations in Carotid Arteries From the Plaque at Risk Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 732646.	1.1	3
13	An in silico trials platform for the evaluation of effect of the arterial anatomy configuration on stent implantation*. , 2021, 2021, 4213-4217.		1
14	Multidirectional wall shear stress promotes advanced coronary plaque development: comparing five shear stress metrics. <i>Cardiovascular Research</i> , 2020, 116, 1136-1146.	1.8	66
15	Endothelial shear stress and vascular remodeling in bioresorbable scaffold and metallic stent. <i>Atherosclerosis</i> , 2020, 312, 79-89.	0.4	3
16	Contemporary rationale for non-invasive imaging of adverse coronary plaque features to identify the vulnerable patient:Âa Position Paper from the European Society of Cardiology Working Group on Atherosclerosis and Vascular Biology and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 1177-1183.	0.5	29
17	Vulnerable plaques and patients: state-of-the-art. <i>European Heart Journal</i> , 2020, 41, 2997-3004.	1.0	98
18	4-D Echo-Particle Image Velocimetry in a Left Ventricular Phantom. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 805-817.	0.7	38

#	ARTICLE	IF	CITATIONS
19	Imaging of inflammatory cellular protagonists in human atherosclerosis: a dual-isotope SPECT approach. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2856-2865.	3.3	5
20	Impact of bioresorbable scaffold design characteristics on local haemodynamic forces: an ex vivo assessment with computational fluid dynamics simulations. <i>EuroIntervention</i> , 2020, 16, e930-e937.	1.4	5
21	Expert recommendations on the assessment of wall shear stress in human coronary arteries: existing methodologies, technical considerations, and clinical applications. <i>European Heart Journal</i> , 2019, 40, 3421-3433.	1.0	178
22	Tomographic PIV in a model of the left ventricle: 3D flow past biological and mechanical heart valves. <i>Journal of Biomechanics</i> , 2019, 90, 40-49.	0.9	28
23	Calcifications in atherosclerotic plaques and impact on plaque biomechanics. <i>Journal of Biomechanics</i> , 2019, 87, 1-12.	0.9	61
24	Flow Patterns in Carotid Webs: A Patient-Based Computational Fluid Dynamics Study. <i>American Journal of Neuroradiology</i> , 2019, 40, 703-708.	1.2	31
25	CT Angiography-Derived Fractional Flow Reserve. <i>Contemporary Medical Imaging</i> , 2019, , 767-776.	0.3	0
26	Intraventricular blood flow with a fully dynamic mitral valve model. <i>Computers in Biology and Medicine</i> , 2019, 104, 197-204.	3.9	20
27	High Frame Rate Ultrasound Particle Image Velocimetry for Estimating High Velocity Flow Patterns in the Left Ventricle. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2018, 65, 2222-2232.	1.7	21
28	Endothelial shear stress 5 years after implantation of a coronary bioresorbable scaffold. <i>European Heart Journal</i> , 2018, 39, 1602-1609.	1.0	33
29	Intima heterogeneity in stress assessment of atherosclerotic plaques. <i>Interface Focus</i> , 2018, 8, 20170008.	1.5	16
30	Virtual physiological human 2016: translating the virtual physiological human to the clinic. <i>Interface Focus</i> , 2018, 8, 20170067.	1.5	15
31	P33â€¦NRF2-MEDIATED UPREGULATION OF OSGIN1 AND OSGIN2 TRIGGERS CELL DETACHMENT THROUGH DYSREGULATED AUTOPHAGY â€œ A POTENTIAL MECHANISM FOR ENDOTHELIAL EROSION OVERLYING STENOTIC PLAQUES. <i>Cardiovascular Research</i> , 2018, 114, S10-S10.	1.8	0
32	High-Frame-Rate Contrast-enhanced US Particle Image Velocimetry in the Abdominal Aorta: First Human Results. <i>Radiology</i> , 2018, 289, 119-125.	3.6	18
33	High-Frame-Rate Contrast-Enhanced Ultrasound for Velocimetry in the Human Abdominal Aorta. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2018, 65, 2245-2254.	1.7	18
34	3D Fiber Orientation in Atherosclerotic Carotid Plaques. <i>Journal of Structural Biology</i> , 2017, 200, 28-35.	1.3	44
35	Model-based cap thickness and peak cap stress prediction for carotid MRI. <i>Journal of Biomechanics</i> , 2017, 60, 175-180.	0.9	2
36	Contour segmentation of the intima, media, and adventitia layers in intracoronary OCT images: application to fully automatic detection of healthy wall regions. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2017, 12, 1923-1936.	1.7	21

#	ARTICLE	IF	CITATIONS
37	Five-year follow-up of underexpanded and overexpanded bioresorbable scaffolds: self-correction and impact on shear stress. <i>EuroIntervention</i> , 2017, 12, 2158-2159.	1.4	6
38	Animal models for plaque rupture: a biomechanical assessment. <i>Thrombosis and Haemostasis</i> , 2016, 115, 501-508.	1.8	25
39	Contrast-enhanced micro-CT imaging in murine carotid arteries: a new protocol for computing wall shear stress. <i>BioMedical Engineering OnLine</i> , 2016, 15, 156.	1.3	13
40	Coronary fractional flow reserve measurements of a stenosed side branch: a computational study investigating the influence of the bifurcation angle. <i>BioMedical Engineering OnLine</i> , 2016, 15, 91.	1.3	22
41	The impact of scaled boundary conditions on wall shear stress computations in atherosclerotic human coronary bifurcations. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1304-H1312.	1.5	10
42	Fusion of fibrous cap thickness and wall shear stress to assess plaque vulnerability in coronary arteries: a pilot study. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2016, 11, 1779-1790.	1.7	6
43	Peak cap stress calculations in coronary atherosclerotic plaques with an incomplete necrotic core geometry. <i>BioMedical Engineering OnLine</i> , 2016, 15, 48.	1.3	18
44	Functional and anatomical measures for outflow boundary conditions in atherosclerotic coronary bifurcations. <i>Journal of Biomechanics</i> , 2016, 49, 2127-2134.	0.9	14
45	A Framework for Local Mechanical Characterization of Atherosclerotic Plaques: Combination of Ultrasound Displacement Imaging and Inverse Finite Element Analysis. <i>Annals of Biomedical Engineering</i> , 2016, 44, 968-979.	1.3	15
46	The effects of plaque morphology and material properties on peak cap stress in human coronary arteries. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016, 19, 771-779.	0.9	23
47	A Computer-Simulation Study on the Effects of MRI Voxel Dimensions on Carotid Plaque Lipid-Core and Fibrous Cap Segmentation and Stress Modeling. <i>PLoS ONE</i> , 2015, 10, e0123031.	1.1	6
48	Influence of the Accuracy of Angiography-Based Reconstructions on Velocity and Wall Shear Stress Computations in Coronary Bifurcations: A Phantom Study. <i>PLoS ONE</i> , 2015, 10, e0145114.	1.1	16
49	Local anisotropic mechanical properties of human carotid atherosclerotic plaques – Characterisation by micro-indentation and inverse finite element analysis. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 43, 59-68.	1.5	21
50	Carotid Plaque Morphological Classification Compared With Biomechanical Cap Stress. <i>Stroke</i> , 2015, 46, 2124-2128.	1.0	20
51	Cardiovascular diseases and vulnerable plaques: data, modeling, predictions and clinical applications. <i>BioMedical Engineering OnLine</i> , 2015, 14, S1.	1.3	5
52	Biomechanical Modeling to Improve Coronary Artery Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1281-1296.	1.1	84
53	Fast and Accurate Pressure-Drop Prediction in Straightened Atherosclerotic Coronary Arteries. <i>Annals of Biomedical Engineering</i> , 2015, 43, 59-67.	1.3	12
54	The Influence of Inaccuracies in Carotid MRI Segmentation on Atherosclerotic Plaque Stress Computations. <i>Journal of Biomechanical Engineering</i> , 2014, 136, 021015.	0.6	6

#	ARTICLE	IF	CITATIONS
55	Plaque mechanics. Journal of Biomechanics, 2014, 47, 763-764.	0.9	13
56	3D reconstruction techniques of human coronary bifurcations for shear stress computations. Journal of Biomechanics, 2014, 47, 39-43.	0.9	39
57	Numerical simulations of carotid MRI quantify the accuracy in measuring atherosclerotic plaque components in vivo. Magnetic Resonance in Medicine, 2014, 72, 188-201.	1.9	11
58	Mechanical properties of human atherosclerotic intima tissue. Journal of Biomechanics, 2014, 47, 773-783.	0.9	87
59	Atherosclerotic plaque fibrous cap assessment under an oblique scan plane orientation in carotid MRI. Quantitative Imaging in Medicine and Surgery, 2014, 4, 216-24.	1.1	1
60	The effects of stenting on shear stress: relevance to endothelial injury and repair. Cardiovascular Research, 2013, 99, 269-275.	1.8	103
61	Shear stress and advanced atherosclerosis in human coronary arteries. Journal of Biomechanics, 2013, 46, 240-247.	0.9	82
62	Local axial compressive mechanical properties of human carotid atherosclerotic plaquesâ€™ characterisation by indentation test and inverse finite element analysis. Journal of Biomechanics, 2013, 46, 1759-1766.	0.9	75
63	Can We Use In Vivo MRI and FEA to Determine Peak Cap Stress in Carotid Plaques? MRI Simulations Provide Answers. , 2013, , .		0
64	Local Anisotropic Mechanical Behavior of Human Carotid Atherosclerotic Plaques: Characterization Using Indentation Test and Inverse Finite Element Analysis. , 2013, , .		0
65	In vivo assessment of the relationship between shear stress and necrotic core in early and advanced coronary artery disease. EuroIntervention, 2013, 9, 989-995.	1.4	36
66	Endothelial shear stress in the evolution of coronary atherosclerotic plaque and vascular remodelling: current understanding and remaining questions. Cardiovascular Research, 2012, 96, 234-243.	1.8	257
67	Differences in Neointimal Thickness Between the Adluminal and the Abluminal Sides of Malapposed and Side-Branch Struts in a Polylactide Bioresorbable Scaffold. JACC: Cardiovascular Interventions, 2012, 5, 428-435.	1.1	34
68	Detection and quantification of coronary atherosclerotic plaque by 64-slice multidetector CT: A systematic head-to-head comparison with intravascular ultrasound. Atherosclerosis, 2011, 219, 163-170.	0.4	67
69	Small coronary calcifications are not detectable by 64-slice contrast enhanced computed tomography. International Journal of Cardiovascular Imaging, 2011, 27, 143-152.	0.7	27
70	The influence of boundary conditions on wall shear stress distribution in patients specific coronary trees. Journal of Biomechanics, 2011, 44, 1089-1095.	0.9	116
71	High shear stress induces a strain increase in human coronary plaques over a 6-month period. EuroIntervention, 2011, 7, 121-127.	1.4	39
72	Reproducibility, Accuracy, and Predictors of Accuracy for the Detection of Coronary Atherosclerotic Plaque Composition by Computed Tomography. Investigative Radiology, 2010, 45, 693-701.	3.5	53

#	ARTICLE	IF	CITATIONS
73	Call for Standards in Technical Documentation of Intracoronary Stents. Herz, 2010, 35, 27-33.	0.4	9
74	3D fusion of intravascular ultrasound and coronary computed tomography for in-vivo wall shear stress analysis: a feasibility study. International Journal of Cardiovascular Imaging, 2010, 26, 781-796.	0.7	69
75	Three-dimensional registration of histology of human atherosclerotic carotid plaques to in-vivo imaging. Journal of Biomechanics, 2010, 43, 2087-2092.	0.9	28
76	Location of Plaque Ulceration in Human Coronary Arteries is Related to Shear Stress. , 2010, , .		1
77	In Vivo 3D Distribution of Lipid-Core Plaque in Human Coronary Artery as Assessed by Fusion of Near Infrared Spectroscopyâ€“Intravascular Ultrasound and Multislice Computed Tomography Scan. Circulation: Cardiovascular Imaging, 2010, 3, e6-7.	1.3	29
78	Biomechanical Determinants of Plaque Rupture. , 2010, , .		0
79	In vivo validation of CAAS QCAâ€“3D coronary reconstruction using fusion of angiography and intravascular ultrasound (ANGUS). Catheterization and Cardiovascular Interventions, 2009, 73, 620-626.	0.7	70
80	Plaque and shear stress distribution in human coronary bifurcations: a multislice computed tomography study. EuroIntervention, 2009, 4, 654-661.	1.4	70
81	Simulation of stent deployment in a realistic human coronary artery. BioMedical Engineering OnLine, 2008, 7, 23.	1.3	99
82	Rapamycin modulates the eNOS vs. shear stress relationship. Cardiovascular Research, 2008, 78, 123-129.	1.8	61
83	Strain distribution over plaques in human coronary arteries relates to shear stress. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 295, H1608-H1614.	1.5	176
84	The influence of shear stress on in-stent restenosis and thrombosis. EuroIntervention, 2008, 4 Suppl C, C27-32.	1.4	11
85	Plaque Rupture in the Carotid Artery Is Localized at the High Shear Stress Region. Stroke, 2007, 38, 2379-2381.	1.0	212
86	Large variations in absolute wall shear stress levels within one species and between species. Atherosclerosis, 2007, 195, 225-235.	0.4	190
87	A new imaging technique to study 3-D plaque and shear stress distribution in human coronary artery bifurcations in vivo. Journal of Biomechanics, 2007, 40, 2349-2357.	0.9	83
88	Influence of catheter design on lumen wall temperature distribution in intracoronary thermography. Journal of Biomechanics, 2007, 40, 281-288.	0.9	11
89	The Influence of Shear Stress on Restenosis. , 2007, , 59-83.		1
90	Geometry guided data averaging enables the interpretation of shear stress related plaque development in human coronary arteries. Journal of Biomechanics, 2005, 38, 1551-1555.	0.9	32

#	ARTICLE	IF	CITATIONS
91	Intracoronary thermography: heat generation, transfer and detection. EuroIntervention, 2005, 1, 105-114.	1.4	4
92	Usefulness of shear stress pattern in predicting neointima distribution in sirolimus-eluting stents in coronary arteries. American Journal of Cardiology, 2003, 92, 1325-1328.	0.7	80
93	Shear stress, vascular remodeling and neointimal formation. Journal of Biomechanics, 2003, 36, 681-688.	0.9	113
94	Augmentation of Wall Shear Stress Inhibits Neointimal Hyperplasia After Stent Implantation. Circulation, 2003, 107, 2741-2746.	1.6	98
95	Focal In-Stent Restenosis Near Step-Up. Circulation, 2002, 105, e185-7.	1.6	48