
Haluk Ã-zen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11826122/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Microcontact imprinting based surface plasmon resonance (SPR) biosensor for real-time and ultrasensitive detection of prostate specific antigen (PSA) from clinical samples. Sensors and Actuators B: Chemical, 2016, 224, 823-832.	7.8	170
2	An Extended 10-Core Transrectal Ultrasonography Guided Prostate Biopsy Protocol Improves the Detection of Prostate Cancer. European Urology, 2004, 45, 444-449.	1.9	116
3	Prognostic Significance of Bladder Tumor History and Tumor Location in Upper Tract Transitional Cell Carcinoma. Journal of Urology, 2006, 176, 48-52.	0.4	111
4	A STUDY OF THE ETIOLOGY OF IDIOPATHIC CALCIUM UROLITHIASIS IN CHILDREN: HYPOCITRURIA IS THE MOST IMPORTANT RISK FACTOR. Journal of Urology, 2000, 164, 162-165.	0.4	103
5	Safety of cabazitaxel in senior adults with metastatic castration-resistant prostate cancer: Results of the European compassionate-use programme. European Journal of Cancer, 2014, 50, 1090-1099.	2.8	88
6	Surgical management of renal cell carcinoma with inferior vena cava tumor thrombus. American Journal of Surgery, 2002, 183, 292-299.	1.8	86
7	Polymorphisms of glutathione S -transferase genes (GSTM1 , GSTP1 and GSTT1) and bladder cancer susceptibility in the Turkish population. Archives of Toxicology, 2001, 75, 459-464.	4.2	69
8	INDIVIDUALIZATION OF THE BIOPSY PROTOCOL ACCORDING TO THE PROSTATE GLAND VOLUME FOR PROSTATE CANCER DETECTION. Journal of Urology, 2005, 173, 1536-1540.	0.4	57
9	FALSE-POSITIVE RESULTS OF THE NMP22 TEST DUE TO HEMATURIA. Journal of Urology, 2002, 167, 555-558.	0.4	55
10	Outcomes of Surveillance Protocol of Clinical Stage I Nonseminomatous Germ Cell Tumors—ls Shift to Risk Adapted Policy Justified?. Journal of Urology, 2006, 176, 1424-1430.	0.4	45
11	Hormonal Predictors of Prostate Cancer. Urologia Internationalis, 2007, 79, 13-18.	1.3	44
12	CYP1A1 and GSTM1 polymorphic genotypes in patients with prostate cancer in a Turkish population. Cancer Genetics and Cytogenetics, 2004, 154, 81-85.	1.0	38
13	The Predictive Value Of Purified Protein Derivative Results On Complications And Prognosis In Patients With Bladder Cancer Treated With Bacillus Calmette-Guerin. Journal of Urology, 2003, 169, 1702-1705.	0.4	36
14	Serum Ferritin: A Tumor Marker For Renal Cell Carcinoma. Journal of Urology, 1991, 145, 1134-1137.	0.4	34
15	PSYCHOSOCIAL ADJUSTMENT AFTER TESTICULAR CANCER TREATMENT. Journal of Urology, 1998, 159, 1947-1950.	0.4	34
16	Proliferating-cell nuclear antigen (PCNA) as an independent prognostic marker in patients after prostatectomy: a comparison of PCNA and Ki-67. BJU International, 2005, 95, 650-654.	2.5	32
17	Clinical significance of serum ferritin in patients with renal cell carcinoma. Urology, 1995, 46, 494-498.	1.0	31
18	Bladder cancer. Current Opinion in Oncology, 2002, 14, 265-272.	2.4	31

Haluk Özen

#	Article	IF	CITATIONS
19	The Effect of Prior Biopsy Scheme on Prostate Cancer Detection for Repeat Biopsy Population: Results of the 14-core Prostate Biopsy Technique. International Urology and Nephrology, 2007, 39, 189-195.	1.4	30
20	PSA Isoforms in Prostate Cancer Detection. European Urology Supplements, 2006, 5, 495-499.	0.1	29
21	p53 codon 72 polymorphism in bladder cancer – no evidence of association with increased risk or invasiveness. Urological Research, 2001, 29, 393-395.	1.5	28
22	Glutathione S-transferase M1 gene polymorphism in bladder cancer patients. Cancer Genetics and Cytogenetics, 2001, 125, 1-4.	1.0	26
23	The role of the pathologist in the evaluation of radical prostatectomy specimens. Scandinavian Journal of Urology and Nephrology, 2003, 37, 387-391.	1.4	26
24	Human papillomavirus associated with bladder carcinoma? Analysis by polymerase chain reaction. International Journal of Urology, 1999, 6, 184-186.	1.0	25
25	Resection of residual masses alone: an alternative in surgical therapy of metastatic testicular germ cell tumors after chemotherapy. Urology, 2001, 57, 323-327.	1.0	25
26	Percutaneous Nephrostomy in the Management of Malignant Ureteral Obstruction Secondary to Bladder Cancer. Journal of Endourology, 2001, 15, 827-829.	2.1	25
27	DETECTION OF BACILLUS CALMETTE-GUERIN IN THE BLOOD BY THE POLYMERASE CHAIN REACTION METHOD OF TREATED BLADDER CANCER PATIENTS. Journal of Urology, 1997, 158, 2109-2112.	0.4	23
28	Bladder cancer. Current Opinion in Oncology, 2000, 12, 255-259.	2.4	22
29	Determination of Prognosis in Patients With Prostate Cancer Treated With Radical Prostatectomy: Prognostic Value of CD44v6 Score. Journal of Urology, 2002, 167, 2037-2041.	0.4	21
30	Gynecomastia as a complication of chemotherapy for testicular germ cell tumors. Urology, 1996, 48, 944-946.	1.0	20
31	Validation of 2001 Partin Tables in Turkey: A Multicenter Study. European Urology, 2005, 47, 185-189.	1.9	20
32	Can We Obtain Better Specimens with an End-Cutting Prostatic Biopsy Device?. European Urology, 2005, 47, 297-301.	1.9	19
33	Is Prophylactic Breast Radiotherapy Necessary in All Patients With Prostate Cancer and Gynecomastia and/or Breast Pain?. Journal of Urology, 2010, 184, 519-524.	0.4	19
34	Complexed Prostate Specific Antigen Density is Better Than the Other PSA Derivatives for Detection of Prostate Cancer in Men with Total PSA between 2.5 and 20ng/ml: Results of a Prospective Multicenter Study. European Urology, 2005, 47, 302-307.	1.9	18
35	Radical Prostatectomy After Previous Prostate Surgery: Effects on Surgical Difficulty and Pathologic Outcomes. Urology, 2009, 73, 856-859.	1.0	18
36	Bladder cancer. Current Opinion in Oncology, 1999, 11, 207.	2.4	18

Haluk Özen

#	Article	IF	CITATIONS
37	Correlation of Prostate-Imaging Reporting and Data Scoring System scoring on multiparametric prostate magnetic resonance imaging with histopathological factors in radical prostatectomy material in Turkish prostate cancer patients: a multicenter study of the Urooncology Association. Prostate International, 2020, 8, 10-15.	2.3	17
38	Combined Use of Prostate-Specific Antigen Derivatives Decreases the Number of Unnecessary Biopsies to Detect Prostate Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2001, 24, 610-613.	1.3	16
39	Detection of urinary interleukin-2, interleukin-2 receptor, and tumor necrosis factor levels in patients with superficial bladder tumors after intravesical BCG immunotherapy. Urology, 1994, 43, 187-190.	1.0	15
40	68Ga-labelled PSMA ligand HBED-CC PET/CT imaging in patients with recurrent prostate cancer. World Journal of Urology, 2019, 37, 813-821.	2.2	15
41	A New Device for the Treatment of Post-Prostatectomy Incontinence: Adjustable Perineal Male Sling. Journal of Urology, 2008, 179, 605-609.	0.4	13
42	Skeletal Muscle Metastasis from Carcinoma of the Bladder. Scandinavian Journal of Urology and Nephrology, 1999, 33, 336-337.	1.4	11
43	Telomerase Activity in Diagnosis of Bladder Cancer*. Scandinavian Journal of Urology and Nephrology, 2003, 37, 205-209.	1.4	11
44	Validation of Two Preoperative Kattan Nomograms Predicting Recurrence After Radical Prostatectomy for Localized Prostate Cancer in Turkey: A Multicenter Study of the Uro-oncology Society. Urology, 2009, 74, 1289-1295.	1.0	10
45	Renal cell carcinoma with inferior vena cava thrombus: The Hacettepe experience. Urologic Oncology: Seminars and Original Investigations, 2010, 28, 603-609.	1.6	9
46	Daily variability of serum prostate-specific antigen in men over 50 years of age. International Urology and Nephrology, 2001, 33, 641-644.	1.4	8
47	Does Age Affect the Prognosis of Patients with Testicular Germ Cell Tumor?. Urologia Internationalis, 2007, 79, 117-123.	1.3	7
48	Upper Urinary Tract Transitional Cell Carcinoma: Is There a Best?. Clinical Genitourinary Cancer, 2013, 11, 39-44.	1.9	6
49	Radical cystectomy versus alternative treatments for muscle-confined bladder cancer. International Urology and Nephrology, 2001, 33, 357-362.	1.4	5
50	Resection of pulmonary metastases following chemotherapy for high stage testicular tumors. International Journal of Urology, 2004, 11, 634-639.	1.0	5
51	Pathologic Outcomes of Candidates for Active Surveillance Undergoing Radical Prostatectomy: Results from a Contemporary Turkish Patient Cohort. Urologia Internationalis, 2018, 100, 43-49.	1.3	5
52	Factors Affecting Surgical Margin Positivity after Radical Prostatectomy in the Turkish Population: A Multicenter Study of the Urooncology Association. Urologia Internationalis, 2020, 104, 724-730.	1.3	5
53	Gynecomastia following Chemotherapy for Testicular Cancer. Urologia Internationalis, 2003, 70, 253-254.	1.3	4
54	Serum ribonuclease activity in the diagnosis of prostate cancer in men with serum prostate-specific antigen levels between 2.5 and 20 ng/mL. Clinical Biochemistry, 2006, 39, 363-366.	1.9	3

Haluk Özen

#	Article	IF	CITATIONS
55	Correlation of Serum Androgens and Pituitary Hormone Levels with Serum PSA Less Than 2.5 NG/ML. Scientific World Journal, The, 2007, 7, 1128-1133.	2.1	3
56	Incidental Diagnosis of Transitional Cell Carcinoma during Percutaneous Nephrolithotomy. Urologia Internationalis, 2009, 83, 291-294.	1.3	3
57	Predictors of Prostate Cancer in Ultrasound-Guided Transperineal Saturation Biopsy in Turkish Men with Multiple Prior Negative Biopsies. Urologia, 2016, 83, 71-76.	0.7	3
58	Gemcitabine based trimodality treatment in patients with muscle invasive bladder cancer: May neutrophil lymphocyte and platelet lymphocyte ratios predict outcomes?. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 368.e19-368.e29.	1.6	3
59	How accurate is radiological imaging for perirenal fat and renal vein invasion in renal cell carcinoma?. International Journal of Clinical Practice, 2021, 75, e14359.	1.7	3
60	Adjuvant chemotherapy for non-organ confined disease after radical cystectomy. , 2000, 32, 59-62.		2
61	Marsupialization for Bilateral Pararenal Lymphatic Cysts. Scandinavian Journal of Urology and Nephrology, 2000, 34, 77-78.	1.4	2
62	Presence of teratoma in orchiectomy specimen increases the need for postchemotherapy RPLND. Urologic Oncology: Seminars and Original Investigations, 2011, 29, 38-42.	1.6	2
63	Retroperitoneal Lymph Node Dissection for the Primary Treatment Recommendation in Clinical Stage I Nonseminomatous Germ Cell Tumors of the Testis: Contrary to European Guidelines. European Urology Supplements, 2011, 10, e75-e80.	0.1	2
64	Predictors of ISUP score upgrade in patients with low-risk prostate cancer. Tumori, 2021, 107, 030089162094395.	1.1	2
65	Temporal changes in the survival of metastatic renal cell cancer patients and the impact of targeted agents: Single center experience Journal of Clinical Oncology, 2014, 32, 519-519.	1.6	2
66	The nomogram conundrum: a demonstration of why a prostate cancer risk model in Turkish men underestimates prostate cancer risk in the USA. International Urology and Nephrology, 2016, 48, 1623-1629.	1.4	1
67	The effect of risk factors on surgical and oncological results in highâ€risk prostate cancer: A multicentre study of the urooncology society, Turkey. International Journal of Clinical Practice, 2021, 75, e14281.	1.7	1
68	Re: Active Surveillance in Younger Men with Prostate Cancer. European Urology, 2018, 73, 807.	1.9	0
69	Sextant Biopsy-Based Criteria for Clinically Insignificant Prostate Cancer Are Also Valid for the 12-Core Prostate Biopsy Scheme: A Multicenter Study of Urooncology Association, Turkey. Urologia Internationalis, 2021, , 1-9.	1.3	Ο
70	Twenty Years and Counting: Is PSA Still Useful in 2010?. , 2012, , 13-24.		0
71	Pathological determinants of oncologic outcomes in stage II renal cell carcinoma: An international multicenter analysis Journal of Clinical Oncology, 2017, 35, 535-535.	1.6	0
72	Re: Development and Validation of a Clinical Prognostic Stage Group System for Nonmetastatic Prostate Cancer Using Disease-specific Mortality Results from the International Staging Collaboration for Cancer of the Prostate. European Urology, 2022, , .	1.9	0