

Chien-Ning Hsu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1182729/chien-ning-hsu-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

2,577
citations

30
h-index

43
g-index

173
ext. papers

3,508
ext. citations

5
avg. IF

6.12
L-index

#	Paper	IF	Citations
145	Genetic variants associated with phenytoin-related severe cutaneous adverse reactions. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 525-34	27.4	209
144	Toxic Dimethylarginines: Asymmetric Dimethylarginine (ADMA) and Symmetric Dimethylarginine (SDMA). <i>Toxins</i> , 2017 , 9,	4.9	123
143	Risk and association of HLA with oxcarbazepine-induced cutaneous adverse reactions in Asians. <i>Neurology</i> , 2017 , 88, 78-86	6.5	83
142	Maternal Administration of Probiotic or Prebiotic Prevents Male Adult Rat Offspring against Developmental Programming of Hypertension Induced by High Fructose Consumption in Pregnancy and Lactation. <i>Nutrients</i> , 2018 , 10,	6.7	58
141	High Fat Diets Sex-Specifically Affect the Renal Transcriptome and Program Obesity, Kidney Injury, and Hypertension in the Offspring. <i>Nutrients</i> , 2017 , 9,	6.7	55
140	Asymmetric dimethylarginine is associated with developmental programming of adult kidney disease and hypertension in offspring of streptozotocin-treated mothers. <i>PLoS ONE</i> , 2013 , 8, e55420	3.7	54
139	Regulation of Nitric Oxide Production in the Developmental Programming of Hypertension and Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	51
138	Incidence and Risks of Congenital Anomalies of Kidney and Urinary Tract in Newborns: A Population-Based Case-Control Study in Taiwan. <i>Medicine (United States)</i> , 2016 , 95, e2659	1.8	50
137	Interplay between Oxidative Stress and Nutrient Sensing Signaling in the Developmental Origins of Cardiovascular Disease. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	49
136	Developmental Origins of Chronic Kidney Disease: Should We Focus on Early Life?. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	48
135	Cost-effectiveness Analysis for Genotyping before Allopurinol Treatment to Prevent Severe Cutaneous Adverse Drug Reactions. <i>Journal of Rheumatology</i> , 2017 , 44, 835-843	4.1	47
134	Melatonin therapy prevents programmed hypertension and nitric oxide deficiency in offspring exposed to maternal caloric restriction. <i>Oxidative Medicine and Cellular Longevity</i> , 2014 , 2014, 283180	6.7	46
133	PPARs Link Early Life Nutritional Insults to Later Programmed Hypertension and Metabolic Syndrome. <i>International Journal of Molecular Sciences</i> , 2015 , 17,	6.3	44
132	Incidence, Outcomes, and Risk Factors of Community-Acquired and Hospital-Acquired Acute Kidney Injury: A Retrospective Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3674	1.8	43
131	Maternal melatonin or N-acetylcysteine therapy regulates hydrogen sulfide-generating pathway and renal transcriptome to prevent prenatal N-Nitro-L-arginine-methyl ester (L-NAME)-induced fetal programming of hypertension in adult male offspring. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, e26-e32	6.4	42
130	The Good, the Bad, and the Ugly of Pregnancy Nutrients and Developmental Programming of Adult Disease. <i>Nutrients</i> , 2019 , 11,	6.7	41
129	Developmental Programming of Adult Disease: Reprogramming by Melatonin?. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	41

128	Targeting on Asymmetric Dimethylarginine-Related Nitric Oxide-Reactive Oxygen Species Imbalance to Reprogram the Development of Hypertension. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	41
127	Hypertension Programmed by Perinatal High-Fat Diet: Effect of Maternal Gut Microbiota-Targeted Therapy. <i>Nutrients</i> , 2019 , 11,	6.7	39
126	AMP-Activated Protein Kinase as a Reprogramming Strategy for Hypertension and Kidney Disease of Developmental Origin. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	37
125	Resveratrol prevents the combined maternal plus postweaning high-fat-diets-induced hypertension in male offspring. <i>Journal of Nutritional Biochemistry</i> , 2017 , 48, 120-127	6.3	37
124	Renal Transcriptome Analysis of Programmed Hypertension Induced by Maternal Nutritional Insults. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 17826-37	6.3	37
123	A 14 day esomeprazole- and amoxicillin-containing high-dose dual therapy regimen achieves a high eradication rate as first-line anti- <i>Helicobacter pylori</i> treatment in Taiwan: a prospective randomized trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 1718-1724	5.1	35
122	Maternal Melatonin Therapy Rescues Prenatal Dexamethasone and Postnatal High-Fat Diet Induced Programmed Hypertension in Male Rat Offspring. <i>Frontiers in Physiology</i> , 2015 , 6, 377	4.6	35
121	Targeting on Gut Microbial Metabolite Trimethylamine-N-Oxide and Short-Chain Fatty Acid to Prevent Maternal High-Fructose-Diet-Induced Developmental Programming of Hypertension in Adult Male Offspring. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900073	5.9	34
120	N-acetylcysteine prevents hypertension via regulation of the ADMA-DDAH pathway in young spontaneously hypertensive rats. <i>BioMed Research International</i> , 2013 , 2013, 696317	3	32
119	Aliskiren in early postnatal life prevents hypertension and reduces asymmetric dimethylarginine in offspring exposed to maternal caloric restriction. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 506-13	3	31
118	Maternal citrulline supplementation prevents prenatal N(G)-nitro-L-arginine-methyl ester (L-NAME)-induced programmed hypertension in rats. <i>Biology of Reproduction</i> , 2015 , 92, 7	3.9	31
117	The combined ratios of L-arginine and asymmetric and symmetric dimethylarginine as biomarkers in spontaneously hypertensive rats. <i>Translational Research</i> , 2012 , 159, 90-8	11	31
116	Metformin reduces asymmetric dimethylarginine and prevents hypertension in spontaneously hypertensive rats. <i>Translational Research</i> , 2014 , 164, 452-9	11	30
115	Aliskiren Administration during Early Postnatal Life Sex-Specifically Alleviates Hypertension Programmed by Maternal High Fructose Consumption. <i>Frontiers in Physiology</i> , 2016 , 7, 299	4.6	28
114	Maternal Resveratrol Therapy Protects Male Rat Offspring against Programmed Hypertension Induced by TCDD and Dexamethasone Exposures: Is It Relevant to Aryl Hydrocarbon Receptor?. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	28
113	Maternal Exposure to Bisphenol A Combined with High-Fat Diet-Induced Programmed Hypertension in Adult Male Rat Offspring: Effects of Resveratrol. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	27
112	Hydrogen Sulfide in Hypertension and Kidney Disease of Developmental Origins. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	23
111	Developmental Programming of the Metabolic Syndrome: Can We Reprogram with Resveratrol?. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	23

110	Early Supplementation of d-Cysteine or l-Cysteine Prevents Hypertension and Kidney Damage in Spontaneously Hypertensive Rats Exposed to High-Salt Intake. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700596	5.9	22
109	Homocysteine and Arginine-to-Asymmetric Dimethylarginine Ratio Associated With Blood Pressure Abnormalities in Children With Early Chronic Kidney Disease. <i>Circulation Journal</i> , 2015 , 79, 2031-7	2.9	22
108	Maternal Fructose Intake Affects Transcriptome Changes and Programmed Hypertension in Offspring in Later Life. <i>Nutrients</i> , 2016 , 8,	6.7	22
107	Early short-term treatment with exogenous hydrogen sulfide postpones the transition from prehypertension to hypertension in spontaneously hypertensive rat. <i>Clinical and Experimental Hypertension</i> , 2018 , 40, 58-64	2.2	21
106	Association between Helicobacter pylori eradication and the risk of coronary heart diseases. <i>PLoS ONE</i> , 2018 , 13, e0190219	3.7	21
105	N-Acetylcysteine Prevents Programmed Hypertension in Male Rat Offspring Born to Suramin-Treated Mothers. <i>Biology of Reproduction</i> , 2016 , 95, 8	3.9	21
104	Maternal Melatonin Therapy Attenuates Methyl-Donor Diet-Induced Programmed Hypertension in Male Adult Rat Offspring. <i>Nutrients</i> , 2018 , 10,	6.7	21
103	The Interplay between Maternal and Post-Weaning High-Fat Diet and Gut Microbiota in the Developmental Programming of Hypertension. <i>Nutrients</i> , 2019 , 11,	6.7	20
102	Gut Microbiota-Dependent Trimethylamine -Oxide Pathway Associated with Cardiovascular Risk in Children with Early-Stage Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	20
101	Valuation of the EQ-5D-5L in Taiwan. <i>PLoS ONE</i> , 2018 , 13, e0209344	3.7	20
100	Aliskiren prevents hypertension and reduces asymmetric dimethylarginine in young spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 2011 , 670, 561-5	5.3	19
99	Targeting the Renin-Angiotensin-Aldosterone System to Prevent Hypertension and Kidney Disease of Developmental Origins. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	19
98	Association between complicated liver cirrhosis and the risk of hepatocellular carcinoma in Taiwan. <i>PLoS ONE</i> , 2017 , 12, e0181858	3.7	18
97	Impact of Arginine Nutrition and Metabolism during Pregnancy on Offspring Outcomes. <i>Nutrients</i> , 2019 , 11,	6.7	18
96	Developmental Origins of Kidney Disease: Why Oxidative Stress Matters?. <i>Antioxidants</i> , 2020 , 10,	7.1	18
95	Maternal Adenine-Induced Chronic Kidney Disease Programs Hypertension in Adult Male Rat Offspring: Implications of Nitric Oxide and Gut Microbiome Derived Metabolites. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	18
94	Protection of Male Rat Offspring against Hypertension Programmed by Prenatal Dexamethasone Administration and Postnatal High-Fat Diet with the Nrf2 Activator Dimethyl Fumarate during Pregnancy. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
93	Maternal melatonin or agomelatine therapy prevents programmed hypertension in male offspring of mother exposed to continuous light. <i>Biology of Reproduction</i> , 2017 , 97, 636-643	3.9	17

92	Urinary arginine methylation index associated with ambulatory blood pressure abnormalities in children with chronic kidney disease. <i>Journal of the American Society of Hypertension</i> , 2012 , 6, 385-92		17
91	Apocynin attenuates oxidative stress and hypertension in young spontaneously hypertensive rats independent of ADMA/NO pathway. <i>Free Radical Research</i> , 2012 , 46, 68-76	4	16
90	Early Origins of Hypertension: Should Prevention Start Before Birth Using Natural Antioxidants?. <i>Antioxidants</i> , 2020 , 9,	7.1	16
89	The Double-Edged Sword Effects of Maternal Nutrition in the Developmental Programming of Hypertension. <i>Nutrients</i> , 2018 , 10,	6.7	16
88	Blood Pressure Abnormalities Associated with Gut Microbiota-Derived Short Chain Fatty Acids in Children with Congenital Anomalies of the Kidney and Urinary Tract. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	15
87	High citrulline-to-arginine ratio associated with blood pressure abnormalities in children with early chronic kidney disease. <i>Circulation Journal</i> , 2013 , 77, 181-7	2.9	15
86	Perinatal Resveratrol Therapy Prevents Hypertension Programmed by Maternal Chronic Kidney Disease in Adult Male Offspring: Implications of the Gut Microbiome and Their Metabolites. <i>Biomedicines</i> , 2020 , 8,	4.8	14
85	Light and Circadian Signaling Pathway in Pregnancy: Programming of Adult Health and Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	14
84	Aminoguanidine attenuates hypertension, whereas 7-nitroindazole exacerbates kidney damage in spontaneously hypertensive rats: the role of nitric oxide. <i>European Journal of Pharmacology</i> , 2013 , 699, 233-40	5.3	14
83	Machine Learning Model for Risk Prediction of Community-Acquired Acute Kidney Injury Hospitalization From Electronic Health Records: Development and Validation Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e16903	7.6	14
82	Perinatal Use of Melatonin for Offspring Health: Focus on Cardiovascular and Neurological Diseases. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	14
81	The Association between Nitric Oxide Pathway, Blood Pressure Abnormalities, and Cardiovascular Risk Profile in Pediatric Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	13
80	Maternal Tryptophan Supplementation Protects Adult Rat Offspring against Hypertension Programmed by Maternal Chronic Kidney Disease: Implication of Tryptophan-Metabolizing Microbiome and Aryl Hydrocarbon Receptor. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13
79	Maternal N-Acetylcysteine Therapy Prevents Hypertension in Spontaneously Hypertensive Rat Offspring: Implications of Hydrogen Sulfide-Generating Pathway and Gut Microbiota. <i>Antioxidants</i> , 2020 , 9,	7.1	13
78	Maternal Garlic Oil Supplementation Prevents High-Fat Diet-Induced Hypertension in Adult Rat Offspring: Implications of H ₂ S-Generating Pathway in the Gut and Kidneys. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001116	5.9	13
77	Association of Trimethylamine, Trimethylamine N-oxide, and Dimethylamine with Cardiovascular Risk in Children with Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	11
76	Low urinary citrulline/arginine ratio associated with blood pressure abnormalities and arterial stiffness in childhood chronic kidney disease. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 115-23		11
75	Predicting risk factors for rebleeding, infections, mortality following peptic ulcer bleeding in patients with cirrhosis and the impact of antibiotics prophylaxis at different clinical stages of the disease. <i>BMC Gastroenterology</i> , 2015 , 15, 61	3	11

74	Targeting on Gut Microbiota-Derived Metabolite Trimethylamine to Protect Adult Male Rat Offspring against Hypertension Programmed by Combined Maternal High-Fructose Intake and Dioxin Exposure. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
73	Preventing Developmental Origins of Cardiovascular Disease: Hydrogen Sulfide as a Potential Target?. <i>Antioxidants</i> , 2021 , 10,	7.1	11
72	First-line eradication rates are significantly lower in patients with than those without type 2 diabetes mellitus. <i>Infection and Drug Resistance</i> , 2019 , 12, 1425-1431	4.2	10
71	EQ-5D-Y for the assessment of health-related quality of life among Taiwanese youth with mild-to-moderate chronic kidney disease. <i>International Journal for Quality in Health Care</i> , 2018 , 30, 298-303	1.9	10
70	Endotoxemia exacerbates kidney injury and increases asymmetric dimethylarginine in young bile duct-ligated rats. <i>Shock</i> , 2012 , 37, 441-8	3.4	10
69	Preventive Aspects of Early Resveratrol Supplementation in Cardiovascular and Kidney Disease of Developmental Origins. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	10
68	The Association of Helicobacter pylori Eradication with the Occurrences of Chronic Kidney Diseases in Patients with Peptic Ulcer Diseases. <i>PLoS ONE</i> , 2016 , 11, e0164824	3.7	10
67	Altered Gut Microbiota and Its Metabolites in Hypertension of Developmental Origins: Exploring Differences between Fructose and Antibiotics Exposure. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	10
66	Epidemiology and outcomes of community-acquired and hospital-acquired acute kidney injury in children and adolescents. <i>Pediatric Research</i> , 2018 , 83, 622-629	3.2	10
65	Treatment and Cost of Hepatocellular Carcinoma: A Population-Based Cohort Study in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	10
64	Early-Life Programming and Reprogramming of Adult Kidney Disease and Hypertension: The Interplay between Maternal Nutrition and Oxidative Stress. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
63	Proteinuria and baseline renal function predict mortality and renal outcomes after sirolimus therapy in liver transplantation recipients. <i>BMC Gastroenterology</i> , 2017 , 17, 58	3	9
62	RNA silencing targeting PIN (protein inhibitor of neuronal nitric oxide synthase) attenuates the development of hypertension in young spontaneously hypertensive rats. <i>Journal of the American Society of Hypertension</i> , 2014 , 8, 5-13		9
61	Trends in the treatment changes and medication persistence of chronic myeloid leukemia in Taiwan from 1997 to 2007: a longitudinal population database analysis. <i>BMC Health Services Research</i> , 2012 , 12, 359	2.9	9
60	Estimation of CML incidence: disagreement between national cancer registry and health claims data system in Taiwan. <i>Leukemia Research</i> , 2011 , 35, e53-4	2.7	9
59	Utility of human leukocyte antigen-B*58: 01 genotyping and patient outcomes. <i>Pharmacogenetics and Genomics</i> , 2019 , 29, 1-8	1.9	9
58	Cardiovascular Diseases of Developmental Origins: Preventive Aspects of Gut Microbiota-Targeted Therapy. <i>Nutrients</i> , 2021 , 13,	6.7	9
57	Amino Acids and Developmental Origins of Hypertension. <i>Nutrients</i> , 2020 , 12,	6.7	8

56	Multiple bacterial infections increase the risk of hepatic encephalopathy in patients with cirrhosis. <i>PLoS ONE</i> , 2018 , 13, e0197127	3.7	8
55	Animal Models for DOHaD Research: Focus on Hypertension of Developmental Origins. <i>Biomedicines</i> , 2021 , 9,	4.8	8
54	Developmental Programming and Reprogramming of Hypertension and Kidney Disease: Impact of Tryptophan Metabolism. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
53	Maternal resveratrol therapy protected adult rat offspring against hypertension programmed by combined exposures to asymmetric dimethylarginine and trimethylamine-N-oxide. <i>Journal of Nutritional Biochemistry</i> , 2021 , 93, 108630	6.3	7
52	Risk factors influencing the outcome of peptic ulcer bleeding in chronic kidney disease after initial endoscopic hemostasis: A nationwide cohort study. <i>Medicine (United States)</i> , 2016 , 95, e4795	1.8	7
51	Association between Acrylamide Metabolites and Cardiovascular Risk in Children With Early Stages of Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
50	Compliance with risk management plan recommendations on laboratory monitoring of antitumor necrosis factor- α therapy in clinical practice. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 83-93 ^{3,2}		5
49	Building an active medical product safety surveillance system in Taiwan: Adaptation of the U.S. Sentinel System common data model structure to the National Health Insurance Research Database in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 97-101	2.6	5
48	Gasotransmitters for the Therapeutic Prevention of Hypertension and Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
47	Postnatal high-fat diet sex-specifically exacerbates prenatal dexamethasone-induced hypertension: Mass spectrometry-based quantitative proteomic approach. <i>Journal of Nutritional Biochemistry</i> , 2018 , 57, 268-275	6.3	4
46	Incidence and risk factors of colonoscopic post-polypectomy bleeding and perforation in patients with end-stage renal disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1704-1714 [†]		4
45	The impact of adoption of a new urate-lowering agent on trends in utilization and cost in practice. <i>PLoS ONE</i> , 2019 , 14, e0221504	3.7	3
44	Whether AICAR in Pregnancy or Lactation Prevents Hypertension Programmed by High Saturated Fat Diet: A Pilot Study. <i>Nutrients</i> , 2020 , 12,	6.7	3
43	Risk of Rebleeding and Mortality in Cirrhotic Patients with Peptic Ulcer Bleeding: A 12-Year Nationwide Cohort Study. <i>PLoS ONE</i> , 2017 , 12, e0168918	3.7	3
42	The Role of Adjuvant Acid Suppression on the Outcomes of Bleeding Esophageal Varices after Endoscopic Variceal Ligation. <i>PLoS ONE</i> , 2017 , 12, e0169884	3.7	3
41	Impact of drug price adjustments on utilization of and expenditures on angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in Taiwan. <i>BMC Public Health</i> , 2012 , 12, 288	4.1	3
40	Adverse Impact of Environmental Chemicals on Developmental Origins of Kidney Disease and Hypertension. <i>Frontiers in Endocrinology</i> , 2021 , 12, 745716	5.7	3
39	Trends in Antimicrobial Susceptibility of Isolates in a Taiwanese Child Cohort with Urinary Tract Infections between 2004 and 2018. <i>Antibiotics</i> , 2020 , 9,	4.9	3

38	Effects of Conversion From Calcineurin Inhibitors to Sirolimus or Everolimus on Renal Function and Possible Mechanisms in Liver Transplant Recipients. <i>Journal of Clinical Pharmacology</i> , 2019 , 59, 326-334	2.9	3
37	Perinatal Resveratrol Therapy to Dioxin-Exposed Dams Prevents the Programming of Hypertension in Adult Rat Offspring. <i>Antioxidants</i> , 2021 , 10,	7.1	3
36	Oxidative Stress-Induced Hypertension of Developmental Origins: Preventive Aspects of Antioxidant Therapy.. <i>Antioxidants</i> , 2022 , 11,	7.1	3
35	Resveratrol Butyrate Ester Protects Adenine-Treated Rats against Hypertension and Kidney Disease by Regulating the Gut-Kidney Axis.. <i>Antioxidants</i> , 2021 , 11,	7.1	3
34	Separation and Identification of Resveratrol Butyrate Ester Complexes and Their Bioactivity in HepG2 Cell Models.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
33	Adherence to long-term use of renin-angiotensin II-aldosterone system inhibitors in children with chronic kidney disease. <i>BMC Pediatrics</i> , 2019 , 19, 64	2.6	2
32	Comparison of uric acid reduction and renal outcomes of febuxostat vs allopurinol in patients with chronic kidney disease. <i>Scientific Reports</i> , 2020 , 10, 10734	4.9	2
31	Comparison of the Effects of Denosumab and Alendronate on Cardiovascular and Renal Outcomes in Osteoporotic Patients. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
30	Association of Statin and Its Lipophilicity With Cardiovascular Events in Patients Receiving Chronic Dialysis. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 1312-1324	6.1	2
29	The role of antibiotics in upper gastrointestinal bleeding among cirrhotic patients without major complications after endoscopic hemostasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 777-787	4	2
28	Effect of a Pay-for-Performance Program on Renal Outcomes Among Patients With Early-Stage Chronic Kidney Disease in Taiwan. <i>International Journal of Health Policy and Management</i> , 2021 ,	2.5	2
27	The Association Between Changes in Plasma Short-Chain Fatty Acid Concentrations and Hypertension in Children With Chronic Kidney Disease. <i>Frontiers in Pediatrics</i> , 2020 , 8, 613641	3.4	2
26	Melatonin Prevents Chronic Kidney Disease-Induced Hypertension in Young Rat Treated with Adenine: Implications of Gut Microbiota-Derived Metabolites. <i>Antioxidants</i> , 2021 , 10,	7.1	2
25	Hypertension of Developmental Origins: Consideration of Gut Microbiome in Animal Models.. <i>Biomedicines</i> , 2022 , 10,	4.8	2
24	A comparison between dexlansoprazole modified release-based and lansoprazole-based nonbismuth quadruple (concomitant) therapy for first-line eradication: a prospective randomized trial. <i>Infection and Drug Resistance</i> , 2019 , 12, 2923-2931	4.2	1
23	The Role of Non-Selective β Blockers in Compensated Cirrhotic Patients without Major Complications. <i>Medicina (Lithuania)</i> , 2019 , 56,	3.1	1
22	Effects of Vitamin D Receptor, Metallothionein 1A, and 2A Gene Polymorphisms on Toxicity of the Peripheral Nervous System in Chronically Lead-Exposed Workers. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
21	Risk of Recurrent Peptic Ulcer Disease in Patients Receiving Cumulative Defined Daily Dose of Nonsteroidal Anti-Inflammatory Drugs. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	1

20	Maternal 3,3-Dimethyl-1-Butanol Therapy Protects Adult Male Rat Offspring against Hypertension Programmed by Perinatal TCDD Exposure. <i>Nutrients</i> , 2021 , 13,	6.7	1
19	Cardiovascular Disease Risk in Children With Chronic Kidney Disease: Impact of Apolipoprotein C-II and Apolipoprotein C-III. <i>Frontiers in Pediatrics</i> , 2021 , 9, 706323	3.4	1
18	Dietary Supplementation with Cysteine during Pregnancy Rescues Maternal Chronic Kidney Disease-Induced Hypertension in Male Rat Offspring: The Impact of Hydrogen Sulfide and Microbiota-Derived Tryptophan Metabolites.. <i>Antioxidants</i> , 2022 , 11,	7.1	1
17	Prediction and Clinically Important Factors of Acute Kidney Injury Non-recovery.. <i>Frontiers in Medicine</i> , 2021 , 8, 789874	4.9	0
16	Apixaban vs. Warfarin in Atrial Fibrillation Patients With Chronic Kidney Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 752468	5.4	0
15	Renoprotective effect of SGLT-2 inhibitors among type 2 diabetes patients with different baseline kidney function: a multi-center study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 203	8.7	0
14	Risks of adverse events for users of proton-pump inhibitors plus aspirin or clopidogrel in patients with aspirin-related ulcer bleeding. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1828-1835	4	0
13	The impact of aspirin on Klebsiella pneumoniae liver abscess in diabetic patients. <i>Scientific Reports</i> , 2020 , 10, 21329	4.9	0
12	Increased Risk of Pyogenic Liver Abscess after Endoscopic Sphincterotomy for Treatment of Choledocholithiasis. <i>Infection and Drug Resistance</i> , 2021 , 14, 2121-2131	4.2	0
11	Association of EGFR Tyrosine Kinase Inhibitor Treatment With Progression-Free Survival Among Taiwanese Patients With Advanced Lung Adenocarcinoma and EGFR Mutation. <i>Frontiers in Pharmacology</i> , 2021 , 12, 720687	5.6	0
10	FP073HIGH SALT EXACERBATES PROGRAMMED HYPERTENSION IN MATERNAL FRUCTOSE-FED MALE OFFSPRING. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii90-iii90	4.3	
9	SO057TIME-DEPENDENT EFFECT OF SERUM URIC ACID ON ESTIMATED GFR IN CHILDREN WITH CKD. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, iii33-iii33	4.3	
8	MO012RESVERATROL REGULATES NUTRIENT SENSING PATHWAY AND GUT MICROBIOTA TO PREVENT THE DEVELOPMENT OF HYPERTENSION PROGRAMMED BY MATERNAL PLUS POST-WEANING HIGH-FAT CONSUMPTION. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, iii46-iii46	4.3	
7	Changing trends in dialysis modalities utilization and mortality in children, adolescents and young adults with acute kidney injury, 2010-2017. <i>Scientific Reports</i> , 2021 , 11, 11887	4.9	
6	MO009EARLY POSTNATAL TREATMENT WITH SOLUBLE EPOXIDE HYDROLASE INHIBITOR AND 15-DEOXY- $\Delta^2,14$ -PROSTAGANDIN J2 PREVENTS PRENATAL DEXAMETHASONE AND POSTNATAL HIGH SATURATED FAT DIET INDUCED PROGRAMMED HYPERTENSION IN ADULT OFFSPRING. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i31-i31	4.3	
5	SP077SEX DIFFERENCES IN RENAL TRANSCRIPTOME AND PROGRAMMED HYPERTENSION IN OFFSPRING EXPOSED TO PRENATAL DEXAMETHASONE. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i111-i111	4.3	
4	SP066POSTNATAL HIGH FAT DIET SEX SPECIFICALLY EXACERBATES PRENATAL DEXAMETHASONE INDUCED HYPERTENSION: MASS SPECTROMETRY BASED QUANTITATIVE PROTEOMIC APPROACH. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i367-i368	4.3	
3	SP065DIMETHYL FUMARATE TREATMENT PREVENTS PRENATAL DEXAMETHASONE AND POSTNATAL HIGH FAT DIET INDUCED PROGRAMMED HYPERTENSION IN MALE RAT OFFSPRING. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i367-i367	4.3	

- 2 Continuity and Completeness of Electronic Health Record Data for Patients Treated With Oral Hypoglycemic Agents: Findings From Healthcare Delivery Systems in Taiwan.. *Frontiers in Pharmacology*, **2022**, 13, 845949 5.6
- 1 Developmental and Early Life Origins of Hypertension: Preventive Aspects of Melatonin. *Antioxidants*, **2022**, 11, 924 7.1