
Luci Fuscaldi Teixeira-Salmela

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11828537/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Measurement properties of the Brazilian version of the Stroke Upper Limb Capacity Scale (SULCS- <i>Brazil</i>). Topics in Stroke Rehabilitation, 2023, 30, 610-619.	1.0	0
2	Perspectives, satisfaction, self-efficacy, and barriers to aerobic exercise reported by individuals with chronic stroke in a developing country. Disability and Rehabilitation, 2022, 44, 3089-3094.	0.9	6
3	General and comparative self-rated health in chronic stroke: an important outcome measure for health professionals. BMC Neurology, 2022, 22, 78.	0.8	Ο
4	Perceived barriers to exercise reported by individuals with stroke, who are able to walk in the community. Disability and Rehabilitation, 2021, 43, 331-337.	0.9	24
5	Fall Efficacy Scale–International cut-off score discriminates fallers and non-fallers individuals who have had stroke. Journal of Bodywork and Movement Therapies, 2021, 26, 167-173.	0.5	12
6	Using a cane for one month does not improve walking or social participation in chronic stroke: An attention-controlled randomized trial. Clinical Rehabilitation, 2021, 35, 026921552110208.	1.0	1
7	Upper Limb Energy Demand During Unilateral Arm Crank Submaximal Exercise Testing in Individuals With Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2021, 102, 1755-1763.	0.5	1
8	Home-Based Interventions may Increase Recruitment, Adherence, and Measurement of outcomes in Clinical Trials of Stroke Rehabilitation. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106022.	0.7	5
9	Depressive symptoms and functional status are associated with sleep quality after stroke. Topics in Stroke Rehabilitation, 2021, 28, 573-580.	1.0	7
10	Adaptação transcultural do Subjective Index of Physical and Social Outcome (SIPSO) para aplicação no Brasil. Revista Ciencias Em Saude, 2021, 11, 37-45.	0.0	0
11	Efficacy of interventions aimed at improving physical activity in individuals with stroke: a systematic review. Disability and Rehabilitation, 2020, 42, 902-917.	0.9	21
12	Personal and organizational characteristics associated with evidence-based practice reported by Brazilian physical therapists providing service to people with stroke: a cross-sectional mail survey. Brazilian Journal of Physical Therapy, 2020, 24, 349-357.	1.1	8
13	Deficits in motor coordination of the paretic lower limb limit the ability to immediately increase walking speed in individuals with chronic stroke. Brazilian Journal of Physical Therapy, 2020, 24, 496-502.	1.1	7
14	Ankle-foot orthoses and continuous functional electrical stimulation improve walking speed after stroke: a systematic review and meta-analyses of randomized controlled trials. Physiotherapy, 2020, 109, 43-53.	0.2	8
15	Reliability and validity of the incremental shuttle walking test in individuals after stroke. Topics in Stroke Rehabilitation, 2020, 28, 1-9.	1.0	5
16	Efficacy of task-specific circuit training on physical activity levels and mobility of stroke patients: A randomized controlled trial. NeuroRehabilitation, 2020, 47, 451-462.	0.5	5
17	Benefits of Homeâ€Based Respiratory Muscle Training from the Perspectives of Individuals Who Had a Stroke: Qualitative Study. PM and R, 2020, 12, 990-996.	0.9	2
18	Effects of aerobic training on physical activity in people with stroke: A randomized controlled trial. NeuroRehabilitation, 2020, 46, 391-401.	0.5	23

#	Article	IF	CITATIONS
19	Knee extensor muscles strength indicates global lower-limb strength in individuals who have suffered a stroke: A cross-sectional study. Brazilian Journal of Physical Therapy, 2019, 23, 221-227.	1.1	16
20	Measurement properties of self-report physical activity assessment tools for patients with stroke: a systematic review. Brazilian Journal of Physical Therapy, 2019, 23, 476-490.	1.1	16
21	A Single Trial May Be Used for Measuring Muscle Strength With Dynamometers in Individuals With Stroke: A Cross ectional Study. PM and R, 2019, 11, 372-378.	0.9	3
22	High-Intensity Respiratory Muscle Training Improves Strength and Dyspnea Poststroke: A Double-Blind Randomized Trial. Archives of Physical Medicine and Rehabilitation, 2019, 100, 205-212.	0.5	23
23	Analysis of symmetry between lower limbs during gait of older women with bilateral knee osteoarthritis. Aging Clinical and Experimental Research, 2019, 31, 67-73.	1.4	13
24	Reference values for muscle strength: a systematic review with a descriptive meta-analysis. Brazilian Journal of Physical Therapy, 2018, 22, 355-369.	1.1	37
25	Analysis of Test-Retest Reliability, Construct Validity, and Internal Consistency of the Brazilian Version of the Pelvic Girdle Questionnaire. Journal of Manipulative and Physiological Therapeutics, 2018, 41, 425-433.	0.4	5
26	Strength of the lower limb and trunk muscles is associated with gait speed in individuals with sub-acute stroke: a cross-sectional study. Brazilian Journal of Physical Therapy, 2018, 22, 459-466.	1.1	31
27	Cross-cultural validity of the ABILOCO questionnaire for individuals with stroke, based on Rasch analysis. Disability and Rehabilitation, 2018, 40, 1310-1317.	0.9	12
28	Effects of aerobic training on physical activity in people with stroke: protocol for a randomized controlled trial. Trials, 2018, 19, 446.	0.7	17
29	Adaptação transcultural da Modified Gait Efficacy Scale para indivÃduos pós-acidente vascular encefálico. Revista De Terapia Ocupacional Da Universidade De São Paulo, 2018, 29, 230-236.	0.1	4
30	Measurement properties of self-report physical activity assessment tools in stroke: a protocol for a systematic review. BMJ Open, 2017, 7, e012655.	0.8	11
31	Effects of Anteroposterior Talus Mobilization on Range of Motion, Pain, and Functional Capacity in Participants With Subacute and Chronic Ankle Injuries: A Controlled Trial. Journal of Manipulative and Physiological Therapeutics, 2017, 40, 273-283.	0.4	11
32	Efficacy of Task-Specific Training on Physical Activity Levels of People With Stroke: Protocol for a Randomized Controlled Trial. Physical Therapy, 2017, 97, 640-648.	1.1	8
33	Effect of high-intensity home-based respiratory muscle training on strength of respiratory muscles following a stroke: a protocol for a randomized controlled trial. Brazilian Journal of Physical Therapy, 2017, 21, 372-377.	1.1	16
34	Efficacy of Task-Specific Training on Physical Activity Levels of People With Stroke: Protocol for a Randomized Controlled Trial. Physical Therapy, 2017, 97, 640-648.	1.1	1
35	Recruitment rate and retention of stroke subjects in cross-sectional studies. Ciencia E Saude Coletiva, 2017, 22, 255-260.	0.1	6
36	Adaptação transcultural do Questionário ABILHAND especÃfico para indivÃduos pós-acidente vascular encefálico. Revista De Terapia Ocupacional Da Universidade De São Paulo, 2017, 28, 19.	0.1	3

#	Article	IF	CITATIONS
37	Caracterização da participação social de indivÃduos na fase crônica pós-acidente vascular encefálico. Revista De Terapia Ocupacional Da Universidade De São Paulo, 2017, 28, 71.	0.1	5
38	Cross-cultural validity of the Brazilian version of the ABILHAND questionnaire for chronic stroke individuals, based on Rasch analysis. Journal of Rehabilitation Medicine, 2016, 48, 6-13.	0.8	15
39	Adaptação transcultural e reprodutibilidade do Measure of the Quality of the Enviroment em indivÃduos com hemiparesia. Revista De Terapia Ocupacional Da Universidade De São Paulo, 2016, 27, 42.	0.1	5
40	Assessment of the strength of the lower limb muscles in subjects with stroke with portable dynamometry: a literature review. Fisioterapia Em Movimento, 2016, 29, 193-208.	0.4	13
41	Handgrip strength deficits best explain limitations in performing bimanual activities after stroke. Journal of Physical Therapy Science, 2016, 28, 1161-1165.	0.2	16
42	180° turn while walking: characterization and comparisons between subjects with and without stroke. Journal of Physical Therapy Science, 2016, 28, 2694-2699.	0.2	17
43	Efeitos de atividades fÃÂsicas e terapêuticas em adultos maduros e idosos. Fisioterapia Brasil, 2016, 2, 99-106.	0.1	2
44	Reliability and validity of the modified sphygmomanometer test for the assessment of strength of upper limb muscles after stroke. Journal of Rehabilitation Medicine, 2015, 47, 697-705.	0.8	13
45	Assessment of the strength of the trunk and upper limb muscles in stroke subjects with portable dynamometry: a literature review. Fisioterapia Em Movimento, 2015, 28, 169-186.	0.4	11
46	Measurement properties of the lower extremity motor coordination test in individuals with stroke. Journal of Rehabilitation Medicine, 2015, 47, 502-507.	0.8	18
47	Review of the psychometric properties of lower limb motor coordination tests. Fisioterapia Em Movimento, 2014, 27, 541-553.	0.4	10
48	Validity and reliability of the modified sphygmomanometer test to assess strength of the lower limbs and trunk muscles after stroke. Journal of Rehabilitation Medicine, 2014, 46, 620-628.	0.8	26
49	Chronic Hemiparetic Subjects with Higher Physical Activity Levels Report Better Quality of Life. Revista Neurociencias, 2014, 22, 221-226.	0.0	2
50	Avaliação da força muscular pelo teste do esfigmomanômetro modificado: uma revisão da literatura. Fisioterapia Em Movimento, 2013, 26, 437-452.	0.4	21
51	Estudo de seguimento da função motora de indivÃduos pÃ3s-acidente vascular encefálico. Fisioterapia E Pesquisa, 2013, 20, 222-227.	0.3	0
52	Isometric hand grip strength correlated with isokinetic data of the shoulder stabilizers in individuals with chronic stroke. Journal of Bodywork and Movement Therapies, 2012, 16, 275-280.	0.5	24
53	The effects of walking sticks on gait kinematics and kinetics with chronic stroke survivors. Clinical Biomechanics, 2012, 27, 131-137.	0.5	64
54	Motor Activity Log-Brazil: reliability and relationships with motor impairments in individuals with chronic stroke. Arquivos De Neuro-Psiquiatria, 2012, 70, 196-201.	0.3	34

#	Article	IF	CITATIONS
55	ExercÃcio aeróbio e fortalecimento muscular melhoram o desempenho funcional na doença de Parkinson. Fisioterapia Em Movimento, 2011, 24, 379-388.	0.4	7
56	Upper Extremity Function in Stroke Subjects: Relationships between the International Classification of Functioning, Disability, and Health Domains. Journal of Hand Therapy, 2011, 24, 257-265.	0.7	189
57	The effect of lumbar posture on abdominal muscle thickness during an isometric leg task in people with and without non-specific low back pain. Manual Therapy, 2011, 16, 578-584.	1.6	29
58	Relationships between measures of muscular performance, proprioceptive acuity, and aging in elderly women with knee osteoarthritis. Archives of Gerontology and Geriatrics, 2011, 53, e253-e257.	1.4	19
59	Musculoskeletal biomechanics in sit-to-stand and stand-to-sit activities with stroke subjects: a systematic review. Fisioterapia Em Movimento, 2010, 23, 35-52.	0.4	25
60	Comparação entre indivÃduos hemiparéticos com e sem histórico de quedas com base nos componentes da Classificação Internacional de Funcionalidade, Incapacidade e Saúde. Fisioterapia E Pesquisa, 2010, 17, 242-247.	0.3	12
61	Relationships between muscular torque and gait speed in chronic hemiparetic subjects. Disability and Rehabilitation, 2009, 31, 103-108.	0.9	24
62	Applicability of the coactivation method in assessing synergies of the scapular stabilizing muscles. Journal of Shoulder and Elbow Surgery, 2009, 18, 764-772.	1.2	10
63	Effects of the Direction of Turning on the Timed Up & Go Test with Stroke Subjects. Topics in Stroke Rehabilitation, 2009, 16, 196-206.	1.0	80
64	Scapular muscle recruitment patterns and isokinetic strength ratios of the shoulder rotator muscles in individuals with and without impingement syndrome. Journal of Shoulder and Elbow Surgery, 2008, 17, S48-S53.	1.2	103
65	Effects of cadence on energy generation and absorption at lower extremity joints during gait. Clinical Biomechanics, 2008, 23, 769-778.	0.5	72
66	Comparisons of electromyographic activity of scapular muscles between elevation and lowering of the arms. Physiotherapy Theory and Practice, 2008, 24, 360-371.	0.6	7
67	Scapular Muscular Activity With Shoulder Impingement Syndrome During Lowering of the Arms. Clinical Journal of Sport Medicine, 2008, 18, 130-136.	0.9	29
68	Validation of the human activity profile in stroke: A comparison of observed, proxy and self-reported scores. Disability and Rehabilitation, 2007, 29, 1518-1524.	0.9	58
69	Análise das propriedades psicométricas da versão brasileira da escala tampa de cinesiofobia. Acta Ortopedica Brasileira, 2007, 15, 19-24.	0.2	98
70	Impact of an exercise program on physical, emotional, and social aspects of quality of life of individuals with Parkinson's disease. Movement Disorders, 2006, 21, 1073-1077.	2.2	113
71	Functional performance and quality of life related to training and detraining of community-dwelling elderly. Disability and Rehabilitation, 2005, 27, 1007-1012.	0.9	46
72	Muscle strengthening and physical conditioning to reduce impairment and disability in chronic stroke survivors. Archives of Physical Medicine and Rehabilitation, 1999, 80, 1211-1218.	0.5	403